

EVIDENCE · STACK · STRUCTURE

stats

Row of 3–5 stat tiles, each with a big number and a label.

IMPACT · PILOT RESULTS

Six months of results across four product teams.

MEASURED AGAINST PRE-FRAMEWORK BASELINE, SAME TEAMS, SAME MARKET CONDITIONS.

73%
FASTER CLOSE

4.2×
SIGNAL RECALL

\$1.2M
PREVENTED LOSSES

−18d
AVG CYCLE TIME

IMPACT · PILOT RESULTS

Six months of results across four product teams.

MEASURED AGAINST PRE-FRAMEWORK BASELINE, SAME TEAMS, SAME MARKET CONDITIONS.

73%
FASTER CLOSE

4.2×
SIGNAL RECALL

\$1.2M
PREVENTED LOSSES

−18d
AVG CYCLE TIME

IMPACT · PILOT RESULTS

Six months of results across four product teams.

MEASURED AGAINST PRE-FRAMEWORK BASELINE, SAME TEAMS, SAME MARKET CONDITIONS.

73%
FASTER CLOSE

4.2×
SIGNAL RECALL

\$1.2M
PREVENTED LOSSES

−18d
AVG CYCLE TIME

IMPACT · PILOT RESULTS

Six months of results across four product teams.

MEASURED AGAINST PRE-FRAMEWORK BASELINE, SAME TEAMS, SAME MARKET CONDITIONS.

73%

FASTER CLOSE

4.2×

SIGNAL RECALL

\$1.2M

PREVENTED LOSSES

−18d

AVG CYCLE TIME

When NOT to reach for stats.

Six or more tiles.

Past five tiles the row compresses and the numbers shrink below boardroom legibility. Split into two rows or move to `kpi` where the dashboard grid gives each metric its own card.

Tiles with no number.

If a tile is mostly prose with a small number, the visual hierarchy inverts and the row reads as a list. Stats is for **bold-number + caption** — anything more belongs in `cards-grid`.

Status framing without pills.

If each metric needs a target, a trend, and a status indicator, you're authoring a dashboard, not a stats row. Move to `kpi`, which carries that vocabulary.

RELATED COMPONENTS

See also.

`big-number` — one number is enough to carry the slide

`kpi` — metrics need targets, trends, and status pills

`split-panel` — one focal KPI with a paragraph of supporting prose

`piechart` — the numbers are parts of a whole, not independent

`progress` — the metrics are completion percentages across workstreams