

EVIDENCE · CANVAS · PROSE

code

Single fenced code block as the slide's centerpiece.

How a signal earns its score.

```
function scoreSignal({ confidence, relevance, observedAt }, weights) {  
  const ageDays = (Date.now() - observedAt) / DAY_MS;  
  const recency = Math.exp(-ageDays / weights.halfLife);  
  
  return (  
    confidence * weights.confidence +  
    recency * weights.recency +  
    relevance * weights.relevance  
  );  
}
```

How a signal earns its score.

```
function scoreSignal({ confidence, relevance, observedAt }, weights) {  
  const ageDays = (Date.now() - observedAt) / DAY_MS;  
  const recency = Math.exp(-ageDays / weights.halfLife);  
  
  return (  
    confidence * weights.confidence +  
    recency * weights.recency +  
    relevance * weights.relevance  
  );  
}
```

How a signal earns its score.

```
function scoreSignal({ confidence, relevance, observedAt }, weights) {  
  const ageDays = (Date.now() - observedAt) / DAY_MS;  
  const recency = Math.exp(-ageDays / weights.halfLife);  
  
  return (  
    confidence * weights.confidence +  
    recency * weights.recency +  
    relevance * weights.relevance  
  );  
}
```

How a signal earns its score.

```
function scoreSignal({ confidence, relevance, observedAt }, weights) {  
  const ageDays = (Date.now() - observedAt) / DAY_MS;  
  const recency = Math.exp(-ageDays / weights.halfLife);  
  
  return (  
    confidence * weights.confidence +  
    recency * weights.recency +  
    relevance * weights.relevance  
  );  
}
```

When NOT to reach for code.

Comparing two versions. If you need before/after, use compare-code — it gives both snippets parallel framing. code is for a single snippet doing one job.

Code-as-decoration. A screenshot of an IDE or a snippet the audience cannot read defeats the layout. If the code is too long to legibly fit, the slide isn't a code slide — it's a content slide that talks about code.

No language hint. A bare fence renders as undifferentiated mono. Always tag the language so the highlighter and the reviewer both know what they are looking at.

See also.

RELATED COMPONENTS

`compare-code` — before/after snippet comparison

`diagram` — the architecture matters more than the code

`math` — the equation is the argument, not the implementation

`content` — code is one piece of a longer prose explanation