

INVENTORY · LEDGER · STRUCTURE

# list-tabular

Hairline-ruled ledger of items — name on the left, body on the right.

# The four workstreams carrying the H2 platform plan.

|    |            |                                                                               |                          |
|----|------------|-------------------------------------------------------------------------------|--------------------------|
| 01 | Platform   | Multi-tenant codebooks and per-purpose keys — the latency and isolation work. | TWO ENGINEERS · SHIPS Q3 |
| 02 | Operations | Automated rotation and crypto-shred, retiring the manual maintenance window.  | ONE ENGINEER · SHIPS Q3  |
| 03 | Compliance | Centralised audit log and the examiner-ready export pack.                     | ONE ENGINEER · SHIPS Q4  |
| 04 | SDK        | Polyglot parity so every client team adopts the same path.                    | CONTRACTOR · SHIPS Q4    |

# The four layers of the design system.

- |    |                                           |                                                                       |
|----|-------------------------------------------|-----------------------------------------------------------------------|
| 01 | <small>PURPOSE</small><br><b>Function</b> | Why the slide exists — the communication job it does. Seven families. |
| 02 | <small>COMPOSITION</small><br><b>Form</b> | The spatial shape the slide takes. Eleven shapes.                     |
| 03 | <small>DATA</small><br><b>Substance</b>   | The kind of content that fills the shape. Four contracts.             |
| 04 | <small>TREATMENT</small><br><b>Finish</b> | The palette, typography, and chrome applied last. Theme-controlled.   |

# Renderer parity — current scoreboard.

|    |                                     |           |
|----|-------------------------------------|-----------|
| 01 | Marp CLI build path                 | 334 / 334 |
| 02 | lattice-emulator<br>inline path     | 334 / 334 |
| 03 | marp-vscode<br>runtime DOM path     | 327 / 334 |
| 04 | Cross-renderer<br>page-count parity | pass      |

# Environment flags the build path reads.

|    |                                                                                     |               |
|----|-------------------------------------------------------------------------------------|---------------|
| 01 | Override the deck's declared theme at build time. Default: theme from front-matter. | LATTICE_THEME |
| 02 | Toggle the render helper's hash-keyed cache. Default: 1 locally, 0 on CI.           | LATTICE_CACHE |
| 03 | Emit per-slide transform timing to stderr. Default: 0.                              | LATTICE_TRACE |

# Active components — release status.

|    |                       |        |
|----|-----------------------|--------|
| 01 | <b>cards-grid</b>     | STABLE |
| 02 | <b>split-brief</b>    | STABLE |
| 03 | <b>radar-chart</b>    | BETA   |
| 04 | <b>quadrant-chart</b> | BETA   |
| 05 | <b>kanban-board</b>   | ALPHA  |

# The four layers of the design system.

- |    |                                           |                                                                       |
|----|-------------------------------------------|-----------------------------------------------------------------------|
| 01 | <small>PURPOSE</small><br><b>Function</b> | Why the slide exists — the communication job it does. Seven families. |
| 02 | <small>COMPOSITION</small><br><b>Form</b> | The spatial shape the slide takes. Eleven shapes.                     |
| 03 | <small>DATA</small><br><b>Substance</b>   | The kind of content that fills the shape. Four contracts.             |
| 04 | <small>TREATMENT</small><br><b>Finish</b> | The palette, typography, and chrome applied last. Theme-controlled.   |

# Quarterly headline metrics.

|    |                        |        |
|----|------------------------|--------|
| 01 | Net new ARR            | \$4.2M |
| 02 | Logo retention         | 94%    |
| 03 | Time-to-value (median) | 11d    |
| 04 | Pipeline coverage      | 3.2x   |



## API endpoints exposed by the deck-server.

- 
- |           |                                                                           |                               |
|-----------|---------------------------------------------------------------------------|-------------------------------|
| <b>01</b> | Returns the rendered deck metadata, slide manifest, and signed PDF URL.   | <b>GET</b> /DECK\$/400        |
| <b>02</b> | Enqueues a re-render. 409 if a render is already in flight for this deck. | <b>POST</b> /DECKS/:ID2RENDER |
| <b>03</b> | Evicts the cached PDF and forces a cold re-render on the next read.       | <b>DELETE</b> /DECKS/ID/CACHE |
-

# Active components — release status.

|    |                       |        |
|----|-----------------------|--------|
| 01 | <b>cards-grid</b>     | STABLE |
| 02 | <b>split-brief</b>    | STABLE |
| 03 | <b>radar-chart</b>    | BETA   |
| 04 | <b>quadrant-chart</b> | BETA   |
| 05 | <b>kanban-board</b>   | ALPHA  |

# The four workstreams carrying the H2 platform plan.

|    |            |                                                                               |                          |
|----|------------|-------------------------------------------------------------------------------|--------------------------|
| 01 | Platform   | Multi-tenant codebooks and per-purpose keys — the latency and isolation work. | TWO ENGINEERS · SHIPS Q3 |
| 02 | Operations | Automated rotation and crypto-shred, retiring the manual maintenance window.  | ONE ENGINEER · SHIPS Q3  |
| 03 | Compliance | Centralised audit log and the examiner-ready export pack.                     | ONE ENGINEER · SHIPS Q4  |
| 04 | SDK        | Polyglot parity so every client team adopts the same path.                    | CONTRACTOR · SHIPS Q4    |

# The four workstreams carrying the H2 platform plan.

|    |            |                                                                               |                          |
|----|------------|-------------------------------------------------------------------------------|--------------------------|
| 01 | Platform   | Multi-tenant codebooks and per-purpose keys — the latency and isolation work. | TWO ENGINEERS · SHIPS Q3 |
| 02 | Operations | Automated rotation and crypto-shred, retiring the manual maintenance window.  | ONE ENGINEER · SHIPS Q3  |
| 03 | Compliance | Centralised audit log and the examiner-ready export pack.                     | ONE ENGINEER · SHIPS Q4  |
| 04 | SDK        | Polyglot parity so every client team adopts the same path.                    | CONTRACTOR · SHIPS Q4    |

# The four workstreams carrying the H2 platform plan.

|    |            |                                                                               |                          |
|----|------------|-------------------------------------------------------------------------------|--------------------------|
| 01 | Platform   | Multi-tenant codebooks and per-purpose keys — the latency and isolation work. | TWO ENGINEERS · SHIPS Q3 |
| 02 | Operations | Automated rotation and crypto-shred, retiring the manual maintenance window.  | ONE ENGINEER · SHIPS Q3  |
| 03 | Compliance | Centralised audit log and the examiner-ready export pack.                     | ONE ENGINEER · SHIPS Q4  |
| 04 | SDK        | Polyglot parity so every client team adopts the same path.                    | CONTRACTOR · SHIPS Q4    |

## When NOT to reach for list-tabular.

**Three or fewer rows.** The ledger needs density to justify its shape. For two or three items, reach for cards-stack or cards-wide — the rows get the room to breathe.

**Long per-row prose.** Each row is a name plus a sentence. If the description runs two or three sentences, move to cards-wide or split across slides.

**Stacking two primary variants.** `def`, `metric`, `spec`, and `register` are mutually exclusive. Pair each only with its secondary modifier (`def+rule`, `metric+solid`, `spec+stacked`, `register+outline`).

# See also.

## *RELATED COMPONENTS*

`glossary` — term/definition pairs with auto-derived range pill

`cards-stack` — two or three richer items, not a ledger

`actors` — the left column is a named person, not a key

`principles` — rows are stated rules, not reference entries

`list` — rows are bullets without a label-plus-description shape