


PROGRESSION · TIMELINE · STRUCTURE

timeline

Horizontal ordered steps along a single axis, each a labeled dot.

From first pilot to general availability.



From first pilot to general availability.

1

Pilot

Four product teams run the framework for a quarter against a shared baseline.

2

Calibrate

Scoring weights are tuned against real outcomes; the decision log becomes mandatory.

3

Roll out


Every product team onboards and the weekly signal review joins the operating rhythm.

4

GA

The framework leaves pilot status and ships as the default for new initiatives.

From first pilot to general availability.



From first pilot to general availability.

1

Pilot

Four product teams run the framework for a quarter against a shared baseline.

2

Calibrate

Scoring weights are tuned against real outcomes; the decision log becomes mandatory.

3

Roll out

Every product team onboards and the weekly signal review joins the operating rhythm.

4

GA

The framework leaves pilot status and ships as the default for new initiatives.

When NOT to reach for timeline.

Long body per step. If each stage needs a paragraph, lift to `list-steps` where the cards have body room. Prose crammed into a timeline label crowds the axis.

Parallel options, not sequence. If the items are alternatives rather than ordered stages, use `cards-grid`. The horizontal axis here reads as time.

Past six stages. More than six dots compresses the axis and the labels collide. Split into two slides or roll up adjacent stages.

See also.

RELATED COMPONENTS

- `list-steps` — each step needs body-paragraph room, not just a label
- `split-steps` — a phase anchor + heading reads on the left, steps on the right
- `journey` — each step carries actors and mood, not just a label
- `gantt` — tasks have duration and overlap across multiple workstreams
- `roadmap` — phased grid across multiple workstreams rather than a single axis