

NEW COMPONENT · EVIDENCE · SPATIAL · SERIES

Show them where.


The first layout on the new **spatial** form — regions placed by real-world geography, not by a grid or an axis. Author a value per named state; the basemap fills it. For program reach, service territories, jurisdictions, and where the money landed.

One basemap, two reads.


A US-states map answers a geographic question two ways, and the variant picks which.

- **Choropleth** (default) shades each named state on a single-hue ramp — *how much, where*. Author the value as trailing inline-code: `- California \ 48.2\```.
- **Highlight** (`map highlight`) gives each named state its own colour and leaves the rest neutral — *which ones*. For a set, not a ranking.
- Name a state any usual way — `California`, `CA`, or `Calif.` all resolve. A name the map can't place is reported in the legend, never dropped silently.


Where the recovery grants landed.



The eight states in the pilot.



Active volunteers by chapter — postal codes work too.



What it doesn't do — yet.

The spatial form is built to grow; v1 keeps a tight, provable boundary.

- **States only.** Counties, districts, and city pins are out of scope for v1 — the form supports them later behind another basemap.
- **One country.** US states ship first (the strongest gov / public-sector fit); a `world` basemap is the next swap once the asset boundary is proven.
- **No magnitude in highlight.** If you need both *which* and *how much*, lead with choropleth and name the set in the prose.

MAP

Geography is the argument.

*When where is the point — coverage,
reach, jurisdiction — a basemap says
it in one glance that a table of state
names never will. When it isn't, reach
for `progress` or `stats` instead.*