

IMAGERY · PANEL · MIXED

featured

Featured card + sub-grid — one prominent item with supporting cards.

Applying the criteria, here is where the evidence points.

Self-contained component folders. ✨

One folder per component holding manifest, styles, transform (if needed), example, and README. Matches the pattern every mature design system uses, and lets the scaffolder, bundler, and docs generator read a single source of truth.

Bundler concatenates CSS at build time.

Per-component sources combine into the shipped lattice stylesheet via the build-css tool. Committed bundle with a CI gate.

Manifests are the single source of truth.

Scaffolder, snippets, this gallery, and docs all read from the same JSON.

Tests stay scoped.

One test file per component under the components test path, runnable as a scoped npm script.

After the audit, the recommendation lands on the right.

Bundler concatenates CSS at build time.

Per-component sources combine into the shipped lattice stylesheet via the build-css tool.

Manifests are the single source of truth.

Scaffolder, snippets, this gallery, and docs all read from the same JSON.

Tests stay scoped.

One test file per component under the components test path.

Self-contained component folders.



One folder per component holding manifest, styles, transform (if needed), example, and README. Matches the pattern every mature design system uses, and lets the scaffolder, bundler, and docs generator read a single source of truth.

Applying the criteria, here is where the evidence points.

Self-contained component folders.



One folder per component holding manifest, styles, transform (if needed), example, and README. Matches the pattern every mature design system uses, and lets the scaffolder, bundler, and docs generator read a single source of truth.

Bundler concatenates CSS at build time.

Per-component sources combine into the shipped lattice stylesheet via the build-css tool. Committed bundle with a CI gate.

Manifests are the single source of truth.

Scaffolder, snippets, this gallery, and docs all read from the same JSON.

Tests stay scoped.

One test file per component under the components test path, runnable as a scoped npm script.

Applying the criteria, here is where the evidence points.

Self-contained component folders.



One folder per component holding manifest, styles, transform (if needed), example, and README. Matches the pattern every mature design system uses, and lets the scaffolder, bundler, and docs generator read a single source of truth.

Bundler concatenates CSS at build time.

Per-component sources combine into the shipped lattice stylesheet via the build-css tool. Committed bundle with a CI gate.

Manifests are the single source of truth.

Scaffolder, snippets, this gallery, and docs all read from the same JSON.

Tests stay scoped.

One test file per component under the components test path, runnable as a scoped npm script.

Applying the criteria, here is where the evidence points.

Self-contained component folders.



One folder per component holding manifest, styles, transform (if needed), example, and README. Matches the pattern every mature design system uses, and lets the scaffolder, bundler, and docs generator read a single source of truth.

Bundler concatenates CSS at build time.

Per-component sources combine into the shipped lattice stylesheet via the build-css tool. Committed bundle with a CI gate.

Manifests are the single source of truth.

Scaffolder, snippets, this gallery, and docs all read from the same JSON.

Tests stay scoped.

One test file per component under the components test path, runnable as a scoped npm script.

When NOT to reach for featured.

Equal-weight options. If all four items deserve the same weight, use `cards-grid`. featured demands a winner; without one the layout overstates the lead and the audience feels manipulated.

Hero card with one-line body. A one-sentence featured card defeats the asymmetry — the sub-grid bullets out-mass it. Either give the hero the paragraph it needs or move to `cards-grid` where every card holds equal weight.

Sub-grid that argues against the hero. If the supporting cards undermine the recommendation, the slide is a debate, not a verdict. Use `verdict-grid` for criteria-based scoring or `cards-side` for explicit two-option comparison.

See also.

RELATED COMPONENTS

- `cards-grid` — all options carry equal weight; no winner declared
- `verdict-grid` — options scored against shared criteria, not picked
- `cards-side` — two options side by side, no hierarchy between them
- `decision` — the recommendation needs an explicit pro/con frame
- `split-brief` — the recommendation is a thesis sentence + supporting findings