

INVENTORY · GRID · STRUCTURE

# cards-grid

2–4 parallel items, similar weight, scannable in a grid.

## The framework has four components.

### Signal Intake.

Weekly structured collection across customer conversations, market data, and competitive moves. Normalized into a common schema before scoring.

### Scoring Model.

Each signal scored on three dimensions — confidence, recency, and strategic relevance. Weights are team-configurable and reviewed quarterly.

### Decision Log.

Every decision recorded with the signals that informed it, the options considered, and the criteria applied. Feeds the calibration loop.

### Calibration Loop.

Monthly retrospective that compares predicted outcomes to actual outcomes and adjusts scoring weights accordingly.

## Four phases, four owners.

### **Intake.**

PM. Collect raw signals.

### **Score.**

Analyst. Apply weights.

### **Decide.**

Lead. Pick the call.

### **Calibrate.**

Team. Compare to  
actuals.

## The framework has three components.

### **Signal Intake.**

Weekly structured collection across customer conversations, market data, and competitive moves. Normalized into a common schema.

### **Scoring Model.**

Each signal scored on three dimensions — confidence, recency, strategic relevance. Weights are reviewed quarterly.

### **Decision Log.**

Every decision recorded with the signals that informed it, the options considered, and the criteria applied.

## Signal Intake produces three outputs.

1

### Weekly Signal Brief

A ranked list of the top 10 signals from the prior week, with confidence scores and source attribution. Distributed to product leads every Monday.

2

### Anomaly Alerts

Real-time flags when a signal exceeds the  $2\sigma$  threshold on any dimension. Routed to the accountable PM with a 4-hour response SLA.

3

### Monthly Signal Index

The source of truth for the calibration loop. Required reading before each retrospective.

## Mirror is a no-op here.

### First card.

Same position with or without `mirror`.

### Second card.

Same position with or without `mirror`.

### Third card.

Symmetric grids have nothing to flip.

### Fourth card.

This slide renders identically to the default.

## The framework has four components.

### Signal Intake.

Weekly structured collection across customer conversations, market data, and competitive moves. Normalized into a common schema before scoring.

### Scoring Model.

Each signal scored on three dimensions — confidence, recency, and strategic relevance. Weights are team-configurable and reviewed quarterly.

### Decision Log.

Every decision recorded with the signals that informed it, the options considered, and the criteria applied. Feeds the calibration loop.

### Calibration Loop.

Monthly retrospective that compares predicted outcomes to actual outcomes and adjusts scoring weights accordingly.

## The framework has four components.

### **Signal Intake.**

Weekly structured collection across customer conversations, market data, and competitive moves. Normalized into a common schema before scoring.

### **Scoring Model.**

Each signal scored on three dimensions — confidence, recency, and strategic relevance. Weights are team-configurable and reviewed quarterly.

### **Decision Log.**

Every decision recorded with the signals that informed it, the options considered, and the criteria applied. Feeds the calibration loop.

### **Calibration Loop.**

Monthly retrospective that compares predicted outcomes to actual outcomes and adjusts scoring weights accordingly.

## The framework has four components.

### **Signal Intake.**

Weekly structured collection across customer conversations, market data, and competitive moves. Normalized into a common schema before scoring.

### **Scoring Model.**

Each signal scored on three dimensions — confidence, recency, and strategic relevance. Weights are team-configurable and reviewed quarterly.

### **Decision Log.**

Every decision recorded with the signals that informed it, the options considered, and the criteria applied. Feeds the calibration loop.

### **Calibration Loop.**

Monthly retrospective that compares predicted outcomes to actual outcomes and adjusts scoring weights accordingly.

## When NOT to reach for cards-grid.

**More than 4 items.** Split into multiple slides instead. The grid loses scannability past 4 cards.

**Order carries meaning.** Use list-steps or list-criteria. cards-grid is for parallel options, not sequences.

**Lopsided density.** Equalize the prose when one card has three sentences and the rest have one. Otherwise change layout.

**Inline-code-only body.** A body bullet containing only `code` gets promoted to an eyebrow label. Mix it with surrounding prose.

# See also.

## *RELATED COMPONENTS*

- `list-steps` — items carry an explicit sequence
- `cards-stack` — items stack vertically as full-width rows
- `cards-side` — two-card horizontal comparison
- `cards-wide` — three full-width rows for longer prose per item
- `verdict-grid` — comparing options against shared criteria