

INVENTORY · LEDGER · STRUCTURE

list-tabular

Hairline-ruled ledger of items — name on the left, body on the right.

The four substance contracts a component plugs into.

01	Prose	Headings, paragraphs, inline emphasis — Marp markdown into semantic HTML.	CSS-ONLY; NO POST-PROCESSOR REQUIRED
02	Structure	Headings plus nested lists with conventions; a post-processor rewrites the list into purpose-built DOM.	PER-COMPONENT TRANSFORM.JS IN LIB/COMPONENTS
03	Series	Tabular DSL — axes and datapoints as bullets, parsed into geometry.	CHART-FAMILY KERNEL (RADAR, QUADRANT, PIECHART, GANTT, KANBAN)
04	Graph	External graph language (Mermaid today; D2 or PlantUML in the future).	EXTERNAL CLI; PALETTE INJECTED AT BUILD TIME

The four layers of the design system.

- | | | |
|----|---|---|
| 01 | <small>PURPOSE</small>
Function | Why the slide exists — the communication job it does. Seven families. |
| 02 | <small>COMPOSITION</small>
Form | The spatial shape the slide takes. Eleven shapes. |
| 03 | <small>DATA</small>
Substance | The kind of content that fills the shape. Four contracts. |
| 04 | <small>TREATMENT</small>
Finish | The palette, typography, and chrome applied last. Theme-controlled. |

Renderer parity — current scoreboard.

01	Marp CLI build path	334 / 334
02	lattice-emulator inline path	334 / 334
03	marp-vscode runtime DOM path	327 / 334
04	Cross-renderer page-count parity	pass

Environment flags the build path reads.

01	Override the deck's declared theme at build time. Default: theme from front-matter.	LATTICE_THEME
02	Toggle the render helper's hash-keyed cache. Default: 1 locally, 0 on CI.	LATTICE_CACHE
03	Emit per-slide transform timing to stderr. Default: 0.	LATTICE_TRACE

Active components — release status.

01	cards-grid	STABLE
02	split-brief	STABLE
03	radar-chart	BETA
04	quadrant-chart	BETA
05	kanban-board	ALPHA

The four layers of the design system.

- | | | |
|----|---|---|
| 01 | <small>PURPOSE</small>
Function | Why the slide exists — the communication job it does. Seven families. |
| 02 | <small>COMPOSITION</small>
Form | The spatial shape the slide takes. Eleven shapes. |
| 03 | <small>DATA</small>
Substance | The kind of content that fills the shape. Four contracts. |
| 04 | <small>TREATMENT</small>
Finish | The palette, typography, and chrome applied last. Theme-controlled. |

Quarterly headline metrics.

01	Net new ARR	\$4.2M
02	Logo retention	94%
03	Time-to-value (median)	11d
04	Pipeline coverage	3.2x

API endpoints exposed by the deck-server.

-
- | | | |
|-----------|---|-------------------------------|
| 01 | Returns the rendered deck metadata, slide manifest, and signed PDF URL. | GET /DECK\$/400 |
| 02 | Enqueues a re-render. 409 if a render is already in flight for this deck. | POST /DECKS/:ID/RENDER |
| 03 | Evicts the cached PDF and forces a cold re-render on the next read. | DELETE /DECKS/ID/CACHE |
-

Active components — release status.

01	cards-grid	STABLE
02	split-brief	STABLE
03	radar-chart	BETA
04	quadrant-chart	BETA
05	kanban-board	ALPHA

The four substance contracts a component plugs into.

01	Prose	Headings, paragraphs, inline emphasis — Marp markdown into semantic HTML.	CSS-ONLY; NO POST-PROCESSOR REQUIRED
02	Structure	Headings plus nested lists with conventions; a post-processor rewrites the list into purpose-built DOM.	PER-COMPONENT TRANSFORM.JS IN LIB/COMPONENTS
03	Series	Tabular DSL — axes and datapoints as bullets, parsed into geometry.	CHART-FAMILY KERNEL (RADAR, QUADRANT, PIECHART, GANTT, KANBAN)
04	Graph	External graph language (Mermaid today; D2 or PlantUML in the future).	EXTERNAL CLI; PALETTE INJECTED AT BUILD TIME

The four substance contracts a component plugs into.

01	Prose	Headings, paragraphs, inline emphasis — Marp markdown into semantic HTML.	CSS-ONLY; NO POST-PROCESSOR REQUIRED
02	Structure	Headings plus nested lists with conventions; a post-processor rewrites the list into purpose-built DOM.	PER-COMPONENT TRANSFORM.JS IN LIB/COMPONENTS
03	Series	Tabular DSL — axes and datapoints as bullets, parsed into geometry.	CHART-FAMILY KERNEL (RADAR, QUADRANT, PIECHART, GANTT, KANBAN)
04	Graph	External graph language (Mermaid today; D2 or PlantUML in the future).	EXTERNAL CLI; PALETTE INJECTED AT BUILD TIME

The four substance contracts a component plugs into.

01	Prose	Headings, paragraphs, inline emphasis — Marp markdown into semantic HTML.	CSS-ONLY; NO POST-PROCESSOR REQUIRED
02	Structure	Headings plus nested lists with conventions; a post-processor rewrites the list into purpose-built DOM.	PER-COMPONENT TRANSFORM.JS IN LIB/COMPONENTS
03	Series	Tabular DSL — axes and datapoints as bullets, parsed into geometry.	CHART-FAMILY KERNEL (RADAR, QUADRANT, PIECHART, GANTT, KANBAN)
04	Graph	External graph language (Mermaid today; D2 or PlantUML in the future).	EXTERNAL CLI; PALETTE INJECTED AT BUILD TIME

When NOT to reach for list-tabular.

Three or fewer rows. The ledger needs density to justify its shape. For two or three items, reach for cards-stack or cards-wide — the rows get the room to breathe.

Long per-row prose. Each row is a name plus a sentence. If the description runs two or three sentences, move to cards-wide or split across slides.

Stacking two primary variants. `def`, `metric`, `spec`, and `register` are mutually exclusive. Pair each only with its secondary modifier (`def+rule`, `metric+solid`, `spec+stacked`, `register+outline`).

See also.

RELATED COMPONENTS

`glossary` — term/definition pairs with auto-derived range pill

`cards-stack` — two or three richer items, not a ledger

`actors` — the left column is a named person, not a key

`principles` — rows are stated rules, not reference entries

`list` — rows are bullets without a label-plus-description shape