

PROGRESSION · LEDGER · STRUCTURE

list-criteria

Numbered criteria list — each requirement is a row with rationale.

What every component manifest must satisfy.

- 01 Stable name**
Kebab-case, matching the `_class` directive authors type when invoking the component.
- 02 Function coordinate**
One of seven families per the four-layer model: anchor, statement, inventory, comparison, progression, evidence, imagery.
- 03 Form coordinate**
One of eleven spatial shapes: bookend, divider, canvas, grid, stack, ledger, panel, matrix, scatter, timeline, split.
- 04 Substance coordinate**
One of four plugin contracts: prose, structure, series, graph (or mixed for panel-form components).
- 05 Skeleton plus sample**
Skeleton scaffolds blank slides for the new-slide CLI; sample demonstrates the component substantively for the gallery.

What every component manifest must satisfy.

- 01 Stable name**
Kebab-case, matching the `_class` directive authors type when invoking the component.
- 02 Function coordinate**
One of seven families per the four-layer model: anchor, statement, inventory, comparison, progression, evidence, imagery.
- 03 Form coordinate**
One of eleven spatial shapes: bookend, divider, canvas, grid, stack, ledger, panel, matrix, scatter, timeline, split.
- 04 Substance coordinate**
One of four plugin contracts: prose, structure, series, graph (or mixed for panel-form components).
- 05 Skeleton plus sample**
Skeleton scaffolds blank slides for the new-slide CLI; sample demonstrates the component substantively for the gallery.

What every component manifest must satisfy.

- 01 Stable name**
Kebab-case, matching the `_class` directive authors type when invoking the component.
- 02 Function coordinate**
One of seven families per the four-layer model: anchor, statement, inventory, comparison, progression, evidence, imagery.
- 03 Form coordinate**
One of eleven spatial shapes: bookend, divider, canvas, grid, stack, ledger, panel, matrix, scatter, timeline, split.
- 04 Substance coordinate**
One of four plugin contracts: prose, structure, series, graph (or mixed for panel-form components).
- 05 Skeleton plus sample**
Skeleton scaffolds blank slides for the new-slide CLI; sample demonstrates the component substantively for the gallery.

What every component manifest must satisfy.

- 01 Stable name**
Kebab-case, matching the `_class` directive authors type when invoking the component.
- 02 Function coordinate**
One of seven families per the four-layer model: anchor, statement, inventory, comparison, progression, evidence, imagery.
- 03 Form coordinate**
One of eleven spatial shapes: bookend, divider, canvas, grid, stack, ledger, panel, matrix, scatter, timeline, split.
- 04 Substance coordinate**
One of four plugin contracts: prose, structure, series, graph (or mixed for panel-form components).
- 05 Skeleton plus sample**
Skeleton scaffolds blank slides for the new-slide CLI; sample demonstrates the component substantively for the gallery.

When NOT to reach for list-criteria.

Parallel options, not gates. If the items are alternatives the audience is choosing between, use `cards-grid` or `verdict-grid`. list-criteria is for requirements all of which must hold.

Rationale longer than two lines. Each row is a one-sentence rationale. If a criterion needs a paragraph, lift it to `list-steps` or `split-brief` where the body has room to breathe.

Missing criterion title. The bold lead on each li is what makes the ledger scannable. A naked sentence per row reads as paragraph soup; the bold title is the structure.

See also.

RELATED COMPONENTS

- `list-steps` — rows are procedural steps with longer body, not gating criteria
- `checklist` — rows carry done/in-flight/planned state markers
- `verdict-grid` — options scored against shared criteria
- `principles` — tenets or values rather than gates a decision must clear
- `list-tabular` — rows carry structured metadata alongside the name and description