

EVIDENCE · CANVAS · PROSE

code

Single fenced code block as the slide's centerpiece.

What loading a manifest looks like.

```
const { loadAll, groupByFunction } = require("../lib/components");

const manifests = loadAll();           // 58 components, validated
const byFunction = groupByFunction(manifests);

for (const m of byFunction.evidence) {
  console.log(m.name, m.form, m.substance);
}
```

What loading a manifest looks like.

```
const { loadAll, groupByFunction } = require("./lib/components");

const manifests = loadAll();           // 58 components, validated
const byFunction = groupByFunction(manifests);

for (const m of byFunction.evidence) {
  console.log(m.name, m.form, m.substance);
}
```

What loading a manifest looks like.

```
const { loadAll, groupByFunction } = require("../lib/components");

const manifests = loadAll();           // 58 components, validated
const byFunction = groupByFunction(manifests);

for (const m of byFunction.evidence) {
  console.log(m.name, m.form, m.substance);
}
```

What loading a manifest looks like.

```
const { loadAll, groupByFunction } = require("../lib/components");

const manifests = loadAll();           // 58 components, validated
const byFunction = groupByFunction(manifests);

for (const m of byFunction.evidence) {
  console.log(m.name, m.form, m.substance);
}
```

When NOT to reach for code.

Comparing two versions. If you need before/after, use compare-code — it gives both snippets parallel framing. code is for a single snippet doing one job.

Code-as-decoration. A screenshot of an IDE or a snippet the audience cannot read defeats the layout. If the code is too long to legibly fit, the slide isn't a code slide — it's a content slide that talks about code.

No language hint. A bare fence renders as undifferentiated mono. Always tag the language so the highlighter and the reviewer both know what they are looking at.

See also.

RELATED COMPONENTS

`compare-code` — before/after snippet comparison

`diagram` — the architecture matters more than the code

`math` — the equation is the argument, not the implementation

`content` — code is one piece of a longer prose explanation