

INVENTORY · LEDGER · STRUCTURE

# list-tabular

Hairline-ruled ledger of items — name on the left, body on the right.

# The four substance contracts a component plugs into.

|    |           |                                                                                                                  |                                                                |
|----|-----------|------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|
| 01 | Prose     | Headings, paragraphs, inline emphasis —<br>Marp markdown into semantic HTML.                                     | CSS-ONLY; NO POST-PROCESSOR REQUIRED                           |
| 02 | Structure | Headings plus nested lists with<br>conventions; a post-processor<br>rewrites the list into purpose-built<br>DOM. | PER-COMPONENT TRANSFORM.JS IN LIB/COMPONENTS                   |
| 03 | Series    | Tabular DSL —<br>axes and<br>datapoints as<br>bullets, parsed<br>into geometry.                                  | CHART-FAMILY KERNEL (RADAR, QUADRANT, PIECHART, GANTT, KANBAN) |
| 04 | Graph     | External graph language (Mermaid<br>today; D2 or PlantUML in the future).                                        | EXTERNAL CLI; PALETTE INJECTED AT BUILD TIME                   |

# The four layers of the design system.

- |    |                                           |                                                                       |
|----|-------------------------------------------|-----------------------------------------------------------------------|
| 01 | <small>PURPOSE</small><br><b>Function</b> | Why the slide exists — the communication job it does. Seven families. |
| 02 | <small>COMPOSITION</small><br><b>Form</b> | The spatial shape the slide takes. Eleven shapes.                     |
| 03 | <small>DATA</small><br><b>Substance</b>   | The kind of content that fills the shape. Four contracts.             |
| 04 | <small>TREATMENT</small><br><b>Finish</b> | The palette, typography, and chrome applied last. Theme-controlled.   |

# Renderer parity — current scoreboard.

|    |                                  |           |
|----|----------------------------------|-----------|
| 01 | Marp CLI build path              | 334 / 334 |
| 02 | lattice-emulator inline path     | 334 / 334 |
| 03 | marp-vscode runtime DOM path     | 327 / 334 |
| 04 | Cross-renderer page-count parity | pass      |

# Environment flags the build path reads.

|    |                                                                                     |               |
|----|-------------------------------------------------------------------------------------|---------------|
| 01 | Override the deck's declared theme at build time. Default: theme from front-matter. | LATTICE_THEME |
| 02 | Toggle the render helper's hash-keyed cache. Default: 1 locally, 0 on CI.           | LATTICE_CACHE |
| 03 | Emit per-slide transform timing to stderr. Default: 0.                              | LATTICE_TRACE |

# Active components — release status.

|    |                       |        |
|----|-----------------------|--------|
| 01 | <b>cards-grid</b>     | STABLE |
| 02 | <b>split-brief</b>    | STABLE |
| 03 | <b>radar-chart</b>    | BETA   |
| 04 | <b>quadrant-chart</b> | BETA   |
| 05 | <b>kanban-board</b>   | ALPHA  |

# The four layers of the design system.

- |    |                                           |                                                                       |
|----|-------------------------------------------|-----------------------------------------------------------------------|
| 01 | <small>PURPOSE</small><br><b>Function</b> | Why the slide exists — the communication job it does. Seven families. |
| 02 | <small>COMPOSITION</small><br><b>Form</b> | The spatial shape the slide takes. Eleven shapes.                     |
| 03 | <small>DATA</small><br><b>Substance</b>   | The kind of content that fills the shape. Four contracts.             |
| 04 | <small>TREATMENT</small><br><b>Finish</b> | The palette, typography, and chrome applied last. Theme-controlled.   |

# Quarterly headline metrics.

|    |                        |        |
|----|------------------------|--------|
| 01 | Net new ARR            | \$4.2M |
| 02 | Logo retention         | 94%    |
| 03 | Time-to-value (median) | 11d    |
| 04 | Pipeline coverage      | 3.2x   |



# API endpoints exposed by the deck-server.

|    |                                                                           |                        |
|----|---------------------------------------------------------------------------|------------------------|
| 01 | Returns the rendered deck metadata, slide manifest, and signed PDF URL.   | GET /DECK\$/400        |
| 02 | Enqueues a re-render. 409 if a render is already in flight for this deck. | POST /DECKS/:ID/RENDER |
| 03 | Evicts the cached PDF and forces a cold re-render on the next read.       | DELETE /DECKS/ID/CACHE |

# Active components — release status.

|    |                       |        |
|----|-----------------------|--------|
| 01 | <b>cards-grid</b>     | STABLE |
| 02 | <b>split-brief</b>    | STABLE |
| 03 | <b>radar-chart</b>    | BETA   |
| 04 | <b>quadrant-chart</b> | BETA   |
| 05 | <b>kanban-board</b>   | ALPHA  |

# The four substance contracts a component plugs into.

|    |           |                                                                                                                  |                                                                |
|----|-----------|------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|
| 01 | Prose     | Headings, paragraphs, inline emphasis —<br>Marp markdown into semantic HTML.                                     | CSS-ONLY; NO POST-PROCESSOR REQUIRED                           |
| 02 | Structure | Headings plus nested lists with<br>conventions; a post-processor<br>rewrites the list into purpose-built<br>DOM. | PER-COMPONENT TRANSFORM.JS IN LIB/COMPONENTS                   |
| 03 | Series    | Tabular DSL —<br>axes and<br>datapoints as<br>bullets, parsed<br>into geometry.                                  | CHART-FAMILY KERNEL (RADAR, QUADRANT, PIECHART, GANTT, KANBAN) |
| 04 | Graph     | External graph language (Mermaid<br>today; D2 or PlantUML in the future).                                        | EXTERNAL CLI; PALETTE INJECTED AT BUILD TIME                   |

# The four substance contracts a component plugs into.

|    |           |                                                                                                                  |                                                                |
|----|-----------|------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|
| 01 | Prose     | Headings, paragraphs, inline emphasis —<br>Marp markdown into semantic HTML.                                     | CSS-ONLY; NO POST-PROCESSOR REQUIRED                           |
| 02 | Structure | Headings plus nested lists with<br>conventions; a post-processor<br>rewrites the list into purpose-built<br>DOM. | PER-COMPONENT TRANSFORM.JS IN LIB/COMPONENTS                   |
| 03 | Series    | Tabular DSL — axes<br>and datapoints as<br>bullets, parsed into<br>geometry.                                     | CHART-FAMILY KERNEL (RADAR, QUADRANT, PIECHART, GANTT, KANBAN) |
| 04 | Graph     | External graph language (Mermaid<br>today; D2 or PlantUML in the future).                                        | EXTERNAL CLI; PALETTE INJECTED AT BUILD TIME                   |

# The four substance contracts a component plugs into.

|    |           |                                                                                                                  |                                                                |
|----|-----------|------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|
| 01 | Prose     | Headings, paragraphs, inline emphasis —<br>Marp markdown into semantic HTML.                                     | CSS-ONLY; NO POST-PROCESSOR REQUIRED                           |
| 02 | Structure | Headings plus nested lists with<br>conventions; a post-processor<br>rewrites the list into purpose-built<br>DOM. | PER-COMPONENT TRANSFORM.JS IN LIB/COMPONENTS                   |
| 03 | Series    | Tabular DSL —<br>axes and<br>datapoints as<br>bullets, parsed<br>into geometry.                                  | CHART-FAMILY KERNEL (RADAR, QUADRANT, PIECHART, GANTT, KANBAN) |
| 04 | Graph     | External graph language (Mermaid<br>today; D2 or PlantUML in the future).                                        | EXTERNAL CLI; PALETTE INJECTED AT BUILD TIME                   |

# When NOT to reach for list-tabular.

**Three or fewer rows.** The ledger needs density to justify its shape. For two or three items, reach for cards-stack or cards-wide — the rows get the room to breathe.

**Long per-row prose.** Each row is a name plus a sentence. If the description runs two or three sentences, move to cards-wide or split across slides.

**Stacking two primary variants.** `def`, `metric`, `spec`, and `register` are mutually exclusive. Pair each only with its secondary modifier (def+rule, metric+solid, spec+stacked, register+outline).

# See also.

## *RELATED COMPONENTS*

`glossary` — term/definition pairs with auto-derived range pill

`cards-stack` — two or three richer items, not a ledger

`actors` — the left column is a named person, not a key

`principles` — rows are stated rules, not reference entries

`list` — rows are bullets without a label-plus-description shape