

VISUAL CATALOG · 2026-05-17

The Treatments Catalog

Every treatment class rendered once — 12 tints (corner glows, edge washes, atmospheric, multi-accent) and 11 marks (circles, ticks, orbits, slashes, seeds, pills, asterisks, threads, brackets, grids, chevrons) plus 4 composition examples and a dark-canvas demo. Each footer carries the exact class spec used on the slide. See `docs/references/treatments.md` for the full catalogue and `docs/notes/2026-05-17-treatments-rename.md` for the design rationale.

SECTION 01 · TINTS · CORNER GLOWS

Radial ellipses anchored at one corner
of the canvas

TINT · CORNER GLOW · TOP-LEFT

tint-corner at-tl

Radial ellipse anchored at the top-left corner. 12% peak accent, gone before reaching the content zone.

TINT · CORNER GLOW · TOP-RIGHT

tint-corner at-tr

Same weight and fade profile, anchored at top-right.

TINT · CORNER GLOW · BOTTOM-LEFT

tint-corner at-bl

Same profile, anchored at bottom-left.

TINT · CORNER GLOW · BOTTOM-RIGHT

tint-corner at-br

Same profile, anchored at bottom-right.

SECTION 02 · TINTS · EDGE WASHES

Linear gradients fading from one edge

TINT · EDGE WASH · TOP

tint-edge at-top

Linear gradient down from the top edge. 10% at the edge, transparent by 35%.

TINT · EDGE WASH · RIGHT

tint-edge at-right

Wash bleeding in from the right edge. Same opacity profile, transparent by 30%.

TINT · EDGE WASH · BOTTOM

tint-edge at-bottom

Wash rising from the bottom edge. Mirrors *tint-edge at-top*.

TINT · EDGE WASH · LEFT

tint-edge at-left

Wash bleeding in from the left edge. Mirrors *tint-edge at-right*.

SECTION 03 · TINTS · ATMOSPHERIC

Full-canvas tonal effects that keep the
center clean

TINT · ATMOSPHERIC · VIGNETTE

tint-vignette

Accent-tinted perimeter, open center. Roughly a 700×400 clean zone in the middle of a 16:9 slide.

TINT · ATMOSPHERIC · SPOTLIGHT

tint-spotlight

Reverse vignette — accent warmer at center, transparent at edges. Caps at 7% so it reads as warmth rather than colour.

TINT · ATMOSPHERIC · HORIZON

tint-horizon

Heaviest at the top edge, fades to nothing by 45%. Suits slides about aspiration, elevation, the view from the top floor.

TINT · ATMOSPHERIC · GROUND

tint-ground

Mirror of horizon — heaviest at the bottom. Suits closing arguments, summaries, conclusions, landings.

SECTION 04 · TINTS · MULTI-ACCENT

**Two or more gradient layers
composed; ink budget split between
them**

TINT · MULTI-ACCENT · DUOTONE

tint-duotone

Opposing-corner pair — top-left + bottom-right at 9% each. The two glows meet around mid-slide and fade before intersecting.

TINT · MULTI-ACCENT · FRAME

tint-frame

All four edges at half-weight (8% each, gone by 22% inset). Quiet all-round accent; no single side dominates.

TINT · MULTI-ACCENT · SWEEP

tint-sweep

Diagonal accent wash from top-right to bottom-left. The most directional tint — suits forward motion, left-to-right reading.

TINT · MULTI-ACCENT · AMBIENT

tint-ambient

The lowest-key option — broad off-axis tint at 7%. A barely-there suggestion of colour that ensures the slide never reads as plain white.

SECTION 05 · MARKS

**SVG accent shapes painted through a
mask at 28 % accent**



MARK · MICRO CIRCLES · TOP-RIGHT

mark-micro

Nine micro circles, radius 2–4.5, scattered across the top-right header band.

MARK · TICKS · RIGHT MARGIN

mark-ticks

Five horizontal ticks in the far-right margin. Painted as a `::before` plus four `box-shadow` copies — no mask — so it survives Apple PDFKit's mask-drop bug intact.

MARK · ORBIT · BOTTOM-RIGHT

mark-orbit

Concentric rings, center dot, three satellite dots. The prototype for the cropped-viewBox *::before* pattern shared by the rest of the mask-based mark family.





MARK · SLASHES · TOP-RIGHT

mark-slashes

Five parallel 45° slashes in the top-right corner. Opacity steps down 1.0 → 0.6 along the cluster.

MARK · SEEDS · ALL FOUR CORNERS

mark-seeds

Twelve elongated ellipses, three per corner. Renders as 12 stacked radial-gradients in the `--_bg-radial` slot, not a mask — four-corner geometry has no small bbox, so the orbit-pattern escape doesn't help. Placement-agnostic; conflicts with corner glows and other `--_bg-radial` tints.

MARK · PILLS · RIGHT MARGIN

mark-pills

Four horizontal pill shapes in the far-right margin. Same `box-shadow` approach as `mark-ticks` — `border-radius` on the `::before` propagates to the shadow copies so each pill is rounded.



MARK · ASTERISKS · OPPOSING CORNERS

mark-asterisks

Asterisks plus micro dots at top-right AND bottom-left. The dual-corner geometry is why this mark is placement-agnostic — the TR cluster lives in `::before`, the BL cluster in `::after`, each cropped to its own bbox.





MARK · THREADS · TOP-RIGHT

mark-threads

Three hairline diagonals (stroke 0.5) in the top-right corner. The pattern direction is diagonal — the placement is the corner.

MARK · BRACKETS · RIGHT MARGIN

mark-brackets

Two *J* bracket marks in the far-right margin. The most editorial of the marks.



MARK · GRID · TOP-RIGHT

mark-grid

Four-by-four dot grid in the top-right header band. A true fullbleed-grid variant is a follow-up feature, not a rename concern.

MARK · CHEVRONS · BOTTOM-LEFT

mark-chevron

Three right-pointing chevrons in the bottom-left corner. Opacity ramps 1.0 → 0.65.



SECTION 06 · COMPOSITION AND DARK

How treatments compose and how they survive theme inversion

COMPOSITION · TWO TINTS IN DIFFERENT SLOTS

Radial + linear in one class list

`tint-vignette` writes the radial slot, `tint-edge at-right` writes the linear slot. The compositor rule assembles both into one `background-image` with two live layers.

COMPOSITION · TINT PLUS MARK

Gradient layer plus an SVG mark layer

The corner glow paints through the gradient slot; the orbit mark paints through its own *::before*. Two independent layers — no slot collision.



COMPOSITION · DARK CANVAS, TWO LAYERS

Cross-mode safety, gradient + mark, dark surface

`var(--accent)` resolves via `light-dark()` so the gradient tint and the mask paint both remap automatically. No per-pattern dark overrides needed.



COMPOSITION · THREE LAYERS, THREE SLOTS

Two tints plus a mark — every slot occupied once

Radial corner, linear edge, SVG mark — three independent layers, no conflict. The maximum useful density before the slide starts to feel busy.

That is the full catalogue

27 classes · 4 composition examples · 1 cross-mode demo

Rename PR will sweep every class name in this deck (`bg-<em>` → `tint-</em>` / `mark-*`) and the rest is the same pixels.