

COMPARISON · GRID · STRUCTURE

verdict-grid

Options scored against criteria as a verdict matrix.

Which option meets the criteria.

Folder shape.

- ☒ Self-contained per component
- ☒ Familiar pattern from other libraries
- ☒ Tests can live with their component

Flat files.

- ☒ Less restructuring upfront
- ☐ Per-component grouping by filename only
- ☐ No room for transform.js or example.md

Hybrid.



- ☐ Manifest stays flat, other files in subfolder
- ☐ Splits the component across two locations
- ☐ Defeats the self-contained goal

When NOT to reach for verdict-grid.

split-compare

Exactly two options.

Two options with shared criteria belong in `or`
. verdict-grid earns its layout at 3+ options.

Free-form text on the badge line.

Each inner bullet starts with a state marker, not a sentence. Naked prose breaks the badge chrome and the criteria stop scanning as a row.

cards-stack

Cards with different criteria.

When each option needs its own criteria list, the comparison fails — so each card has full prose breathing room instead. use

See also.

RELATED COMPONENTS

- `compare-prose` — exactly two options with prose bodies
- `split-compare` — two options with a bottom verdict bar
- `obligation-matrix` — many regimes scored on shared obligations in a table
- `compare-table` — cells are textual values, not state markers
- `checklist` — one set of criteria, not many options against them