

INVENTORY · LEDGER · STRUCTURE

list-tabular

Hairline-ruled ledger of items — name on the left, body on the right.

The four substance contracts a component plugs into.

01	Prose	Headings, paragraphs, inline emphasis — Marp markdown into semantic HTML.	CSS-ONLY; NO POST-PROCESSOR REQUIRED
02	Structure	Headings plus nested lists with conventions; a post-processor rewrites the list into purpose-built DOM.	PER-COMPONENT TRANSFORM.JS IN LIB/COMPONENTS
03	Series	Tabular DSL — axes and datapoints as bullets, parsed into geometry.	CHART-FAMILY KERNEL (RADAR, QUADRANT, PIECHART, GANTT, KANBAN)
04	Graph	External graph language (Mermaid today; D2 or PlantUML in the future).	EXTERNAL CLI; PALETTE INJECTED AT BUILD TIME

The four layers of the design system.

01	PURPOSE Function	Why the slide exists — the communication job it does. Seven families.
02	COMPOSITION Form	The spatial shape the slide takes. Eleven shapes.
03	DATA Substance	The kind of content that fills the shape. Four contracts.
04	TREATMENT Finish	The palette, typography, and chrome applied last. Theme-controlled.

Renderer parity — current scoreboard.

01	Marp CLI build path	334 / 334
02	lattice-emulator inline path	334 / 334
03	marp-vscode runtime DOM path	327 / 334
04	Cross-renderer page-count parity	pass

Environment flags the build path reads.

01	Override the deck's declared theme at build time. Default: theme from front-matter.	LATTICESTRENGTH
02	Toggle the render helper's hash-keyed cache. Default: 1 locally, 0 on CI.	LATTICE_CACHE
03	Emit per-slide transform timing to stderr. Default: 0.	LATTICE_TRACE

Active components — release status.

01	cards-grid	STABLE
02	split-brief	STABLE
03	radar-chart	BETA
04	quadrant-chart	BETA
05	kanban-board	ALPHA

The four layers of the design system.

01	PURPOSE Function	Why the slide exists — the communication job it does. Seven families.
02	COMPOSITION Form	The spatial shape the slide takes. Eleven shapes.
03	DATA Substance	The kind of content that fills the shape. Four contracts.
04	TREATMENT Finish	The palette, typography, and chrome applied last. Theme-controlled.

Quarterly headline metrics.

01	Net new ARR	\$4 . 2M
02	Logo retention	94%
03	Time-to-value (median)	11d
04	Pipeline coverage	3 . 2x

API endpoints exposed by the deck-server.

01	Returns the rendered deck metadata, slide manifest, and signed PDF URL.	GET /DECK\$/400
02	Enqueues a re-render. 409 if a render is already in flight for this deck.	POST /DECKS/:ID/RENDER
03	Evicts the cached PDF and forces a cold re-render on the next read.	DELETE /DECKS/:ID/CACHE

Active components — release status.

01	cards-grid	STABLE
02	split-brief	STABLE
03	radar-chart	BETA
04	quadrant-chart	BETA
05	kanban-board	ALPHA

When NOT to reach for list-tabular.

Three or fewer rows.

The ledger needs density to justify its shape. For two or three items, reach for cards-stack or cards-wide — the rows get the room to breathe.

Long per-row prose.

Each row is a name plus a sentence. If the description runs two or three sentences, move to cards-wide or split across slides.

register

Stacking two primary variants.

, ,
 , are mutually exclusive. Pair each only with its secondary modifier (def+rule, metric+solid, spec+stacked, andregister+outline).

See also.

RELATED COMPONENTS

- `glossary` — term/definition pairs with auto-derived range pill
- `cards-stack` — two or three richer items, not a ledger
- `actors` — the left column is a named person, not a key
- `principles` — rows are stated rules, not reference entries
- `list` — rows are bullets without a label-plus-description shape