

6 COMPONENTS


progression

Progression — ordered movement through stages or time.

Customer onboarding · trial to activation.

P prospect **S** sales **U** user **O** onboarding

PAIN 1 2 3 4 5 **DELIGHT**



What every component manifest must satisfy.

Stable name.

01

Kebab-case, matching the

```
_class
```

directive authors type when invoking the component.
Function coordinate.

02

One of seven families per the four-layer model: anchor, statement, inventory, comparison, progression, evidence, imagery.
Form coordinate.

03

One of eleven spatial shapes: bookend, divider, canvas, grid, stack, ledger, panel, matrix, scatter, timeline, split.
Substance coordinate.

04

One of four plugin contracts: prose, structure, series, graph (or mixed for panel-form components).
Skeleton plus sample.

05

Skeleton scaffolds blank slides for the new-slide CLI; sample demonstrates the component substantively for the gallery.

How to add a new component to Lattice.

STEP 01

Scaffold the folder

Create

```
lib/components/<name>/
```

with a manifest declaring name, function, form, substance, slots, and skeleton.

STEP 02

Author the styles

Scope the CSS to the section class. Use palette tokens — no hex literals in layout rules.

STEP 03

Add a transform if needed

Substance

`structure` or `series` ships a transform module wired into all three render paths.

STEP 04

Demo and document

Author

```
<name>.example.md
```

and enrich the manifest with sample, whenToUse, antiPatterns, and related. The generator emits the docs and gallery sidecars.

What ships in each phase, by workstream.

WORKSTREAM	FOUNDATION	HARDENING	SCALE
	Q2 2026	Q3 2026	Q4 2026
Platform	✓ Codebook signing	🚧 Multi-tenant DEKs	○ Per-purpose codebooks
Operations	✓ Manual rotation	🚧 Automated rotation	○ Crypto-shred
Compliance	✓ Audit trail	✓ Centralised log	○ Examiner pack
SDK	✓ Java	🔧 .NET	○ Polyglot parity

State markers [x]/[-]/[]/[/] are universal: ✓ shipped, 🚧 in flight, ○ planned, / out of scope.

02

Discovery and Scoping

Four weeks. Shared definition of the problem before any solution work begins.

1

Stakeholder Interviews

Eight cross-functional conversations. Open questions only — listening for friction, not confirming assumptions.

2

Current-State Audit

System inventory, workflow documentation, and data-quality review feed a single source-of-truth artefact.

3

Problem Framing Workshop

Half-day session to align on root cause. Output is a ranked problem statement the team signs off on.

4

Scope Confirmation

Written sign-off on what is in, what is out, and what requires a separate decision.

How a deck moves from draft to share.

