

Native state machines in plain markdown.


Numbered list, inline-code transitions, palette-blind SVG. No Mermaid, no charting library, no layout engine.

What this deck shows.

A finite-state machine authored as an ordered list. Each top-level item is a state; the index becomes a stable ref. Nested bullets carry the outgoing transitions, each a single inline-code arrow like `submit => 2` or `revise => self`. Whitespace inside the inline code is insignificant. `lib/components/state-chart/state-chart.transform.js` parses the list, resolves transitions, and emits HTML state nodes overlaid with an SVG edge layer. One default plus two modifiers — `inline` (no SVG, transitions as chips) and `horizontal` — both fed by the same source. `dark` composes on top.


Document approval flow.

How a draft moves from author to archive.




Rejected drafts return to the author; revisions stay in review.


Job runner.




Connection retry.



Inline rendering.



Build pipeline.



Why a native state chart.

Mermaid's `stateDiagram-v2` works, but theming it cleanly requires a CSS override cascade with `!important` (see `docs/theming.md`). The native chart uses palette tokens directly — `var(--c1-light)`, `var(--c-stroke)`, `var(--c-line)`, `var(--c-ink-light)` — and inherits dark / light, every theme, automatically. No mmdc subprocess, no opaque SVG class names, no version coupling. The trade-off: no hierarchical states, no parallel regions, no guards in v1. When you need those, `` is the Mermaid escape hatch.

LATTICE · STATE CHART

Numbered authoring is the layout.