

IMAGERY · ADAPTIVE COMPOSITION

The image layout that thinks for you


You hand it any rectangle. It reads the asset's shape, weighs the deck it's on, and resolves a boardroom composition — no modifier to pick.

THE PREMISE

Every other layout controls its content's shape. Image is the one exception — so it adapts to yours.

Activation is where the trial is won or lost.

Two-thirds of trials that reach the first generated report convert; the ones that stall almost never do. A moderate photo gets the **clean** default — a floated card shaped to the asset, so the crop is $\approx$ zero.




The signal, framed and centered.


The card adapts: a squarish photo sits in a square card. One default, every moderate shape, no letterboxing and no lost subject.



Built for the long climb.

An extreme aspect would waste a card, so the resolver upgrades to **split** — a full-height column that shows the whole portrait photo, the argument running alongside.






A panorama earns the full frame.

When the photo already matches the canvas, **spotlight** lets it go full-bleed — and the message rides a solid card, so legibility never depends on the photo.




Exhibit 1 — the network, contained.

Two treatments stay opt-in because they can't be safe for a photo we can't see. **gallery** contains the whole asset on a matte — for diagrams and screenshots where the whitespace is the point.



The setup step is the real funnel.

~~statement~~ rides the title on the photo over a scrim — a deliberate, editorial moment you reach for when you know the image carries it.



And when you want the crop, you just say so.

The resolver protects an author who doesn't think about it. Name a composition and it yields — *image spotlight* forces a full-bleed cover on this tall photo, accepting the crop.

`<!-- _CLASS: IMAGE -->` + a photo. *The layout does the rest.*

**One markdown. Five
compositions. Both orientations.**