



LATTICE · A DISCREET BRAND MARK IN ONE LINE OF FRONT MATTER.

Custom Logo

A grayscale watermark in the top-right corner — auto-adapting brightness so the mark stays legible on dark or light canvases without per-author variants.



How it works.

A build-stage rewriter injects an `img` element with class `deck-logo` as the first child of every selected section. CSS desaturates it via `filter: grayscale(1)` and tunes brightness per canvas: darker on light themes, brighter on dark themes.

One CSS rule covers SVG, PNG, and JPEG. No per-author light/dark variants required.



How it lands in the DOM.

Same shape Marp uses for `header` and `footer`: a real DOM element, absolutely positioned, removed from flow. A real element rather than a `::before` pseudo is what lets the logo compose with `::before`-based chrome like the SVG-mark backgrounds (`bg-orbit-br`, `bg-grid-micro`, `bg-asterisk-scatter`). Each decoration paints on its own layer.

```
logo: ./acme-logo.svg
logo-style: auto | brand      # optional, default `auto`
logo-on: all | title          # optional, default `all`
```

⚠ Build-time only. The directive does **not** render in the marp-vscode preview pane because the extension doesn't load workspace `marp.config.js` plugins.



When to use which style.

AUTO (DEFAULT).

A faint grayscale watermark, brightness inverted on dark-canvas layouts so the mark stays legible on every theme. Best for marks you want present but not loud — a watermark, not a statement.



BRAND.

Original colours preserved on a soft surface plate. Best for logos whose colours carry meaning — government insignia, university crests, marks that *are* the brand.



Body slide on a light canvas with `bg-sweep`.

The watermark darkens automatically on light canvases. Same SVG, same rule — the filter just inverts brightness based on the layout class.

Gradient backgrounds (`bg-sweep`, `bg-spotlight`, `bg-vignette`, the corner gradients) all compose cleanly with the logo because they paint on the section background, not through `::before`.



SVG-mark background and logo coexist.

`bg-orbit-br` draws its concentric-ring accent through `section::before`. Earlier iterations of this feature put the logo on `::before` too — and the two collided. The current implementation injects the logo as a real `img` element, so it sits on a different render layer.

Every `bg-` class — gradients and SVG marks alike — composes with the logo.





LATTICE · CUSTOM LOGO

**One line of front matter. One CSS
rule. Every theme.**