

Six quadrant charts, one source contract.

Native SVG 2×2 chart. Group-by-quadrant Markdown. Eyebrow-declared scale.


No Mermaid, no charting library.

What this deck shows.

A 2×2 quadrant chart authored as a plain nested list — each top-level item is a quadrant label (reading order TL → TR → BL → BR), each nested item is a plotted record `name x, y`. `lib/quadrant.js` parses the list, resolves per-axis scale from the eyebrow (auto-fits when omitted), and emits a positioned SVG at build time. One default plus five modifiers — `bubble`, `trail`, `cohort`, `threshold`, `magic` — each answering a distinct boardroom question. `minimal` and `dark` compose on top of any of them. Palette-blind, deterministic, zero client-side JavaScript.

EFFORT 0-10 → REACH 0-100


Where to put the next dollar.



The default variant lays four palette-tinted regions over a centerlined plot box, places dots by `x, y`, and labels each dot when the population is small enough to read. Top-level group names label the four corners – reading order Z-pattern, top to bottom, left to right. The eyebrow names both axes and pins their scale; omit either side and the engine nice-ceils the data instead. One chart, four named stories – the audience reads "where things sit" before you say a word.

EFFORT 0-10 → REACH 0-100

Where the value sits, sized by deal size.



The `bubble` variant takes a third comma-separated value per item and $\sqrt{\text{value}}$ -scales it into the dot radius – so AREA, not radius, is proportional to magnitude. That's the only honest size encoding; linear-r doubles the apparent value at half the data. Magnitudes $\geq \sim 11\text{px}$ render the pill inside the bubble; smaller bubbles get a chip above. The corner labels stay; the value pill can be anything that parses as a number – `8.2M`, `1.1%`, `4.1` all work and render verbatim.


EFFORT 0-10 → REACH 0-100

What moved this quarter.



The `trail` variant takes two coord pills per item – before, then after. The before-position renders as a faded ring, the after as a solid filled dot, and a dashed segment connects them. The eye reads the direction of the arrow before it reads the label, so the story is "what moved, and which way" without a single annotation. Items that didn't move (one pill only) render as a normal dot – mixing trail and stay items on the same slide reads cleanly.


Where each segment of the market lives.



The `cohort` variant treats top-level groups as cohorts rather than quadrant labels – items color by group, and a convex-hull region tints each cohort's footprint. Hulls are deterministic (Andrew's monotone-chain): the same data plots the same shape every time. Cohort labels live AT each hull's centroid, sized to read across the chart. A right-side legend carries per-cohort item counts. The chart says "Enterprise lives top-right, SMB hugs the bottom-left" in one glance, no annotation needed.

VELOCITY 0-10 → QUALITY 0-100 • TARGETS 6, 75

Who clears both bars.



The `threshold` variant replaces the chart's midlines with explicit target lines, drawn dashed. The eyebrow's trailing `• targets ,` pins the crossing point; both targets render as numeric badges at the axes. The four zones get action-oriented names – Star (above both), On Pace (above one, near the other), Lagging (below one), At Risk (below both). Where author-supplied group names exist they override the defaults – useful when the OKR vocabulary belongs to the team, not the framework.

The market read at a glance.



The `magic` variant is a Gartner-Magic-Quadrant tribute – same scatter, dressed for the boardroom. The four corner labels default to **CHALLENGERS** / **LEADERS** / **NICHE PLAYERS** / **VISIONARIES** unless the author supplies their own. The axes default to **Completeness of Vision** and **Ability to Execute**, again overridable. Every dot is labelled inline; the typography sits a step heavier than the default variant, with extra letterspacing on the corner labels – the iconic vocabulary, no charting library required.

LATTICE · FEATURE DECK

Inspect, then merge.

One default and five modifiers. One Markdown source contract.

Palette-blind, deterministic, zero dependencies.