

STATEMENT · PANEL · STRUCTURE

# contact

An identity card that encodes a vCard: name, title and contact lines beside a QR that saves the presenter to a phone.

# Sharmarke Aden

— FOUNDER & CEO • SLIDEWRIGHT

sharmarke@slidewright.dev

+1-555-0142

slidewright.dev



SCAN TO ADD ME

# Sharmarke Aden

— FOUNDER & CEO • SLIDEWRIGHT

sharmarke@slidewright.dev

+1-555-0142

slidewright.dev



SCAN TO ADD ME

# Sharmarke Aden

— FOUNDER & CEO • SLIDEWRIGHT

sharmarke@slidewright.dev

+1-555-0142

slidewright.dev



SCAN TO ADD ME

# Sharmarke Aden

— FOUNDER & CEO • SLIDEWRIGHT

sharmarke@slidewright.dev

+1-555-0142

slidewright.dev



SCAN TO ADD ME

## When NOT to reach for contact.

### Not a team roster.

One card is one person. For a set of people use an inventory layout; a contact card is a single identity.

### Don't bold the field values.

The value leads and the key is a trailing inline-code tag —

- Sharmarke Aden name`.  
Don't write

- **\*\*Name:\*\*** Sharmarke Aden; the transform reads the postfix key, not a bold label.

RELATED COMPONENTS

# See also.

wifi — the card is a network to join rather than a person