

6 COMPONENTS


# progression

Progression — ordered movement through stages or time.

# Customer onboarding · trial to activation.

**P** prospect   **S** sales   **U** user   **O** onboarding

**PAIN** 1 2 3 4 5 **DELIGHT**



# What every component manifest must satisfy.

- 01 Stable name**  
Kebab-case, matching the `_class` directive authors type when invoking the component.
- 02 Function coordinate**  
One of seven families per the four-layer model: anchor, statement, inventory, comparison, progression, evidence, imagery.
- 03 Form coordinate**  
One of eleven spatial shapes: bookend, divider, canvas, grid, stack, ledger, panel, matrix, scatter, timeline, split.
- 04 Substance coordinate**  
One of four plugin contracts: prose, structure, series, graph (or mixed for panel-form components).
- 05 Skeleton plus sample**  
Skeleton scaffolds blank slides for the new-slide CLI; sample demonstrates the component substantively for the gallery.

# How to add a new component to Lattice.

## STEP 01

### Scaffold the folder

Create

```
lib/components/<name>/
```

with a manifest declaring name, function, form, substance, slots, and skeleton.



## STEP 02

### Author the styles

Scope the CSS to the section class. Use palette tokens — no hex literals in layout rules.



## STEP 03

### Add a transform if needed

Substance

`structure` or `series` ships a transform module wired into all three render paths.



## STEP 04

### Demo and document

Author

```
<name>.example.md
```

and enrich the manifest with sample, whenToUse, antiPatterns, and related. The generator emits the docs and gallery sidecars.

# What ships in each phase, by workstream.

| WORKSTREAM | FOUNDATION         | HARDENING            | SCALE                   |
|------------|--------------------|----------------------|-------------------------|
|            | Q2 2026            | Q3 2026              | Q4 2026                 |
| Platform   | ✓ Codebook signing | ● Multi-tenant DEKs  | ○ Per-purpose codebooks |
| Operations | ✓ Manual rotation  | ● Automated rotation | ○ Crypto-shred          |
| Compliance | ✓ Audit trail      | ✓ Centralised log    | ○ Examiner pack         |
| SDK        | ✓ Java             | ⌘ .NET               | ○ Polyglot parity       |

State markers [x]/[-]/[ ]/[/] are universal: ✓ shipped, ● in flight, ○ planned, / out of scope.

# 02

## Discovery and Scoping

Four weeks. Shared definition of the problem before any solution work begins.

1

### **Stakeholder Interviews**

Eight cross-functional conversations. Open questions only — listening for friction, not confirming assumptions.

2

### **Current-State Audit**

System inventory, workflow documentation, and data-quality review feed a single source-of-truth artefact.

3

### **Problem Framing Workshop**

Half-day session to align on root cause. Output is a ranked problem statement the team signs off on.

4

### **Scope Confirmation**

Written sign-off on what is in, what is out, and what requires a separate decision.

# How a deck moves from draft to share.

