

COMPARISON · MATRIX · STRUCTURE

matrix-2x2

Static 2×2 quadrant grid with author-placed items per cell.

Where the H2 bets land on effort and impact.

High impact · Low effort.

Automated key rotation
Examiner audit pack

High impact · High effort.

Multi-tenant codebooks
Polyglot SDK parity

Low impact · Low effort.

Status-page polish
Dependency dashboard

Low impact · High effort.

Bespoke per-tenant audit UI
Custom SCIM connector

Where the H2 bets land on effort and impact.

High impact · Low effort.

Automated key rotation
Examiner audit pack

High impact · High effort.

Multi-tenant codebooks
Polyglot SDK parity

Low impact · Low effort.

Status-page polish
Dependency dashboard

Low impact · High effort.

Bespoke per-tenant audit UI
Custom SCIM connector

Where the H2 bets land on effort and impact.

High impact · Low effort.

Automated key rotation
Examiner audit pack

High impact · High effort.

Multi-tenant codebooks
Polyglot SDK parity

Low impact · Low effort.

Status-page polish
Dependency dashboard

Low impact · High effort.

Bespoke per-tenant audit UI
Custom SCIM connector

Where the H2 bets land on effort and impact.

High impact · Low effort.

Automated key rotation
Examiner audit pack

High impact · High effort.

Multi-tenant codebooks
Polyglot SDK parity

Low impact · Low effort.

Status-page polish
Dependency dashboard

Low impact · High effort.

Bespoke per-tenant audit UI
Custom SCIM connector

When NOT to reach for matrix-2x2.

Continuous-axis data. If items have x/y coordinates rather than quadrant labels, use `quadrant`. `matrix-2x2` is author-placed categorical, not plotted.

Empty quadrants left blank. An empty cell still needs a label or an explicit (none) placeholder. A missing card breaks the 2×2 symmetry.

More than 4 items per cell. Each quadrant holds 1–4 items. Past that the cells crowd. Promote inner items to their own slide if needed.

See also.

RELATED COMPONENTS

`quadrant` — items have continuous x/y coordinates rather than discrete quadrant labels

`verdict-grid` — options scored across more than two dimensions

`obligation-matrix` — many rows × many columns of state-marker cells

`cards-grid` — the items don't divide along two axes