


PROGRESSION · TIMELINE · STRUCTURE

# timeline

Horizontal ordered steps along a single axis, each a labeled dot.

## From first pilot to general availability.



## From first pilot to general availability.

1

### Pilot

Four product teams run the framework for a quarter against a shared baseline.

2

### Calibrate

Scoring weights are tuned against real outcomes; the decision log becomes mandatory.

3

### Roll out


Every product team onboards and the weekly signal review joins the operating rhythm.

4

### GA

The framework leaves pilot status and ships as the default for new initiatives.

## From first pilot to general availability.



## From first pilot to general availability.

1

### Pilot

Four product teams run the framework for a quarter against a shared baseline.

2

### Calibrate

Scoring weights are tuned against real outcomes; the decision log becomes mandatory.

3

### Roll out

Every product team onboards and the weekly signal review joins the operating rhythm.

4

### GA

The framework leaves pilot status and ships as the default for new initiatives.

## When NOT to reach for timeline.

**Long body per step.** If each stage needs a paragraph, lift to `list-steps` where the cards have body room. Prose crammed into a timeline label crowds the axis.

**Parallel options, not sequence.** If the items are alternatives rather than ordered stages, use `cards-grid`. The horizontal axis here reads as time.

**Past six stages.** More than six dots compresses the axis and the labels collide. Split into two slides or roll up adjacent stages.

# See also.

## *RELATED COMPONENTS*

- `list-steps` — each step needs body-paragraph room, not just a label
- `split-steps` — a phase anchor + heading reads on the left, steps on the right
- `journey` — each step carries actors and mood, not just a label
- `gantt` — tasks have duration and overlap across multiple workstreams
- `roadmap` — phased grid across multiple workstreams rather than a single axis