

STATEMENT · PANEL · STRUCTURE

contact

An identity card that encodes a vCard: name, title and contact lines beside a QR that saves the presenter to a phone.

Sharmarke Aden

— FOUNDER & CEO • SLIDEWRIGHT

sharmarke@slidewright.dev

+1-555-0142

slidewright.dev



SCAN TO ADD ME

Sharmarke Aden

— FOUNDER & CEO • SLIDEWRIGHT

sharmarke@slidewright.dev

+1-555-0142

slidewright.dev



SCAN TO ADD ME

Sharmarke Aden

— FOUNDER & CEO • SLIDEWRIGHT

sharmarke@slidewright.dev

+1-555-0142

slidewright.dev



SCAN TO ADD ME

Sharmarke Aden

— FOUNDER & CEO • SLIDEWRIGHT

sharmarke@slidewright.dev

+1-555-0142

slidewright.dev



SCAN TO ADD ME

When NOT to reach for contact.

Not a team roster.

One card is one person. For a set of people use an inventory layout; a contact card is a single identity.

Don't bold the field values.

The value leads and the key is a trailing inline-code tag —

```
- Sharmarke Aden name`.
```

Don't write

```
- **Name:** Sharmarke Aden
```

; the transform reads the postfix key, not a bold label.

RELATED COMPONENTS

See also.

wifi — the card is a network to join rather than a person