

COMPARISON · SPLIT · STRUCTURE

compare-code

Two fenced code blocks side-by-side, each with a label.

The N+1 query that slowed every report.

BEFORE · ONE QUERY PER ROW

```
const signals = await db.signals.findAll();
for (const s of signals) {
  s.owner = await db.users.find(s.ownerId);
}
return signals;
```

AFTER · ONE BATCHED JOIN

```
const signals = await db.signals.findAll({
  include: { owner: true },
});
return signals;
```

The N+1 query that slowed every report.

BEFORE · ONE QUERY PER ROW

```
const signals = await db.signals.findAll();
for (const s of signals) {
  s.owner = await db.users.find(s.ownerId);
}
return signals;
```

AFTER · ONE BATCHED JOIN

```
const signals = await db.signals.findAll({
  include: { owner: true },
});
return signals;
```

The N+1 query that slowed every report.

BEFORE • ONE QUERY PER ROW

```
const signals = await db.signals.findAll();
for (const s of signals) {
  s.owner = await db.users.find(s.ownerId);
}
return signals;
```

AFTER • ONE BATCHED JOIN

```
const signals = await db.signals.findAll({
  include: { owner: true },
});
return signals;
```

The N+1 query that slowed every report.

BEFORE · ONE QUERY PER ROW

```
const signals = await db.signals.findAll();
for (const s of signals) {
  s.owner = await db.users.find(s.ownerId);
}
return signals;
```

AFTER · ONE BATCHED JOIN

```
const signals = await db.signals.findAll({
  include: { owner: true },
});
return signals;
```

When NOT to reach for compare-code.

One side is prose. If one column is code and the other is description, use a single fenced block with surrounding prose. compare-code is for code-versus-code.

Snippets longer than 14 lines. The text shrinks below readability past 14 lines per side. Split into two slides or extract the key delta into a smaller diff.

Three-way comparison. compare-code is binary. For three configurations or three implementations, use prose with successive fenced blocks or a

compare-table.

RELATED COMPONENTS

See also.

- `compare-prose` — the change is state, not code
- `compare-prose` — the comparison is prose-versus-prose
- `redline` — the change is in verbatim text or legal language
- `compare-table` — three or more variants on shared dimensions