

Example Domain


This domain is for use in illustrative examples in documents. You may use this domain in literature without prior coordination or asking for permission.

[More information...](#)

Example Domain

This domain is for use in illustrative examples in documents. You may use this domain in literature without prior coordination or asking for permission.

[More information...](#)



ElementsConsoleSourcesNetworkPerformance

1

Preserve log

Disable cache

No throttling

Filter

Invert

More filters

All

Fetch/XHR

Doc

CSS

JS

Font

Img

Media

Manifest

Socket

Wasm

Other

5,000 ms

10,000 ms

15,000 ms

20,000 ms

25,000 ms

30,000 ms

35,000 ms

40,000 ms

45,000 ms

Name

www.example.com

injectScriptAdjust.js

local-storage.js

fte-utils.js

express-fte.js

express-utils.js

sidePanelUtil.js

favicon.ico

readability.js

injectScript.js

www.example.com

injectScriptAdjust.js

local-storage.js

fte-utils.js

express-fte.js

express-utils.js

sidePanelUtil.js

favicon.ico

readability.js

injectScript.js

29 requests

463 kB transferred

46

Headers

Preview

Response

Initiator

Timing

General

Request URLhttps://www.example.com/

Request MethodGET

Status Code200 OK

Remote Address23.213.230.88:443

Referrer Policystrict-origin-when-cross-origin

Response Headers

Accept-Rangesbytes

Alt-Svch3=":443"; ma=93600

Cache-Controlmax-age=86000

Content-Encodinggzip

Content-Length648


Content-Typetext/html


DateThu, 18 Sep 2025 22:53:37 GMT


Etag"84238dfc8092e5d9c0dac8ef93371a07:1736799080.121134"

Last-ModifiedMon, 13 Jan 2025 20:11:20 GMT

Quic-Version0x00000001










```
curl ^"https://www.example.com/"^ ^
-H ^"accept:
text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=
0.8,application/signed-exchange;v=b3;q=0.7"^ ^
-H ^"accept-language: en-US,en;q=0.9,fr;q=0.8"^ ^
-H ^"cache-control: no-cache"^ ^
-H ^"pragma: no-cache"^ ^
-H ^"priority: u=0, i"^ ^
-H ^"sec-ch-ua: ^\"Chromium\"^\";v=^\"140\"^\" , ^\"Not=A?Brand\"^\";v=^\"24\"^\" , ^\"Google
Chrome\"^\";v=^\"140\"^\"\"^ ^
-H ^"sec-ch-ua-mobile: ?0"^ ^
-H ^"sec-ch-ua-platform: ^\"Windows\"^\"\"^ ^
```

-H ^"sec-fetch-dest: document^" ^
-H ^"sec-fetch-mode: navigate^" ^
-H ^"sec-fetch-site: none^" ^
-H ^"sec-fetch-user: ?1^" ^
-H ^"upgrade-insecure-requests: 1^" ^
-H ^"user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/140.0.0.0 Safari/537.36^"



```
<!doctype html>
<html>
<head>
  <title>Example Domain</title>
  <meta charset="utf-8" />
  <meta http-equiv="Content-type" content="text/html; charset=utf-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1" />
  <style type="text/css">
    body {
      background-color: #f0f0f2;
      margin: 0;
      padding: 0;
      font-family: -apple-system, system-ui, BlinkMacSystemFont, "Segoe UI", "Open Sans", "Helvetica Neue", Helvetica, Arial, sans-serif;
    }
    div {
      width: 600px;
      margin: 5em auto;
      padding: 2em;
      background-color: #fdfdff;
      border-radius: 0.5em;
      box-shadow: 2px 3px 7px rgba(0,0,0,0.02);
    }
    a:link, a:visited {
      color: #39488f;
      text-decoration: none;
    }
    @media (max-width: 700px) {
      div {
        margin: 0 auto;
        width: auto;
      }
    }
  </style>
</head>
<body>
<div>
  <h1>Example Domain</h1>
  <p>This domain is for use in illustrative examples in documents. You may use this
```





Elements Console Sources **Network** Performance >> 1

☒ Preserve log
 ☐ Disable cache
 No throttling

Filter ☐ Invert More filters

All Fetch/XHR Doc CSS JS Font Img Media **Manifest** Socket Wasm Other

200,000 ms 400,000 ms 600,000 ms 800,000 ms 1,000,000 ms 1,200,000 ms

Name

- injectScript.js
- www.example.com
- injectScriptAdjust.js
- local-storage.js
- fte-utils.js
- express-fte.js
- express-utils.js
- sidePanelUtil.js
- readability.js
- injectScript.js
- www.example.com**
- injectScriptAdjust.js
- local-storage.js
- fte-utils.js
- express-fte.js
- express-utils.js
- favicon.ico
- sidePanelUtil.js
- readability.js
- injectScript.js

66 requests | 1.1 MB transferred | 1.1

X Headers Preview Response Initiator Timing

referrer-policy strict-origin-when-cross-origin

▼ Response Headers

Accept-Ranges	bytes
Alt-Svc	h3=":443"; ma=93600
Cache-Control	max-age=86000
Content-Encoding	gzip
Content-Length	648
Content-Type	text/html
Date	Thu, 18 Sep 2025 23:12:54 GMT
Etag	"84238dfc8092e5d9c0dac8ef93371a07:1736799080.121134"
Last-Modified	Mon, 13 Jan 2025 20:11:20 GMT
Quic-Version	0x00000001
Vary	Accept-Encoding

▼ Request Headers

:authority	www.example.com
:method	GET
:path	/

www.example.com	304	h3	docum...	Other	0.0 kB	27 ms	Highest
does-not-exist.png	404	h3	docum...	Other	1.3 kB	668 ms	Highest

```
<meta charset="utf-8" />
<meta http-equiv="Content-type" content="text/html; charset=utf-8" />
<meta name="viewport" content="width=device-width, initial-scale=1" />
<style type="text/css">
body {
  background-color: #f0f0f2;
  margin: 0;
  padding: 0;
  font-family: -apple-system, system-ui, BlinkMacSystemFont, "Segoe UI", "Open Sans", "Helvetica Neue", Helvetica, Arial, sans-serif;
}
div {
  width: 600px;
  margin: 5em auto;
  padding: 2em;
  background-color: #fdfdff;
  border-radius: 0.5em;
  box-shadow: 2px 3px 7px 2px rgba(0,0,0,0.02);
}
a:link, a:visited {
  color: #38488f;
  text-decoration: none;
}
@media (max-width: 700px) {
  div {
    margin: 0 auto;
    width: auto;
  }
}
</style>
</head>

<body>
<div>
  <h1>Example Domain</h1>
  <p>This domain is for use in illustrative examples in documents. You may use this
  domain in literature without prior coordination or asking for permission.</p>
  <p><a href="https://www.iana.org/domains/example">More information...</a></p>
</div>
</body>
</html>
```