

Saleem Data Cleaner

Automated Data Preprocessing & Feature Engineering Architecture

Developer: Sani Saleem | Stack:

Python

Pandas

Scikit-Learn

NumPy

Executive Summary

Data wrangling is notoriously the most time-consuming phase of any machine learning or advanced analytics project. The **Saleem Data Cleaner** is a custom, modular Python library engineered to eliminate manual preprocessing bottlenecks. By automating the detection and resolution of data anomalies, type mismatches, and scale discrepancies, this library allows data scientists to transition rapidly from raw data to model-ready architectures.

Designed for both ad-hoc analytics and robust machine learning pipelines, the tool provides an end-to-end framework for data ingestion, statistical inspection, intelligent imputation, categorical encoding, and algorithmic feature selection.

Core Architecture & Capabilities

Automated Data Validation

The system intelligently inspects inbound data to detect hidden anomalies before they corrupt downstream models. It features built-in type-mismatch detection (e.g., numeric values disguised as strings) and automatically coerces them into valid schemas while stripping invisible whitespace.

Statistical Scaling & Normalization

The library profiles numerical distributions, assessing standard deviations and min/max ranges. Based on this profile, it automatically recommends and applies the optimal scaling technique (L2 Normalization, Min-Max Scaling, or Standard Scaling) to ensure feature parity.

Dynamic Missing Value Treatment

Missing data is handled programmatically based on volume thresholds. The algorithm evaluates each feature: columns with $\leq 5\%$ missing data undergo backfilling interpolation, while highly corrupt columns ($> 5\%$ missing) are systematically dropped to protect model integrity.

Smart Categorical Encoding

Features are split and evaluated. The script identifies unique labels, flagging highly cardinal features (>20 unique variables) for review. It applies customized transformations: One-Hot Encoding for nominal data and Label Encoding for ordinal variables.

Advanced Feature Selection Module

Beyond cleaning, the library acts as a bridge to machine learning by implementing sophisticated dimensionality reduction. It prompts the user to select an algorithmic approach to isolate the most predictive variables, drastically reducing compute time and combating the curse of dimensionality.

1. Univariate Feature Selection (UFS): Deploys `SelectKBest` with ANOVA F-values to evaluate the linear dependency of individual features against the target variable.

2. Recursive Feature Elimination (RFE): Utilizes a Logistic Regression estimator to recursively prune the weakest features, establishing an optimized subset of high-impact predictors.

3. Principal Component Analysis (PCA): Condenses highly correlated variables into orthogonal principal components, outputting the explained variance ratio to balance information retention with model simplicity.

Implementation Showcase

The library was designed with a highly intuitive, single-call execution protocol. Once instantiated, the function orchestrates the entire ETL (Extract, Transform, Load) pipeline, returning distinct dataframes for various stages of the modeling process.

```
# Import the custom library import saleemDataCleaner as sd # Execute the
automated cleaning pipeline # The script will prompt for file inputs and
processing parameters data_raw, data_cleaned, data_selected_features,
pipeline_funcs = sd.saleem_data_cleaner() # Output 1: data_raw -> Extracted
dataframe with resolved type mismatches # Output 2: data_cleaned -> Fully
encoded, scaled, and imputed dataframe # Output 3: data_selected ->
Dimensionally reduced dataframe ready for ML
```

Business & Technical Impact

Accelerated Workflows

Reduces the data wrangling phase by automating repetitive Pandas boilerplate code, enabling analysts to focus on strategy and insight generation.

Error Reduction

Eliminates human error in standard ETL processes by applying uniform mathematical thresholds for outlier detection (IQR) and missing data imputation.

Model Optimization

The integrated feature selection and scaling algorithms directly improve the convergence speed and accuracy of downstream machine learning classifiers.