

11. Array Chocolate Distribution problem

```
class Solution{
public:
    int findMinDiff(vector<int> arr, int m) {
        int n = arr.size();
        if(m == 0 || n == 0) return 0;

        sort(arr.begin(), arr.end());

        int minDiff = INT_MAX;

        for(int i = 0; i + m - 1 < n; i++) {
            int diff = arr[i + m - 1] - arr[i];
            minDiff = min(minDiff, diff);
        }

        return minDiff;
    }
};
```

The screenshot displays a coding platform interface with a dark theme. On the left, the 'Output Window' is open, showing 'Compilation Results' for 'Custom Input' by 'Y.O.G.I. (AI Bot)'. A green checkmark indicates 'Problem Solved Successfully'. Below this, statistics are shown: 'Test Cases Passed: 1112 / 1112', 'Attempts: Correct / Total: 1 / 1', 'Accuracy: 100%', 'Points Scored: 2 / 2', and 'Time Taken: 0.2'. A 'Your Total Score: 38' is also visible. At the bottom, 'Solve Next' buttons for 'Bubble Sort', 'Floor in a Sorted Array', and 'Closest Triplet' are present. On the right, the C++ code is displayed in a editor with line numbers 1 to 19. The code matches the one provided in the previous block. A 'Start Timer' button is visible at the top right of the code editor.

```
1 class Solution{
2 public:
3     int findMinDiff(vector<int> arr, int m) {
4         int n = arr.size();
5         if(m == 0 || n == 0) return 0;
6
7         sort(arr.begin(), arr.end());
8
9         int minDiff = INT_MAX;
10
11        for(int i = 0; i + m - 1 < n; i++) {
12            int diff = arr[i + m - 1] - arr[i];
13            minDiff = min(minDiff, diff);
14        }
15
16        return minDiff;
17    }
18 };
19
```