

7. Write a program to cyclically rotate by one

class Solution {

public:

void rotate(vector<int>& arr) {

int n = arr.size();

int last = arr[n-1]; // store last element

for(int i = n-1; i > 0; i--){

arr[i] = arr[i-1]; // shift right

}

arr[0] = last; // put last element to first

}

};

The screenshot displays a coding platform interface with a dark theme. On the left, the 'Output Window' is open, showing 'Compilation Results' for a C++ program. It indicates 'Problem Solved Successfully' with a green checkmark. Below this, statistics are shown: 'Test Cases Passed: 1115 / 1115', 'Attempts: Correct / Total: 2 / 2', and 'Accuracy: 100%'. The 'Time Taken' is 0.14. A note states: 'You get marks only for the first correct submission if you solve the problem without viewing the full solution.' At the bottom, there are buttons for 'Solve Next' with suggestions like 'Third largest element', 'Print an array in Pendulum Arrangement', and 'Inverse Permutation'.

On the right, the code editor shows the C++ solution for rotating an array. The code is as follows:

```
1 class Solution {
2 public:
3     void rotate(vector<int>& arr) {
4         int n = arr.size();
5         int last = arr[n-1]; // store last element
6
7         for(int i = n-1; i > 0; i--){
8             arr[i] = arr[i-1]; // shift right
9         }
10
11         arr[0] = last; // put last element to first
12     }
13 };
14
```