# StyleVector Midterm: Iteration and Ablation Tables

Slok Tulsyan – 12342080

## I. Reference and Iteration Log

TABLE I
REFERENCE: PAPER'S TABLE 2, LAMP ROWS (NON-PERSONALIZED VS. STYLEVECTOR). "ABS. DIFF" IN LATER TABLES = OUR STEERED SCORE − PAPER STEERED SCORE.

| Task | Metric | Base | Steered | Δ computed (%) | Δ printed (%) |
|---|---|---|---|---|---|
| LaMP-4 | ROUGE-L | 0.0398 | 0.0411 | +3.3 | +3.2 |
| | METEOR | 0.0790 | 0.0809 | +2.4 | +2.5 |
| LaMP-5 | ROUGE-L | 0.1086 | 0.1366 | +25.8 | +25.8 |
| | METEOR | 0.2337 | 0.2575 | +10.2 | +10.2 |
| LaMP-7 | ROUGE-L | 0.2506 | 0.2827 | +12.8 | +12.8 |
| | METEOR | 0.2588 | 0.3042 | +17.5 | +17.5 |

## II. Phase 1: Qwen2.5-3B-Instruct

TABLE III
ITERATION 1: LAMP-5, $n = 5$, LAYER 20. OURS = TOP-3 PCA + NORM-PRESERVING. "RESCALE" = PCA VECTOR SCALED TO THE MEAN-DIFFERENCE NORM.

| $\alpha$ | Method | ROUGE-L | METEOR | ΔROUGE-L (%) | ΔMETEOR (%) |
|---|---|---|---|---|---|
| 4.0 | Baseline | 0.2770 | 0.4526 | – | – |
| | Mean Diff | 0.0000 | 0.0000 | −100.0 | −100.0 |
| | Ours (no rescale) | 0.2816 | 0.4437 | +1.7 | −2.0 |
| 1.0 | Baseline | 0.2770 | 0.4526 | – | – |
| | Mean Diff | 0.2801 | 0.4324 | +1.1 | −4.5 |
| | Ours (rescaled) | 0.3285 | 0.5043 | +18.6 | +11.4 |

TABLE IV
ITERATION 2: $\alpha$ SWEEP, ONE USER (ID 410), LAMP-5, LAYER 20, $\|s_u\| = 38.63$.

| $\alpha$ | Observed steered output |
|---|---|
| 0.10 | identical to baseline |
| 0.25 | identical to baseline |
| 0.50 | identical to baseline |
| 0.75 | changed, coherent: "Here's a suitable title for the proposed method: …" |
| 1.00 | changed, coherent: "Title: of Approximation via Skewed Stable Random Projections …" |
| 1.25 | changed, coherent: "Title: for Approximating Dynamic Data Streams …" |
| 1.50 | changed, coherent: "Title for Approximation of Dynamic Data Streams …" |
| 2.00 | degraded: "Title for Approximation: With:" |
| 4.00 | collapsed: repeated tokens or empty output (Iteration 1) |

TABLE V
ITERATION 3: MEAN DIFF ONLY, $n = 10$ PER TASK.

| Task | R-L base | R-L steered | Δ (%) | MET base | MET steered | Δ (%) |
|---|---|---|---|---|---|---|
| LaMP-4 | 0.1386 | 0.1408 | +1.6 | 0.1394 | 0.1650 | +18.4 |
| LaMP-5 | 0.3892 | 0.3443 | −11.5 | 0.3525 | 0.4254 | +20.7 |
| LaMP-7 | 0.4311 | 0.3881 | −10.0 | 0.3837 | 0.3222 | −16.0 |

R-L: ROUGE-L; MET: METEOR.

TABLE VI
ITERATION 4: $n = 50$ PER TASK. OURS = TOP-3 PCA + NORM-PRESERVING.

| Task | Metric | Base | Mean Diff | Δ (%) | Ours | Δ (%) |
|---|---|---|---|---|---|---|
| LaMP-4 | ROUGE-L | 0.1071 | 0.1279 | +19.4 | 0.1146 | +7.1 |
| | METEOR | 0.0792 | 0.0929 | +17.4 | 0.0975 | +23.2 |
| LaMP-5 | ROUGE-L | 0.3814 | 0.3643 | −4.5 | 0.3734 | −2.1 |
| | METEOR | 0.3901 | 0.3916 | +0.4 | 0.3982 | +2.1 |
| LaMP-7 | ROUGE-L | 0.3749 | 0.2289 | −38.9 | 0.2766 | −26.2 |
| | METEOR | 0.3499 | 0.2230 | −36.3 | 0.2656 | −24.1 |

TABLE VII
ITERATION 4: AVERAGE EXPLAINED-VARIANCE RATIO OF THE TOP-3 PCA COMPONENTS (≈, READ FROM THE PLOT).

| Task | PC1 | PC2 | PC3 |
|---|---|---|---|
| LaMP-4 | 0.39 | 0.33 | 0.29 |
| LaMP-5 | 0.44 | 0.31 | 0.25 |
| LaMP-7 | 0.82 | 0.12 | 0.07 |

## III. Phase 2: LLaMA-2-7B-chat

TABLE VIII
ITERATION 5: GRID SEARCH ON 10 VALIDATION USERS PER TASK (LAYERS {16, 20, 24, 28}, $\alpha$ {0.5, 1.0, 1.5, 2.0, 3.0}). ONLY THE BEST CELL PER TASK WAS RECORDED.

| Task | Best layer | Best $\alpha$ | Val. ROUGE-L |
|---|---|---|---|
| LaMP-4 | 16 | 0.50 | 0.1298 |
| LaMP-5 | 24 | 1.00 | 0.2345 |
| LaMP-7 | 16 | 0.50 | 0.3506 |

TABLE IX
ITERATION 6: LAYER/$\alpha$ = 16/0.50, 24/1.00, 16/0.50; FIRST USERS IN FILE ORDER; HISTORY CAP 15.

| Task | Metric | Base | Steered | Δ (%) | Paper Δ (%) | Abs. diff | $n$ |
|---|---|---|---|---|---|---|---|
| LaMP-4 | ROUGE-L | 0.0881 | 0.0908 | +3.1 | +3.3 | 0.0497 | 50 |
| | METEOR | 0.0879 | 0.0924 | +5.1 | +2.4 | 0.0115 | 50 |
| LaMP-5 | ROUGE-L | 0.2482 | 0.2372 | −4.4 | +25.8 | 0.1006 | 50 |
| | METEOR | 0.3479 | 0.3445 | −1.0 | +10.2 | 0.0870 | 50 |
| LaMP-7 | ROUGE-L | 0.2492 | 0.3109 | +24.8 | +12.8 | 0.0282 | 50 |
| | METEOR | 0.2632 | 0.3101 | +17.8 | +17.5 | 0.0059 | 50 |

TABLE II
ITERATION LOG. LAYER/$\alpha$ COLUMNS ARE LAMP-4 | LAMP-5 | LAMP-7. "STEERED > BASE" COUNTS METRIC–TASK CELLS WHERE THE STEERED MEAN EXCEEDS THE BASELINE MEAN.

| # | Model | Description | $n$ per task | Hist. cap | Layer/$\alpha$ | Steered > base |
|---|---|---|---|---|---|---|
| 1 | Qwen2.5-3B | Smoke test, LaMP-5 only (Mean Diff and top-3 PCA) | 5 | 15 | 20/4.0, then 20/1.0 (LaMP-5) | 0/2 ($\alpha$=4.0); 1/2 ($\alpha$=1.0) |
| 2 | Qwen2.5-3B | $\alpha$ sweep, one user (LaMP-5) | 1 | 5 | 20/{0.1, 0.25, 0.5, 0.75, 1.0, 1.25, 1.5, 2.0} | – |
| 3 | Qwen2.5-3B | Mean Diff, three tasks | 10 | 15 | n/r / 1.0 | 3/6 |
| 4 | Qwen2.5-3B | Mean Diff vs. top-3 PCA + norm-preserving | 50 | 15 | n/r / 1.0 | 3/6 (Mean Diff); 3/6 (Ours) |
| 5 | LLaMA-2-7B | Layer/$\alpha$ grid search on validation users; layers {16, 20, 24, 28}, $\alpha$ {0.5, 1.0, 1.5, 2.0, 3.0} | 10 (val) | 15 | best = 16/0.50 \| 24/1.00 \| 16/0.50 | – |
| 6 | LLaMA-2-7B | Paper's method, first users in file order | 50 | 15 | 16/0.50 \| 24/1.00 \| 16/0.50 | 4/6 |
| 7 | LLaMA-2-7B | Shuffled dev split (seed 42), 10 validation users held out | 201 \| 200 \| 200 | 15 | 16/0.50 \| 24/1.00 \| 16/0.50 | 5/6 |
| 8 | LLaMA-2-7B | Prompt calibration, one setting for all tasks (variant × max tokens) | 200 | 15 | 16/0.50 \| 24/1.00 \| 16/0.50 | 2/6 |
| 9 | LLaMA-2-7B | Prompt calibration, separate setting per task | 200 | 15 | 16/0.50 \| 24/1.00 \| 16/0.50 | 2/6 |
| 10 | LLaMA-2-7B | Layer/$\alpha$ updated, larger sample | 800 \| 799 \| 800 | 15 | 16/0.25 \| 16/0.50 \| 16/0.50 | 2/6 |
| 11 | LLaMA-2-7B | Robust grid search ($3 \times 40$ validation users, pool 150, layers {16, 20, 24, 28}, $\alpha$ {0.25, 0.5, 0.75, 1.0, 1.5, 2.0, 3.0}†), then evaluation | 800 \| 799 \| 800 | 15 | n/r | 3/6 |
| 12 | LLaMA-2-7B | Diagnostics: preamble, truncation, ceiling effect | see tables | – | – | – |
| 13 | LLaMA-2-7B | $\alpha$ sensitivity, LaMP-4 | 80 | 15 | 16/{0.05, 0.10, 0.15, 0.25} | – |
| 14 | LLaMA-2-7B | All dev users left after a 40-user validation split | 806 \| 799 \| 800 | 15 | n/r | 3/6 |
| 15 | LLaMA-2-7B | History cap raised to 60 (LaMP-4, LaMP-5) | 517 \| 149 \| – | 60 \| 60 \| – | n/r | 2/4 |
| 16 | LLaMA-2-7B | LongLaMP Topic Writing (long-form) | 38 | n/r | 20/0.50† | 0/2 |
| 17 | LLaMA-2-7B | Final clean notebook (4-bit) | 300 | 15 | 16/0.25 \| 16/0.50 \| 16/0.50 | 6/6 |
| 18 | LLaMA-2-7B | Final clean notebook (4-bit) | 1000 | 15 | 16/0.25 \| 16/0.50 \| 16/0.50 | 6/6 |

n/r: not recorded in the logs available. †: value taken from the notebook cell that was run, not from a printed result.

TABLE X
ITERATION 7: SAME LAYER/$\alpha$; SHUFFLED DEV SPLIT, HISTORY CAP 15.

| Task | Metric | Base | Steered | $\Delta$ (%) | Paper $\Delta$ (%) | Abs. diff | $n$ |
|---|---|---|---|---|---|---|---|
| LaMP-4 | ROUGE-L | 0.1027 | 0.1044 | +1.6 | +3.3 | 0.0633 | 201 |
| | METEOR | 0.1230 | 0.1227 | −0.2 | +2.4 | 0.0418 | 201 |
| LaMP-5 | ROUGE-L | 0.2255 | 0.2314 | +2.6 | +25.8 | 0.0948 | 200 |
| | METEOR | 0.3347 | 0.3392 | +1.3 | +10.2 | 0.0817 | 200 |
| LaMP-7 | ROUGE-L | 0.2436 | 0.3148 | +29.2 | +12.8 | 0.0321 | 200 |
| | METEOR | 0.2606 | 0.2982 | +14.4 | +17.5 | −0.0060 | 200 |

TABLE XI
ITERATION 7 (BASELINE OUTPUTS): PREAMBLE CHECK.

| Task | Preamble-like (%) | Avg. output (words) | Avg. reference (words) |
|---|---|---|---|
| LaMP-4 | 97.0 | 22.4 | 9.6 |
| LaMP-5 | 100.0 | 24.2 | 9.4 |

TABLE XII
ITERATION 8: ONE PROMPT VARIANT AND LENGTH FOR ALL TASKS (VARIANTS BARE/SYSTEM/CHAT_TEMPLATE × MAX TOKENS 15/20/30/40; SELECTED SETTING N/R); LAYER/$\alpha$ AS ITERATION 6.

| Task | Metric | Base | Steered | $\Delta$ (%) | Paper $\Delta$ (%) | Abs. diff | $n$ |
|---|---|---|---|---|---|---|---|
| LaMP-4 | ROUGE-L | 0.1006 | 0.1002 | −0.4 | +3.3 | 0.0591 | 200 |
| | METEOR | 0.1069 | 0.1060 | −0.8 | +2.4 | 0.0251 | 200 |
| LaMP-5 | ROUGE-L | 0.1745 | 0.1852 | +6.2 | +25.8 | 0.0486 | 200 |
| | METEOR | 0.2184 | 0.2335 | +6.9 | +10.2 | −0.0240 | 200 |
| LaMP-7 | ROUGE-L | 0.2013 | 0.1824 | −9.4 | +12.8 | −0.1003 | 200 |
| | METEOR | 0.1936 | 0.1750 | −9.6 | +17.5 | −0.1292 | 200 |

TABLE XIII
ITERATION 9: PROMPT VARIANT AND LENGTH CHOSEN PER TASK (SAME SEARCH SPACE); SELECTED SETTING N/R; LAYER/$\alpha$ AS ITERATION 6.

| Task | Metric | Base | Steered | $\Delta$ (%) | Paper $\Delta$ (%) | Abs. diff | $n$ |
|---|---|---|---|---|---|---|---|
| LaMP-4 | ROUGE-L | 0.0796 | 0.0751 | −5.6 | +3.3 | 0.0340 | 200 |
| | METEOR | 0.0692 | 0.0651 | −6.0 | +2.4 | −0.0158 | 200 |
| LaMP-5 | ROUGE-L | 0.1755 | 0.1468 | −16.4 | +25.8 | 0.0102 | 200 |
| | METEOR | 0.1641 | 0.1412 | −14.0 | +10.2 | −0.1163 | 200 |
| LaMP-7 | ROUGE-L | 0.2436 | 0.3148 | +29.2 | +12.8 | 0.0321 | 200 |
| | METEOR | 0.2606 | 0.2982 | +14.4 | +17.5 | −0.0060 | 200 |

TABLE XIV
ITERATION 10: LAYER/$\alpha$ = 16/0.25, 16/0.50, 16/0.50; HISTORY CAP 15.

| Task | Metric | Base | Steered | $\Delta$ (%) | Paper $\Delta$ (%) | Abs. diff | $n$ |
|---|---|---|---|---|---|---|---|
| LaMP-4 | ROUGE-L | 0.1052 | 0.1029 | −2.2 | +3.3 | 0.0618 | 800 |
| | METEOR | 0.1229 | 0.1207 | −1.8 | +2.4 | 0.0398 | 800 |
| LaMP-5 | ROUGE-L | 0.2264 | 0.2215 | −2.2 | +25.8 | 0.0849 | 799 |
| | METEOR | 0.3320 | 0.3220 | −3.0 | +10.2 | 0.0645 | 799 |
| LaMP-7 | ROUGE-L | 0.2574 | 0.3253 | +26.4 | +12.8 | 0.0426 | 800 |
| | METEOR | 0.2778 | 0.3233 | +16.4 | +17.5 | 0.0191 | 800 |

TABLE XV
ITERATION 11: AFTER THE ROBUST GRID SEARCH (SELECTED LAYER/$\alpha$ N/R); HISTORY CAP 15.

| Task | Metric | Base | Steered | $\Delta$ (%) | Paper $\Delta$ (%) | Abs. diff | $n$ |
|---|---|---|---|---|---|---|---|
| LaMP-4 | ROUGE-L | 0.1052 | 0.1005 | −4.5 | +3.3 | 0.0594 | 800 |
| | METEOR | 0.1229 | 0.1159 | −5.7 | +2.4 | 0.0350 | 800 |
| LaMP-5 | ROUGE-L | 0.2264 | 0.2279 | +0.6 | +25.8 | 0.0913 | 799 |
| | METEOR | 0.3320 | 0.3232 | −2.6 | +10.2 | 0.0657 | 799 |
| LaMP-7 | ROUGE-L | 0.2574 | 0.3253 | +26.4 | +12.8 | 0.0426 | 800 |
| | METEOR | 0.2778 | 0.3233 | +16.4 | +17.5 | 0.0191 | 800 |

## IV. DIAGNOSTICS

TABLE XVI
ITERATION 12: HISTORY ITEMS EXCEEDING 512 TOKENS (FIRST 100 EVALUATION USERS PER TASK).

| Task | Items $>$ 512 tokens | % |
|---|---|---|
| LaMP-4 | 0 / 1406 | 0.0 |
| LaMP-5 | 5 / 1500 | 0.3 |
| LaMP-7 | 0 / 1266 | 0.0 |

TABLE XVII
ITERATION 12: CEILING-EFFECT ANALYSIS ON THE ITERATION 11 RESULTS. $\Delta$ = STEERED − BASELINE ROUGE-L PER USER; USERS SPLIT AT THE MEDIAN BASELINE SCORE.

| Task | corr(base, $\Delta$) | Low half $n$ | mean $\Delta$ | High half $n$ | mean $\Delta$ |
|---|---|---|---|---|---|
| LaMP-4 | −0.363 | 406 | +0.0091 | 394 | −0.0189 |
| LaMP-5 | −0.275 | 407 | +0.0236 | 392 | −0.0215 |

TABLE XVIII
ITERATION 13: $\alpha$ SENSITIVITY, LAMP-4, LAYER 16, $n = 80$ USERS. AVERAGE ROUGE-L CHANGE VS. BASELINE.

| $\alpha$ | Avg. $\Delta$ ROUGE-L | Avg. $\Delta$ (%) |
|---|---|---|
| 0.05 | −0.0000 | −0.0 |
| 0.10 | −0.0026 | −2.8 |
| 0.15 | +0.0019 | +2.1 |
| 0.25 | +0.0011 | +1.2 |

TABLE XIX
ITERATION 14: ALL DEV USERS LEFT AFTER A 40-USER VALIDATION SPLIT; SELECTED LAYER/$\alpha$ N/R; HISTORY CAP 15.

| Task | Metric | Base | Steered | $\Delta$ (%) | Paper $\Delta$ (%) | Abs. diff | $n$ |
|---|---|---|---|---|---|---|---|
| LaMP-4 | ROUGE-L | 0.1020 | 0.1012 | −0.8 | +3.3 | 0.0601 | 806 |
| | METEOR | 0.1189 | 0.1173 | −1.4 | +2.4 | 0.0364 | 806 |
| LaMP-5 | ROUGE-L | 0.2264 | 0.2279 | +0.6 | +25.8 | 0.0913 | 799 |
| | METEOR | 0.3320 | 0.3232 | −2.6 | +10.2 | 0.0657 | 799 |
| LaMP-7 | ROUGE-L | 0.2574 | 0.3253 | +26.4 | +12.8 | 0.0426 | 800 |
| | METEOR | 0.2778 | 0.3233 | +16.4 | +17.5 | 0.0191 | 800 |

TABLE XX
ITERATION 15: HISTORY CAP 60 FOR LAMP-4 AND LAMP-5 (LAMP-7 NOT RE-RUN); SELECTED LAYER/$\alpha$ N/R.

| Task | Metric | Base | Steered | $\Delta$ (%) | Paper $\Delta$ (%) | Abs. diff | $n$ |
|---|---|---|---|---|---|---|---|
| LaMP-4 | ROUGE-L | 0.0988 | 0.0980 | −0.8 | +3.3 | 0.0569 | 517 |
| | METEOR | 0.1157 | 0.1140 | −1.5 | +2.4 | 0.0331 | 517 |
| LaMP-5 | ROUGE-L | 0.2162 | 0.2165 | +0.2 | +25.8 | 0.0799 | 149 |
| | METEOR | 0.3153 | 0.3170 | +0.5 | +10.2 | 0.0595 | 149 |

TABLE XXI
ITERATION 16: LONGLAMP TOPIC WRITING, $n = 38$; LAYER/$\alpha$ = 20/0.50†. PAPER: ROUGE-L 0.1299 → 0.1361, METEOR 0.1874 → 0.1949.

| Task | Metric | Base | Steered | $\Delta$ (%) | Paper $\Delta$ (%) | Abs. diff | $n$ |
|---|---|---|---|---|---|---|---|
| Topic Writing | ROUGE-L | 0.0513 | 0.0480 | −6.5 | +4.8 | −0.0881 | 38 |
| | METEOR | 0.0268 | 0.0247 | −7.5 | +4.0 | −0.1702 | 38 |

†: value taken from the notebook cell that was run.

## V. FINAL RUNS

TABLE XXII
ITERATION 17: FINAL CLEAN NOTEBOOK, 4-BIT, LAYER/$\alpha$ = 16/0.25, 16/0.50, 16/0.50; HISTORY CAP 15.

| Task | Metric | Base | Steered | $\Delta$ (%) | Paper $\Delta$ (%) | Abs. diff | $n$ |
|---|---|---|---|---|---|---|---|
| LaMP-4 | ROUGE-L | 0.0921 | 0.0965 | +4.8 | +3.3 | 0.0554 | 300 |
| | METEOR | 0.1156 | 0.1206 | +4.3 | +2.4 | 0.0397 | 300 |
| LaMP-5 | ROUGE-L | 0.1618 | 0.2099 | +29.8 | +25.8 | 0.0733 | 300 |
| | METEOR | 0.2822 | 0.3103 | +10.0 | +10.2 | 0.0528 | 300 |
| LaMP-7 | ROUGE-L | 0.2430 | 0.2829 | +16.4 | +12.8 | 0.0002 | 300 |
| | METEOR | 0.2643 | 0.3097 | +17.2 | +17.5 | 0.0055 | 300 |

TABLE XXIII
ITERATION 18: FINAL CLEAN NOTEBOOK, 4-BIT, LAYER/$\alpha$ = 16/0.25, 16/0.50, 16/0.50; HISTORY CAP 15.

| Task | Metric | Base | Steered | $\Delta$ (%) | Paper $\Delta$ (%) | Abs. diff | $n$ |
|---|---|---|---|---|---|---|---|
| LaMP-4 | ROUGE-L | 0.0988 | 0.1020 | +3.3 | +3.3 | 0.0609 | 1000 |
| | METEOR | 0.1172 | 0.1207 | +3.0 | +2.4 | 0.0398 | 1000 |
| LaMP-5 | ROUGE-L | 0.1708 | 0.2102 | +23.1 | +25.8 | 0.0736 | 1000 |
| | METEOR | 0.2829 | 0.3125 | +10.5 | +10.2 | 0.0550 | 1000 |
| LaMP-7 | ROUGE-L | 0.2525 | 0.2942 | +16.5 | +12.8 | 0.0115 | 1000 |
| | METEOR | 0.2770 | 0.3239 | +16.9 | +17.5 | 0.0197 | 1000 |

## VI. Cross-Iteration Summary (LLaMA-2-7B-chat)

TABLE XXIV
Relative ROUGE-L improvement (%) of steered over baseline, by iteration.

| Iteration | LaMP-4 | LaMP-5 | LaMP-7 |
|---|---|---|---|
| Paper | +3.3 | +25.8 | +12.8 |
| 6 ($n \approx 50$) | +3.1 | −4.4 | +24.8 |
| 7 ($n \approx 201$) | +1.6 | +2.6 | +29.2 |
| 8 ($n \approx 200$) | −0.4 | +6.2 | −9.4 |
| 9 ($n \approx 200$) | −5.6 | −16.4 | +29.2 |
| 10 ($n \approx 800$) | −2.2 | −2.2 | +26.4 |
| 11 ($n \approx 800$) | −4.5 | +0.6 | +26.4 |
| 14 ($n \approx 806$) | −0.8 | +0.6 | +26.4 |
| 15 ($n \approx 517$) | −0.8 | +0.2 | – |
| 17 ($n \approx 300$) | +4.8 | +29.8 | +16.4 |
| 18 ($n \approx 1000$) | +3.3 | +23.1 | +16.5 |

TABLE XXV
Relative METEOR improvement (%) of steered over baseline, by iteration.

| Iteration | LaMP-4 | LaMP-5 | LaMP-7 |
|---|---|---|---|
| Paper | +2.4 | +10.2 | +17.5 |
| 6 ($n \approx 50$) | +5.1 | −1.0 | +17.8 |
| 7 ($n \approx 201$) | −0.2 | +1.3 | +14.4 |
| 8 ($n \approx 200$) | −0.8 | +6.9 | −9.6 |
| 9 ($n \approx 200$) | −6.0 | −14.0 | +14.4 |
| 10 ($n \approx 800$) | −1.8 | −3.0 | +16.4 |
| 11 ($n \approx 800$) | −5.7 | −2.6 | +16.4 |
| 14 ($n \approx 806$) | −1.4 | −2.6 | +16.4 |
| 15 ($n \approx 517$) | −1.5 | +0.5 | – |
| 17 ($n \approx 300$) | +4.3 | +10.0 | +17.2 |
| 18 ($n \approx 1000$) | +3.0 | +10.5 | +16.9 |

TABLE XXVI
Baseline ROUGE-L, by iteration.

| Iteration | LaMP-4 | LaMP-5 | LaMP-7 |
|---|---|---|---|
| Paper | 0.0398 | 0.1086 | 0.2506 |
| 6 ($n \approx 50$) | 0.0881 | 0.2482 | 0.2492 |
| 7 ($n \approx 201$) | 0.1027 | 0.2255 | 0.2436 |
| 8 ($n \approx 200$) | 0.1006 | 0.1745 | 0.2013 |
| 9 ($n \approx 200$) | 0.0796 | 0.1755 | 0.2436 |
| 10 ($n \approx 800$) | 0.1052 | 0.2264 | 0.2574 |
| 11 ($n \approx 800$) | 0.1052 | 0.2264 | 0.2574 |
| 14 ($n \approx 806$) | 0.1020 | 0.2264 | 0.2574 |
| 15 ($n \approx 517$) | 0.0988 | 0.2162 | – |
| 17 ($n \approx 300$) | 0.0921 | 0.1618 | 0.2430 |
| 18 ($n \approx 1000$) | 0.0988 | 0.1708 | 0.2525 |