

Test Plan and Report - CSE 115A - Software Methodology

SlugShare

Jasdeep Matharu, Samarth Shastry, Nithin Danday, Jordyn Salazar, Hannah Dinh

Completed: March 9th, 2026 | Revision v1.0

- **System Test scenarios:** Provide a list of system test scenarios. Ideally, the scenarios should relate to specific user stories and associated acceptance criteria.

A scenario is a list of system level interactions (including precise input and output) a user would follow to determine that each user story has been completed; i.e., all the acceptance criteria for a user story are met.

- **Sprint 1**
 - As a user, I want a dashboard where I can see my points balance, a button to view other people's requests, a button to make requests (8pts)
 - **Scenario 1: View Dashboard After Login (Pass)**
 1. Log in with valid Google credentials
 2. User is redirected to /dashboard
 3. Page title "Dashboard" is visible
 4. "Your Points Balance" card is displayed with current balance shown in large blue text
 5. "Account Information" card is displayed showing user email and name
 6. "Create Request" button is visible
 7. "View All Requests" button is visible
 - **Scenario 2: View Points Balance on Dashboard (Pass)**
 1. log in and navigate to /dashboard
 2. "Your Points Balance" card displays current balance (e.g. 0 for a new user)
 3. balance is shown as a large number in blue text
 4. description reads "Current dining points available"
 - **Scenario 3: Manually Update Points Balance (Pass)**
 1. on dashboard, locate "Update Balance" input under the points card
 2. type 500 in the input field
 3. click "Update" button
 4. page refreshes and balance now shows 500
 5. input field updates to reflect the new balance

- Scenario 4: Reject Invalid Points Input (Pass)
 1. on dashboard, locate "Update Balance" input
 2. type -10 in the input field
 3. click "Update"
 4. error message "Balance must be a non-negative number" appears
 5. balance remains unchanged

- Scenario 5: Navigate to Create Request (Pass)
 1. on dashboard, click "Create Request" button
 2. user is redirected to /requests/create
 3. request creation form is displayed

- Scenario 6: Navigate to View All Requests (Pass)
 1. on dashboard, click "View All Requests" button
 2. user is redirected to /requests
 3. list of all requests is displayed

- Scenario 7: Unauthenticated User Redirected to Login (Pass)
 1. open /dashboard without being logged in
 2. user is redirected to /auth/login
 3. dashboard is not accessible

- As a user, I want to view my profile information and edit my phone number, which can be shared with the donor/requester for communication purposes. (3pts)
 - Scenario 1: View profile via navbar/profile dropdown (Pass)
 1. Profile avatar does not appear in navbar on login page when user is not logged in
 2. When logged in, click profile avatar/menu in navbar
 3. Profile menu/modal dropdown appears with name, email, phone, and sign out button
 4. User can see current info as stored in account

 - Scenario 2: Edit phone number from profile (Pass)
 1. Click "Edit Phone Number" and input valid phone number (e.g., +1 408 555 1234)
 2. Press check mark or the Enter key to save
 3. Updated phone is shown in profile info

4. Profile data persists and “phone” is updated in backend/user store

■ Scenario 3: Cancel edit phone number (Fail)

1. Click “Edit Phone Number”, change value, then click “Cancel”
2. Last input for phone remains, no save call invoked
3. No backend update and UI returns to view state

■ Scenario 4: Validation and error path (Fail)

1. Edit phone with invalid format (e.g., 123) and save
2. inline validation error shown, save blocked
3. no data change

■ Scenario 5: Communication share check

1. User completes valid phone update
2. donor/requester accessible/share payload includes new phone
3. API call includes updated phone field for contact.

○ As a requester, I want to be able to delete my requests before they get accepted (3pts)

■ Scenario 1: Delete Pending Request from List (Pass)

1. locate your request with status Pending
2. click Delete icon on that request
3. confirm delete in dialog by clicking OK
4. request is removed from list
5. request no longer appears after refresh

■ Scenario 2: Delete Confirmation Cancel (Pass)

1. locate your request with status Pending
2. click Delete icon on that request
3. confirm cancel in dialog by clicking CANCEL
4. request is not removed from list
5. request still appears after refresh

■ Scenario 3: Prevent Delete After Acceptance (Pass/Fail)

1. locate your request with status Pending
2. Donor must accept the request
3. click Delete icon on that request
4. user sees error: Cannot delete an accepted request
5. request remains unchanged

- As a user, I want to sign up and log in so I can securely access the application (5pts)

- **Sprint 2**

- As a requester, I want to see food locations and their prices and hours of operation. (1pt)
 - Open “Create Request” page (Pass)
 1. Accordion with Food locations present
 - Expand accordion
 1. Expand row/category in accordion
 2. Names of locations under their category listed
 3. status indicator for each location if open/closed based on current time + schedule
 4. If location closed, show when it will open next
 5. Unable to expand locations that are currently closed
 - dining hall special logic (Pass)
 1. Expand row “Dining Halls” in accordion
 2. meal period label and respective price from period computation (breakfast/lunch/dinner/lateNight)
 3. When Dining Hall location selected, remove “Points Requested” user input
 - No locations / error (Pass)
 1. Request has no location selected
 2. When trying click “Create Request”, red alert appears at top saying “Location is required” and preventing request from being made
- As a donor, I want to receive notifications for new requests so that I can accept or decline them. (5pts)
 - Scenario 1: Donor Receives Notification After Accepting a Request In-Person (Pass)
 1. as Requester, create a request for 50 points at Dining Hall 9
 2. as Donor, navigate to /requests and click Accept on the request
 3. select "In Person" fulfillment mode and confirm
 4. as Requester, navigate to /inbox
 5. notification appears: "[Donor name] completed your request for 50 points at Dining Hall 9"

6. notification is bold and shows blue unread dot

■ Scenario 2: Donor Receives Notification After Accepting a QR Request (Pass)

1. as Requester, create a request for 30 points at Porter Market with QR code enabled
2. as Donor, navigate to /requests and click Accept on the request
3. select "QR Code" fulfillment mode and confirm
4. as Requester, navigate to /inbox
5. notification appears: "[Donor name] accepted your QR request for 30 points at Porter Market. Open the scan screen to redeem."
6. as Donor, navigate to /inbox
7. notification appears: "You accepted [Requester name]'s QR request for 30 points at Porter Market"

■ Scenario 3: Requester Receives Notification After Request is Declined (Pass)

1. as Requester, create a request for 100 points at College 9/10
2. as Donor, navigate to /requests and click Decline on the request
3. as Requester, navigate to /inbox
4. notification appears: "[Donor name] declined your request for 100 points at College 9/10"

■ Scenario 4: Mark Notification as Read (Pass)

1. navigate to /inbox with at least one unread notification
2. notification card has bold text and a blue unread dot
3. click "Mark as Read" button on the notification
4. notification text is no longer bold, blue dot disappears, card becomes slightly transparent
5. unread count in header decreases by 1

■ Scenario 5: Mark All Notifications as Read (Pass)

1. navigate to /inbox with multiple unread notifications
2. unread count shows (e.g. "3 unread notifications")
3. click "Mark All as Read" button
4. all notification cards become read (transparent styling, no blue dots)
5. unread count text and "Mark All as Read" button disappear

- As a donor, I would like to be able to generate a QR code linked to my Slugpoints to share with requesters (8pts)
- As a requester, I want to indicate whether I'm okay meeting in person or receiving a QR code (3tps)
 - Scenario 1: Creating a request with fulfillment (pass)
 - Navigate to dashboard
 - Click create request
 - At bottom of pop up shows two buttons
 - Select either or or both (cannot be none).
 - Create request with selected preferences
- As a donor/requester, I want a tool that lets me filter out existing/queued requests based on distance, their chosen dining hall/market/restaurant location, the amount of points being requested, and whether the requestor would be okay with meeting irl. (5 points)
 - Scenario 1: Filter by Location (Pass)
 1. navigate to All Requests
 2. open Filters dropdown
 3. check location
 4. close dropdown
 5. only requests with location selected location are shown
 6. any request with a different location is hidden
 7. filter indicator dot appears on Filters button
 - Scenario 2: Filter by Max Points (Pass)
 1. navigate to All Requests
 2. open Filters dropdown
 3. set Max I'm willing to donate
 4. close dropdown
 5. only requests with pointsRequested $\leq$ set value are shown
 6. any request with pointsRequested $>$ set value is hidden
 7. filter indicator dot appears on Filters button
 - Scenario 3: Combined Filters (Location + Max Points) (Pass)
 1. navigate to All Requests
 2. open Filters dropdown
 3. Set location
 4. set Max I'm willing to donate (points)=

5. close dropdown
6. only requests at selected location with pointsRequested <= set value are shown
7. any request failing either condition is hidden
8. filter indicator dot appears on Filters button

■ Scenario 4: Clear Filters (Pass)

1. apply any location and max points filters
2. open Filters dropdown
3. click Clear filters
4. all requests are shown again
5. filter indicator dot disappears
6. input is cleared and no locations are checked

■ Scenario 5: My Requests are not filtered (Pass)

1. ensure you have at least a requests:
2. open Filters dropdown
3. check location = location not of your request
4. in “My Requests”, your request still appears

■ Scenario 7: IRL Meeting Preference Filter (Fail)

1. navigate to All Requests
2. attempt to filter by “OK with meeting IRL = Yes”
3. no IRL preference field exists in request data and no ui exists for this criteria

● Sprint 3

- As a user, I would like to see a list of food pantries on campus, their locations, and their hours of operation. (3pts)

■ Scenario 1: open “Additional Resources” page (Pass)

1. On Dashboard, logged-in user clicks “Additional Resources”
2. Page shows accordion with category “Food Pantries”
3. Accordion list includes Food Pantries and Services

■ Scenario 2: check row detail

1. Expand row/category in accordion
2. Show list of locations under that category
3. For every time, show name + brief description of item + linked location on google maps + linked website
4. status indicator for each location if open/closed based on current

time + schedule

- Scenario 3: Special Logic (Pass)
 - 1. set fake time to a weekday (e.g., Wed 11:00)
 - 2. Location with a special schedule displays a custom note.
- As a donor, I want a tool that projects my points spending for the rest of the quarter and see how many points I have leftover to share. (5pts)
 - Scenario 1: Access Calculator During Active Quarter (Pass)
 - 1. Access on date = 2026-03-6
 - 2. navigate to donation-calculator
 - 3. page title Donation Calculator is visible
 - 4. quarter banner shows Winter 2026 and date range Jan 5, 2026 – Mar 20, 2026
 - 5. banner shows 14 days remaining
 - Scenario 2: Load Current Balance (Pass)
 - 1. ensure points returns balance: 900
 - 2. navigate to donation-calculator
 - 3. Current balance (points) field shows 900
 - 4. no error text is shown
 - Scenario 3: Compute Leftover Points (Pass)
 - 1. set system date = 2026-03-6
 - 2. ensure points returns balance: 900
 - 3. in Average daily spending (points per day) input, type 20
 - 4. Points needed for yourself = 280pts
 - 5. Total you can donate = 620pts
 - 6. daily estimate line shows ≈ 44 pts per day
 - 7. line chart Projected balance over time is visible
 - Scenario 4: Zero Donations When Spending Exceeds Balance (Pass)
 - 1. set system date = 2026-03-18
 - 2. ensure points returns balance: 300
 - 3. enter Average daily spending = 200
 - 4. Points needed for yourself = 600 pts
 - 5. Total you can donate = 0 pts
 - 6. donation pace buttons are hidden (no donation available)
 - Scenario 5: Donation Pace Changes Chart (Pass)

1. set system date = 2026-03-6
2. Ensure points returns { balance: 600 }
3. enter Average daily spending = 20
4. click Donate now (all at once)
5. chart line for With donating drops immediately on Day 0 compared to Evenly over quarter
6. Without donating line stays the same
7. donation pace button Donate now (all at once) appears selected

■ Scenario 6: Not In Active Quarter (Pass)

1. set system date = 2026-03-24
2. navigate to donation-calculator
3. card title shows Not Currently in a Quarter
4. message explains calculator is only available during active quarter
5. upcoming quarters list includes Spring 2026: Mar 30, 2026 – Jun 11, 2026

- As a donor I would like for the dashboard to have an accurate up to date showing of how many points my account has (3pts)

■ Scenario 1: View Live GET Balances on Dashboard With Linked Account (Pass)

1. link GET account via /get page
2. navigate to /dashboard
3. "GET Meal Plan" card is displayed
4. each GET account (e.g. "Flexi Dollars", "Slug Points") appears as a row with account name and dollar balance
5. description reads "Updated just now · refreshes every 30s"

■ Scenario 2: Dashboard Prompts to Link When GET Not Connected (Pass)

1. log in as a user who has not linked a GET account
2. navigate to /dashboard
3. "GET Meal Plan" card is displayed
4. description reads "Link your GET account to see live balances"
5. "Link GET Account" button is visible
6. click "Link GET Account"
7. user is navigated to /get

■ Scenario 3: Balance Auto-Refreshes Every 30 Seconds (Pass)

1. link GET account and navigate to /dashboard

2. "GET Meal Plan" card loads with current balances and shows "Updated just now"
3. wait 30 seconds without interacting
4. card description updates to "Updated just now" again (data re-fetched)
5. if a purchase was made on the GET account during the wait, the new lower balance is reflected

■ Scenario 4: Manual Refresh via Refresh Button (Pass)

1. on dashboard with linked GET account, note current balances
2. click "Refresh" button on the GET Meal Plan card
3. card briefly shows loading state
4. balances update and timestamp resets to "Updated just now"

■ Scenario 5: Loading State on Initial Dashboard Load (Pass)

1. navigate to /dashboard with a linked GET account
2. "GET Meal Plan" card initially shows "Loading account balances..." with a pulsing

■ Scenario 6: GET Credential Becomes Invalid (Pass)

1. link GET account and navigate to /dashboard
2. invalidate the GET credential (e.g. change password on GET portal)
3. click "Refresh" on the GET Meal Plan card
4. error message is displayed on the card (e.g. "authentication error")
5. credential is marked as invalid in the system

- As a requestor, I want to edit my already posted requests before it gets accepted (1 point)

■ Scenario 1: Mistake on request(pass)

- Navigate to All Requests
- View a request you have made
- "Edit" button should be present, click it
- Dropdown with accordion UI should appear, just like creating a request
- Edit request fields, click done
- Requests show newly edited fields

- As a requester, I want to be able to see the GET QR code after having a request

accepted (5 points)

- **Sprint 4**

- As a user, I want to be able to view a mobile specific version of the web application (5pts)
- As a donor, I would like my QR code to have a spending limit, time limit, and for the ability to be pulled
 - Scenario 1: Create QR Code With Spending Limit (Pass)
 1. As a donor navigate to GET implementation
 2. set Minimum Threshold to \$200
 3. Minimum Threshold is now set to \$200
 - Scenario 2: Create QR Code With Time Limit (Pass)
 1. As a donor navigate to GET implementation
 2. set Time limit = 2 hours
 3. QR time limit is now set to 2 hours
 - Scenario 3: Spend Past Threshold
 1. As a donor navigate to GET implementation
 2. Enable auto pull, set balance threshold to 50
 3. As a requestor navigate to accepted request
 4. QR code is generated and displayed
 5. Spend dining points till donors balance drops below 50
 6. QR code is pulled
 - Scenario 4: QR Code Expires After Time Limit (Pass)
 1. As a donor navigate to GET implementation
 2. set Time limit = 2 hours
 3. As a requestor navigate to accepted request
 4. QR code is generated and displayed
 5. QR code is pulled after 2 hours
 - Scenario 5: Donor Pulls (Revokes) QR Code (Pass)
 1. As a donor navigate to GET implementation
 2. Click on “Pull QR Code Access Now”
 3. As a requestor navigate to accepted request
 4. Request is now set back to pending, and QR code is gone
- As a requests, I want to edit my already posted requests before it gets accepted (1pt)

- As a user I want push notifications and gmail notifications for requests accepts (5pts)
 - Scenario 1: Browser Push Notification on Request Accept (Pass)
 1. as Requester, allow browser notifications when prompted by SlugShare
 2. create a request for 40 points at Dining Hall 9 with QR code enabled
 3. as Donor, navigate to /requests and accept the request via QR Code
 4. As Requester, within 15 seconds a browser notification appears: "SlugShare" with body "[Donor name] accepted your QR request for 40 points at Dining Hall 9. Open the scan screen to redeem."
 - Scenario 2: Browser Push Notification on In-Person Completion (Pass)
 1. as Requester, allow browser notifications when prompted
 2. create a request for 25 points at Porter Market with in-person enabled
 3. as Donor, accept the request via In Person
 4. as Requester, within 15 seconds a browser notification appears: "SlugShare" with body "[Donor name] completed your request for 25 points at Porter Market"
 - Scenario 3: Gmail Email Sent to Requester on QR Accept (Pass)
 1. as Requester (with email sshastr1@ucsc.edu), create a request for 30 points at College 9/10 with QR code enabled
 2. as Donor, accept the request via QR Code
 3. check Requester's Gmail inbox
 4. email received with subject "Your QR request was accepted for 30 points"
 5. email body contains donor name, location, points, and instruction to open the Scan screen
 - Scenario 4: Gmail Email Sent to Requester on In-Person Completion (Pass)
 1. as Requester, create a request for 50 points at Stevenson with in-person enabled
 2. as Donor, accept the request via In Person
 3. check Requester's Gmail inbox
 4. email received with subject "Your request was completed for 50

points"

5. email body contains donor name, location, and points

- Scenario 5: No Email Sent When SMTP Not Configured (Pass)
 1. remove EMAIL_SMTP_HOST, EMAIL_SMTP_PORT, EMAIL_SMTP_USER, EMAIL_SMTP_PASS from .env
 2. restart the dev server
 3. as Donor, accept a request
 4. server logs show [email] Skipping email send, SMTP not configured
 5. no email is sent; accept still completes successfully

- As an admin, I want to view all requests to monitor system usage. (8pts)
 - A button is only visible if you have admin granted. (pass)
 - Admin can be granted through the database. (Pass)
 - Clicking Admin Panel on Dashboard brings you to the admin page, given you have permission.(pass)
- As a user, I want to be able to view a dark mode version of the web app (1 point)
 - Toggle icon visible in navbar (Pass)
 - Click when in light state → body gets class dark and theme icon changes (Sun → Moon). (Pass)
 - Click when in light state → body returns to light and theme icon changes (Moon → Sun). (Pass)
 - Refreshing the page retains the last theme (via next-themes storage). (Pass)

- **Unit tests:** If you developed automated tests, reference the relevant directories in your release branch. Note if any of the tests failed for the released system version. Be prepared to run the tests during the project review.

Last modified: 2026 03 20