

Test Plan and Report - CSE 115A - Software Methodology

SlugShare

Jasdeep Matharu, Samarth Shastry, Nithin Danday, Jordyn Salazar, Hannah Dinh

Completed: March 9th, 2026 | Revision v1.0

- **System Test scenarios:** Provide a list of system test scenarios. Ideally, the scenarios should relate to specific user stories and associated acceptance criteria.

A scenario is a list of system level interactions (including precise input and output) a user would follow to determine that each user story has been completed; i.e., all the acceptance criteria for a user story are met.

- **Sprint 1**
 - As a user, I want a dashboard where I can see my points balance, a button to view other people's requests, a button to make requests (8pts)
 - Scenario 1: View Dashboard After Login (Pass)
 1. log in with valid Google credentials
 2. user is redirected to /dashboard
 3. page title "Dashboard" is visible
 4. "Your Points Balance" card is displayed with current balance shown in large blue text
 5. "Account Information" card is displayed showing user email and name
 6. "Create Request" button is visible
 7. "View All Requests" button is visible
 - Scenario 2: View Points Balance on Dashboard (Pass)
 1. log in and navigate to /dashboard
 2. "Your Points Balance" card displays current balance (e.g. 0 for a new user)
 3. balance is shown as a large number in blue text
 4. description reads "Current dining points available"
 - Scenario 3: Manually Update Points Balance (Pass)
 1. on dashboard, locate "Update Balance" input under the points card
 2. type 500 in the input field
 3. click "Update" button
 4. page refreshes and balance now shows 500
 5. input field updates to reflect the new balance
 - Scenario 4: Reject Invalid Points Input (Pass)
 1. on dashboard, locate "Update Balance" input

2. type -10 in the input field
3. click "Update"
4. error message "Balance must be a non-negative number" appears
5. balance remains unchanged

■ Scenario 5: Navigate to Create Request (Pass)

1. on dashboard, click "Create Request" button
2. user is redirected to /requests/create
3. request creation form is displayed

■ Scenario 6: Navigate to View All Requests (Pass)

1. on dashboard, click "View All Requests" button
2. user is redirected to /requests
3. list of all requests is displayed

■ Scenario 7: Unauthenticated User Redirected to Login (Pass)

1. open /dashboard without being logged in
2. user is redirected to /auth/login
3. dashboard is not accessible

- As a user, I want to view my profile information and edit my phone number, which can be shared with the donor/requester for communication purposes. (3pts)

As a requester, I want to be able to delete my requests before they get accepted (3pts)

Scenario 1: Delete Pending Request from List (Pass)

1. locate your request with status Pending
2. click Delete icon on that request
3. confirm delete in dialog by clicking OK
4. request is removed from list
5. request no longer appears after refresh

Scenario 2: Delete Confirmation Cancel(Pass)

6. locate your request with status Pending
7. click Delete icon on that request
8. confirm cancel in dialog by clicking CANCEL
9. request is not removed from list
10. request still appears after refresh

Scenario 3: Prevent Delete After Acceptance (Pass/Fail)

1. locate your request with status Pending
 2. Donor must accept the request
 3. click Delete icon on that request
 4. user sees error: Cannot delete an accepted request
 5. request remains unchanged
- Sprint 2

As a donor, I want to receive notifications for new requests so that I can accept or decline them.
(5pts)

Scenario 1: Donor Receives Notification After Accepting a Request In-Person (Pass)

1. as Requester, create a request for 50 points at Dining Hall 9
2. as Donor, navigate to /requests and click Accept on the request
3. select "In Person" fulfillment mode and confirm
4. as Requester, navigate to /inbox
5. notification appears: "[Donor name] completed your request for 50 points at Dining Hall 9"
6. notification is bold and shows blue unread dot

Scenario 2: Donor Receives Notification After Accepting a QR Request (Pass)

1. as Requester, create a request for 30 points at Porter Market with QR code enabled
2. as Donor, navigate to /requests and click Accept on the request
3. select "QR Code" fulfillment mode and confirm
4. as Requester, navigate to /inbox
5. notification appears: "[Donor name] accepted your QR request for 30 points at Porter Market. Open the scan screen to redeem."
6. as Donor, navigate to /inbox
7. notification appears: "You accepted [Requester name]'s QR request for 30 points at Porter Market"

Scenario 3: Requester Receives Notification After Request is Declined (Pass)

1. as Requester, create a request for 100 points at College 9/10
2. as Donor, navigate to /requests and click Decline on the request
3. as Requester, navigate to /inbox
4. notification appears: "[Donor name] declined your request for 100 points at College 9/10"

Scenario 4: Mark Notification as Read (Pass)

1. navigate to /inbox with at least one unread notification
2. notification card has bold text and a blue unread dot
3. click "Mark as Read" button on the notification
4. notification text is no longer bold, blue dot disappears, card becomes slightly transparent
5. unread count in header decreases by 1

Scenario 5: Mark All Notifications as Read (Pass)

1. navigate to /inbox with multiple unread notifications
2. unread count shows (e.g. "3 unread notifications")
3. click "Mark All as Read" button
4. all notification cards become read (transparent styling, no blue dots)
5. unread count text and "Mark All as Read" button disappear

As a donor/requester, I want a tool that lets me filter out existing/queued requests based on distance, their chosen dining hall/market/restaurant location, the amount of points being requested, and whether the requestor would be okay with meeting irl. (5 points)

Scenario 1: Filter by Location (Pass)

1. navigate to All Requests
2. open Filters dropdown
3. check location
4. close dropdown
5. only requests with location selected location are shown
6. any request with a different location is hidden
7. filter indicator dot appears on Filters button

Scenario 2: Filter by Max Points (Pass)

1. navigate to All Requests
2. open Filters dropdown
3. set Max I'm willing to donate
4. close dropdown
5. only requests with pointsRequested $\leq$ set value are shown
6. any request with pointsRequested $>$ set value is hidden
7. filter indicator dot appears on Filters button

Scenario 3: Combined Filters (Location + Max Points) (Pass)

1. navigate to All Requests
2. open Filters dropdown
3. Set location
4. set Max I'm willing to donate (points)=
5. close dropdown

6. only requests at selected location with pointsRequested <= set value are shown
7. any request failing either condition is hidden
8. filter indicator dot appears on Filters button

Scenario 4: Clear Filters (Pass)

1. apply any location and max points filters
2. open Filters dropdown
3. click Clear filters
4. all requests are shown again
5. filter indicator dot disappears
6. input is cleared and no locations are checked

Scenario 5: My Requests are not filtered (Pass)

1. ensure you have at least a requests:
2. open Filters dropdown
3. check location = location not of your request
4. in “My Requests”, your request still appears

Scenario 7: IRL Meeting Preference Filter (Fail)

1. navigate to All Requests
2. attempt to filter by “OK with meeting IRL = Yes”
3. no IRL preference field exists in request data and no ui exists for this criteria

o Sprint 3

As a donor, I want a tool that projects my points spending for the rest of the quarter and see how many points I have leftover to share. (5pts)

Scenario 1: Access Calculator During Active Quarter (Pass)

1. Access on date = 2026-03-6
2. navigate to /donation-calculator
3. page title Donation Calculator is visible
4. quarter banner shows Winter 2026 and date range Jan 5, 2026 – Mar 20, 2026
5. banner shows 14 days remaining

Scenario 2: Load Current Balance (Pass)

1. ensure API /api/points returns { balance: 900 }
2. navigate to /donation-calculator
3. Current balance (points) field shows 900
4. no error text is shown

Scenario 3: Compute Leftover Points (Pass)

1. set system date = 2026-03-6
2. ensure /api/points returns { balance: 900 }
3. in Average daily spending (points per day) input, type 20
4. Points needed for yourself = 280pts
5. Total you can donate = 620pts
6. daily estimate line shows ≈ 44 pts per day
7. line chart Projected balance over time is visible

Scenario 4: Zero Donations When Spending Exceeds Balance (Pass)

1. set system date = 2026-03-18
2. ensure /api/points returns { balance: 300 }
3. enter Average daily spending = 200
4. Points needed for yourself = 600 pts
5. Total you can donate = 0 pts
6. donation pace buttons are hidden (no donation available)

Scenario 5: Donation Pace Changes Chart (Pass)

1. set system date = 2026-03-6
2. ensure /api/points returns { balance: 600 }
3. enter Average daily spending = 20
4. click Donate now (all at once)
5. chart line for With donating drops immediately on Day 0 compared to Evenly over quarter
6. Without donating line stays the same
7. donation pace button Donate now (all at once) appears selected

Scenario 6: Not In Active Quarter (Pass)

1. set system date = 2026-03-24
2. navigate to donation-calculator
3. card title shows Not Currently in a Quarter
4. message explains calculator is only available during active quarter
5. upcoming quarters list includes Spring 2026: Mar 30, 2026 – Jun 11, 2026

As a donor I would like for the dashboard to have an accurate up to date showing of how many points my account has (3pts)

Scenario 1: View Live GET Balances on Dashboard With Linked Account (Pass)

1. link GET account via /get page
2. navigate to /dashboard
3. "GET Meal Plan" card is displayed

4. each GET account (e.g. "Flexi Dollars", "Slug Points") appears as a row with account name and dollar balance
5. description reads "Updated just now · refreshes every 30s"

Scenario 2: Dashboard Prompts to Link When GET Not Connected (Pass)

1. log in as a user who has not linked a GET account
2. navigate to /dashboard
3. "GET Meal Plan" card is displayed
4. description reads "Link your GET account to see live balances"
5. "Link GET Account" button is visible
6. click "Link GET Account"
7. user is navigated to /get

Scenario 3: Balance Auto-Refreshes Every 30 Seconds (Pass)

1. link GET account and navigate to /dashboard
2. "GET Meal Plan" card loads with current balances and shows "Updated just now"
3. wait 30 seconds without interacting
4. card description updates to "Updated just now" again (data re-fetched)
5. if a purchase was made on the GET account during the wait, the new lower balance is reflected

Scenario 4: Manual Refresh via Refresh Button (Pass)

1. on dashboard with linked GET account, note current balances
2. click "Refresh" button on the GET Meal Plan card
3. card briefly shows loading state
4. balances update and timestamp resets to "Updated just now"

Scenario 5: Loading State on Initial Dashboard Load (Pass)

1. navigate to /dashboard with a linked GET account
2. "GET Meal Plan" card initially shows "Loading account balances..." with a pulsing placeholder
3. after data loads, placeholder is replaced with actual account rows and balances

Scenario 6: GET Credential Becomes Invalid (Pass)

1. link GET account and navigate to /dashboard
2. invalidate the GET credential (e.g. change password on GET portal)
3. click "Refresh" on the GET Meal Plan card
4. error message is displayed on the card (e.g. "authentication error")
5. credential is marked as invalid in the system

As a requestor, I want to edit my already posted requests before it gets accepted (1 point)

As a requester, I want to be able to see the GET QR code after having a request accepted (5 points)

o Sprint 4

As a donor, I would like my QR code to have a spending limit, time limit, and for the ability to be pulled

Scenario 1: Create QR Code With Spending Limit (Pass)

1. As a donor navigate to GET implementation
2. set Minimum Threshold to \$200
3. Minimum Threshold is now set to \$200

Scenario 2: Create QR Code With Time Limit (Pass)

1. As a donor navigate to GET implementation
2. set Time limit = 2 hours
3. QR time limit is now set to 2 hours

Scenario 3: Spend Past Threshold

1. As a donor navigate to GET implementation
2. Enable auto pull, set balance threshold to 50
3. As a requestor navigate to accepted request
4. QR code is generated and displayed
5. Spend dining points till donors balance drops below 50
6. QR code is pulled

Scenario 4: QR Code Expires After Time Limit (Expected Fail – Not Implemented)

1. As a donor navigate to GET implementation
2. set Time limit = 2 hours
3. As a requestor navigate to accepted request
4. QR code is generated and displayed
5. QR code is pulled after 2 hours

Scenario 5: Donor Pulls (Revokes) QR Code (Pass)

1. As a donor navigate to GET implementation
2. Click on "Pull QR Code Access Now"
3. As a requestor navigate to accepted request
4. Request is now set back to pending, and QR code is gone

As a user I want push notifications and gmail notifications for requests accepts (5pts)

Scenario 1: Browser Push Notification on Request Accept (Pass)

1. as Requester, allow browser notifications when prompted by SlugShare
2. create a request for 40 points at Dining Hall 9 with QR code enabled
3. as Donor, navigate to /requests and accept the request via QR Code
4. as Requester, within 15 seconds a browser notification appears: "SlugShare" with body "[Donor name] accepted your QR request for 40 points at Dining Hall 9. Open the scan screen to redeem."

Scenario 2: Browser Push Notification on In-Person Completion (Pass)

1. as Requester, allow browser notifications when prompted
2. create a request for 25 points at Porter Market with in-person enabled
3. as Donor, accept the request via In Person
4. as Requester, within 15 seconds a browser notification appears: "SlugShare" with body "[Donor name] completed your request for 25 points at Porter Market"

Scenario 3: Gmail Email Sent to Requester on QR Accept (Pass)

1. as Requester (with email sshastr1@ucsc.edu), create a request for 30 points at College 9/10 with QR code enabled
2. as Donor, accept the request via QR Code
3. check Requester's Gmail inbox
4. email received with subject "Your QR request was accepted for 30 points"
5. email body contains donor name, location, points, and instruction to open the Scan screen

Scenario 4: Gmail Email Sent to Requester on In-Person Completion (Pass)

1. as Requester, create a request for 50 points at Stevenson with in-person enabled
2. as Donor, accept the request via In Person
3. check Requester's Gmail inbox
4. email received with subject "Your request was completed for 50 points"
5. email body contains donor name, location, and points

Scenario 5: No Email Sent When SMTP Not Configured (Pass)

1. remove EMAIL_SMTP_HOST, EMAIL_SMTP_PORT, EMAIL_SMTP_USER,

EMAIL_SMTP_PASS from .env

2. restart the dev server
3. as Donor, accept a request
4. server logs show [email] Skipping email send, SMTP not configured
5. no email is sent; accept still completes successfully

Last modified: 2026 03 10