

# Résultats des tests de connectivité réseau (ping)

## Ping du PC médecin au Serveur Windows

```
Packets: Received = 3, Command Line: 170
C:\>ping 192.168.50.2

Pinging 192.168.50.2 with 32 bytes of data:

Reply from 192.168.50.2: bytes=32 time<1ms TTL=128
Reply from 192.168.50.2: bytes=32 time<1ms TTL=128
Reply from 192.168.50.2: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.50.2:
    Packets: Sent = 3, Received = 3, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 0ms, Average = 0ms
```

## Ping du PC médecin au Serveur Linux

```
C:\>ping 192.168.50.3

Pinging 192.168.50.3 with 32 bytes of data:

Reply from 192.168.50.3: bytes=32 time<1ms TTL=128
Reply from 192.168.50.3: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.50.3:
    Packets: Sent = 2, Received = 2, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 0ms, Average = 0ms
```

## Ping du PC médecin au PC secrétaire

```
C:\>ping 192.168.50.15

Pinging 192.168.50.15 with 32 bytes of data:

Reply from 192.168.50.15: bytes=32 time=1ms TTL=128
Reply from 192.168.50.15: bytes=32 time<1ms TTL=128
Reply from 192.168.50.15: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.50.15:
    Packets: Sent = 3, Received = 3, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 1ms, Average = 0ms
```

## Ping du PC médecin au Routeur

```
C:\>ping 192.168.50.1
```

```
Pinging 192.168.50.1 with 32 bytes of data:
```

```
Reply from 192.168.50.1: bytes=32 time<1ms TTL=255
```

```
Reply from 192.168.50.1: bytes=32 time<1ms TTL=255
```

```
Ping statistics for 192.168.50.1:
```

```
    Packets: Sent = 2, Received = 2, Lost = 0 (0% loss),
```

```
Approximate round trip times in milli-seconds:
```

```
    Minimum = 0ms, Maximum = 0ms, Average = 0ms
```