

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-
width, initial-scale=1.0">
  <title>Simple Project Manager</title>
  <script src="https://cdn.tailwindcss.com"></
script>
  <style>
    .task-card {
      transition: all 0.2s ease;
    }
    .task-card:hover {
      transform: translateY(-2px);
      box-shadow: 0 10px 15px -3px rgba(0, 0, 0,
0.1);
    }
    .drag-zone {
      min-height: 200px;
    }
    [draggable] {
      user-select: none;
      cursor: move;
    }
  </style>
</html>
```

```
.progress-bar {
  transition: width 0.5s ease;
}

.priority-high { border-left: 4px solid #ef4444; }
.priority-medium { border-left: 4px solid
#f59e0b; }
.priority-low { border-left: 4px solid #10b981; }
</style>
</head>
<body class="bg-gray-50 min-h-screen flex flex-col">
  <div class="container mx-auto px-4 py-8 flex-
grow">
    <!-- Header -->
    <header class="mb-8">
      <div class="flex justify-between items-
center">
        <h1 class="text-3xl font-bold text-
gray-800">Project Manager</h1>
        <div class="flex items-center space-x-4">
          <div class="w-64">
            <div class="relative">
              <input type="text" id="searchInput"
placeholder="Search tasks..."
              class="w-full px-4 py-2 rounded-
lg border border-gray-300 focus:outline-none
```

```
focus:ring-2 focus:ring-blue-500">
    </div>
  </div>
</div>
</div>
<div class="mt-6 flex items-center">
  <div class="w-full bg-gray-200 rounded-full
h-4">
    <div id="progressBar" class="progress-
bar bg-blue-600 h-4 rounded-full" style="width:
0%"></div>
    </div>
    <span id="progressText" class="ml-4 text-
sm font-medium text-gray-600">0% Complete</
span>
  </div>
</header>

<!-- Task Creation Section -->
<section class="mb-8 p-6 bg-white rounded-xl
shadow-md">
  <h2 class="text-xl font-semibold mb-4 text-
gray-700">Create New Task</h2>
  <div class="flex flex-col md:flex-row gap-4">
    <input type="text" id="taskTitle"
```

```
placeholder="Task title"
      class="flex-1 px-4 py-2 border border-
gray-300 rounded-lg focus:outline-none focus:ring-2
focus:ring-blue-500">
    <textarea id="taskDescription"
placeholder="Description..."
      class="flex-1 px-4 py-2 border border-
gray-300 rounded-lg focus:outline-none focus:ring-2
focus:ring-blue-500"></textarea>
    <select id="taskPriority" class="px-4 py-2
border border-gray-300 rounded-lg focus:outline-
none focus:ring-2 focus:ring-blue-500">
      <option value="low">Low Priority</
option>
      <option value="medium"
selected>Medium Priority</option>
      <option value="high">High Priority</
option>
    </select>
    <input type="date" id="taskDueDate"
      class="px-4 py-2 border border-
gray-300 rounded-lg focus:outline-none focus:ring-2
focus:ring-blue-500">
    <button id="addTaskBtn" class="px-6 py-2
bg-blue-600 text-white font-medium rounded-lg
```

```
hover:bg-blue-700 focus:outline-none focus:ring-2
focus:ring-blue-500">
```

```
    Add Task
```

```
  </button>
```

```
</div>
```

```
</section>
```

```
<!-- Task Boards -->
```

```
<div class="grid grid-cols-1 md:grid-cols-3
gap-6">
```

```
  <!-- To Do Column -->
```

```
  <div class="bg-gray-100 p-4 rounded-xl">
```

```
    <h3 class="text-lg font-semibold mb-4 text-
gray-700 flex items-center">
```

```
      <div class="w-3 h-3 bg-red-500 rounded-
full mr-2"></div>
```

```
      To Do
```

```
      <span id="todoCount" class="ml-auto bg-
white px-2 py-1 rounded-full text-sm">0</span>
```

```
    </h3>
```

```
    <div id="todo-tasks" class="drag-zone
space-y-4" data-status="todo">
```

```
      <!-- Tasks will be added here dynamically
-->
```

```
    </div>
```

```
</div>
```

```
<!-- In Progress Column -->
```

```
<div class="bg-gray-100 p-4 rounded-xl">
```

```
  <h3 class="text-lg font-semibold mb-4 text-  
gray-700 flex items-center">
```

```
    <div class="w-3 h-3 bg-yellow-500  
rounded-full mr-2"></div>
```

```
    In Progress
```

```
    <span id="progressCount" class="ml-  
auto bg-white px-2 py-1 rounded-full text-sm">0</  
span>
```

```
  </h3>
```

```
  <div id="progress-tasks" class="drag-zone  
space-y-4" data-status="progress">
```

```
    <!-- Tasks will be added here dynamically  
-->
```

```
  </div>
```

```
</div>
```

```
<!-- Done Column -->
```

```
<div class="bg-gray-100 p-4 rounded-xl">
```

```
  <h3 class="text-lg font-semibold mb-4 text-  
gray-700 flex items-center">
```

```
    <div class="w-3 h-3 bg-green-500
```

rounded-full mr-2"></div>

Done

0

</h3>

<div id="done-tasks" class="drag-zone space-y-4" data-status="done">

<!-- Tasks will be added here dynamically

-->

</div>

</div>

</div>

<div class="mt-12">

</div>

</div>

```
<!-- Task Template (Hidden) -->
<template id="task-template">
  <div class="task-card p-4 bg-white rounded-lg
shadow border-l-4" draggable="true">
    <div class="flex justify-between items-start
mb-2">
      <h4 class="font-medium text-gray-800 task-
title"></h4>
      <div class="flex space-x-2">
        <button class="edit-btn p-1 text-gray-400
hover:text-gray-600">
          <svg xmlns="http://www.w3.org/2000/
svg" class="h-5 w-5" viewBox="0 0 20 20"
fill="currentColor">
            <path d="M13.586 3.586a2 2 0
112.828
2.828l-.793.793-2.828-2.828.793-.793z" /
5.793L3 14.172V17h2.828l8.38-8.379-2.83-2.828z" /
>
          </svg>
        </button>
        <button class="delete-btn p-1 text-
gray-400 hover:text-gray-600">
          <svg xmlns="http://www.w3.org/2000/
svg" class="h-5 w-5" viewBox="0 0 20 20">
```



```
fill="currentColor">
    <path fill-rule="evenodd" d="M9 2a1
1 0 00-.894.553L7.382 4H4a1 1 0 000 2v10a2 2 0
002 2h8a2 2 0 002-2V6a1 1 0
100-2h-3.382l-.724-1.447A1 1 0 0011 2H9zM7 8a1
1 0 012 0v6a1 1 0 11-2 0V8zm5-1a1 1 0 00-1 1v6a1
1 0 102 0V8a1 1 0 00-1-1z" clip-rule="evenodd" />
    </svg>
    </button>
    </div>
</div>
    <p class="task-description text-sm text-
gray-600 mb-2"></p>
    <div class="flex justify-between items-center
mt-3">
        <span class="due-date text-xs px-2 py-1 bg-
gray-100 rounded"></span>
        <span class="priority-badge text-xs px-2
py-1 rounded text-white"></span>
    </div>
</div>
</template>

<!-- Footer Section -->
<footer class="bg-gray-800 text-white pt-12 pb-8">
```

```
<div class="container mx-auto px-4">
  <div class="grid grid-cols-1 md:grid-cols-4
gap-8">
    <!-- Company Info -->
    <div class="space-y-4">
      <h3 class="text-xl font-bold">Project
Manager Pro</h3>
      <p class="text-gray-300">Streamline your
workflow and boost productivity with our intuitive
task management solution.</p>
      <div class="flex space-x-4">
        <a href="#" class="text-gray-300
hover:text-white">
          <svg xmlns="http://www.w3.org/
2000/svg" class="h-6 w-6" fill="currentColor"
viewBox="0 0 24 24">
            <path d="M24
4.557c-.883.392-1.832.656-2.828.775 1.017-.609
1.798-1.574 2.165-2.724-.951.564-2.005.974-3.127
1.195-.897-.957-2.178-1.555-3.594-1.555-3.179
0-5.515 2.966-4.797
6.045-4.091-.205-7.719-2.165-10.148-5.144-1.29
2.213-.669 5.108 1.523
6.574-.806-.026-1.566-.247-2.229-.616-.054 2.281
1.581 4.415 3.949
```

4.89-.693.188-1.452.232-2.224.084.626 1.956 2.444
3.379 4.6 3.419-2.07 1.623-4.678 2.348-7.29 2.04
2.179 1.397 4.768 2.212 7.548 2.212 9.142 0
14.307-7.721 13.995-14.646.962-.695 1.797-1.562
2.457-2.549z"/>

</svg>

<a href="#" class="text-gray-300
hover:text-white">

<svg xmlns="http://www.w3.org/
2000/svg" class="h-6 w-6" fill="currentColor"
viewBox="0 0 24 24">

<path d="M19 0h-14c-2.761 0-5
2.239-5 5v14c0 2.761 2.239 5 5 5h14c2.762 0
5-2.239 5-5v-14c0-2.761-2.238-5-5-5zm-11
19h-3v-11h3v11zm-1.5-12.268c-.966
0-1.75-.79-1.75-1.764s.784-1.764 1.75-1.764
1.75.79 1.75 1.764-.783 1.764-1.75 1.764zm13.5
12.268h-3v-5.604c0-3.368-4-3.113-4
0v5.604h-3v-11h3v1.765c1.396-2.586 7-2.777 7
2.476v6.759z"/>

</svg>

<a href="#" class="text-gray-300
hover:text-white">

```
<svg xmlns="http://www.w3.org/
2000/svg" class="h-6 w-6" fill="currentColor"
viewBox="0 0 24 24">
    <path d="M12 0c-6.626 0-12
5.373-12 12 0 5.302 3.438 9.8 8.207
11.387.599.111.793-.261.793-.577v-2.234c-3.338.72
6-4.033-1.416-4.033-1.416-.546-1.387-1.333-1.756-1.
333-1.756-1.089-.745.083-.729.083-.729 1.205.084
1.839 1.237 1.839 1.237 1.07 1.834 2.807 1.304
3.492.997.107-.775.418-1.305.762-1.604-2.665-.305-
5.467-1.334-5.467-5.931 0-1.311.469-2.381
1.236-3.221-.124-.303-.535-1.524.117-3.176 0 0
1.008-.322 3.301 1.23.957-.266 1.983-.399
3.003-.404 1.02.005 2.047.138 3.006.404
2.291-1.552 3.297-1.23 3.297-1.23.653 1.653.242
2.874.118 3.176.77.84 1.235 1.911 1.235 3.221 0
4.609-2.807 5.624-5.479 5.921.43.372.823
1.102.823 2.222v3.293c0 .319.192.694.801.576
4.765-1.589 8.199-6.086 8.199-11.386
0-6.627-5.373-12-12-12z"/>
    </svg>
</a>
</div>
</div>
```

<!-- Quick Links -->

<div>

<h4 class="text-lg font-semibold mb-4">Quick Links</h4>

<ul class="space-y-2">

Home

Features

Pricing

Team

Blog

</div>

<!-- Legal -->

<div>

<h4 class="text-lg font-semibold mb-4">Legal</h4>

<ul class="space-y-2">

Privacy Policy

```

    <li><a href="#" class="text-gray-300
hover:text-white transition">Terms of Service</a></
li>

    <li><a href="#" class="text-gray-300
hover:text-white transition">Cookie Policy</a></li>
    <li><a href="#" class="text-gray-300
hover:text-white transition">GDPR Compliance</a></
li>

    </ul>
</div>

<!-- Contact -->
<div>
    <h4 class="text-lg font-semibold
mb-4">Contact Us</h4>
    <address class="not-italic text-gray-300
space-y-2">
        <div class="flex items-start">
            <svg xmlns="http://www.w3.org/
2000/svg" class="h-5 w-5 mr-2 mt-1 flex-shrink-0"
fill="none" viewBox="0 0 24 24"
stroke="currentColor">
                <path stroke-linecap="round"
stroke-linejoin="round" stroke-width="2" d="M17.657
16.657L13.414 20.9a1.998 1.998 0 01-2.827
```

```
0l-4.244-4.243a8 8 0 1111.314 0z" />
    <path stroke-linecap="round"
stroke-linejoin="round" stroke-width="2" d="M15
11a3 3 0 11-6 0 3 3 0 016 0z" />
    </svg>
    <span>123 Business Ave, Suite
500<br>San Francisco, CA 94107</span>
</div>
<div class="flex items-center">
    <svg xmlns="http://www.w3.org/
2000/svg" class="h-5 w-5 mr-2" fill="none"
viewBox="0 0 24 24" stroke="currentColor">
        <path stroke-linecap="round"
stroke-linejoin="round" stroke-width="2" d="M3
8l7.89 5.26a2 2 0 002.22 0L21 8M5 19h14a2 2 0
002-2V7a2 2 0 00-2-2H5a2 2 0 00-2 2v10a2 2 0 002
2z" />
    </svg>
    <a
href="mailto:contact@projectmanagerpro.com">cont
act@projectmanagerpro.com</a>
</div>
<div class="flex items-center">
    <svg xmlns="http://www.w3.org/
2000/svg" class="h-5 w-5 mr-2" fill="none"
```

```
viewBox="0 0 24 24" stroke="currentColor">
    <path stroke-linecap="round"
stroke-linejoin="round" stroke-width="2" d="M3 5a2
2 0 0 1 2-2h3.28a1 1 0 0 1 .948 6.84l1.498 4.493a1 1 0
0 1 -.502 1.21l-2.257 1.13a1 1 0 0 1 1.042 11.042 0 0 0 5.516
5.516l1.13-2.257a1 1 0 0 1 1.21-.502l4.493 1.498a1
1 0 0 1 .684 9.949V19a2 2 0 0 1 -2 2h-1C9.716 21 3
14.284 3 6V5z" />
    </svg>
    <a href="tel:+18005551234">+1
(800) 555-1234</a>
    </div>
    </address>
</div>
</div>

<!-- Copyright Notice -->
<div class="border-t border-gray-700 mt-8
pt-6 text-center text-gray-400">
    <p>&copy; 2023 Project Manager Pro. All
rights reserved.</p>
    <p class="mt-2 text-sm">Designed with ❤️
for productive teams</p>
</div>
</div>
```



```
</footer>
```

```
<script>
```

```
document.addEventListener('DOMContentLoaded',
function() {
    // DOM Elements
    const taskForm = {
        title: document.getElementById('taskTitle'),
        description:
document.getElementById('taskDescription'),
        priority:
document.getElementById('taskPriority'),
        dueDate:
document.getElementById('taskDueDate'),
        addBtn:
document.getElementById('addTaskBtn')
    };

    const taskContainers = {
        todo: document.getElementById('todo-
tasks'),
        progress:
document.getElementById('progress-tasks'),
        done: document.getElementById('done-
```

```
tasks')  
    };
```

```
    const countElements = {  
      todo:  
document.getElementById('todoCount'),  
      progress:  
document.getElementById('progressCount'),  
      done:  
document.getElementById('doneCount')  
    };
```

```
    const progressBar =  
document.getElementById('progressBar');  
    const progressText =  
document.getElementById('progressText');  
    const searchInput =  
document.getElementById('searchInput');
```

```
    let tasks =  
JSON.parse(localStorage.getItem('tasks')) || [];
```

```
    // Initialize the app  
    function init() {  
      renderTasks();
```

```
    updateCounts();
    updateProgress();
    setupEventListeners();
}
```

```
// Render all tasks
function renderTasks(filterText = "") {
    // Clear all task containers
```

```
Object.values(taskContainers).forEach(container =>
{
    container.innerHTML = "";
});
```

```
// Filter tasks if search text is provided
const filteredTasks = filterText
    ? tasks.filter(task =>
```

```
task.title.toLowerCase().includes(filterText.toLowerCase() ||
```

```
task.description.toLowerCase().includes(filterText.toLowerCase()))
    : tasks;
```

```
        // Render each task in the appropriate
        container
        filteredTasks.forEach(task => {
            const container =
taskContainers[task.status];
            if (container) {
                const taskElement =
createTaskElement(task);
                container.appendChild(taskElement);
            }
        });
    }
```

```
    // Create a task element from template
    function createTaskElement(task) {
        const template =
document.getElementById('task-template');
        const taskElement =
template.content.cloneNode(true);
```

```
        // Set task data
        taskElement.querySelector('.task-
title').textContent = task.title;
        taskElement.querySelector('.task-
description').textContent = task.description;
```

```
taskElement.querySelector('.due-date').textContent = task.dueDate ? new Date(task.dueDate).toLocaleDateString() : 'No due date';
```

```
    // Set priority styling
    const priorityBadge =
taskElement.querySelector('.priority-badge');
    priorityBadge.textContent =
task.priority.charAt(0).toUpperCase() +
task.priority.slice(1);
    priorityBadge.classList.add(`bg-${
getPriorityColor(task.priority)}-500`);
```

```
    // Add status class
    const card =
taskElement.querySelector('.task-card');
    card.classList.add(`priority-${task.priority}
`);
```

```
    // Add drag event listeners
    card.setAttribute('data-task-id', task.id);
```

```
    // Add button event listeners
    taskElement.querySelector('.delete-
```

```
btn').addEventListener('click', () =>
deleteTask(task.id));
    taskElement.querySelector('.edit-
btn').addEventListener('click', () => editTask(task.id));

    return taskElement;
}
```

```
function getPriorityColor(priority) {
    switch(priority) {
        case 'high': return 'red';
        case 'medium': return 'yellow';
        case 'low': return 'green';
        default: return 'blue';
    }
}
```

```
// Add event listeners
function setupEventListeners() {
    // Add task button
    taskForm.addBtn.addEventListener('click',
addTask);

    // Allow dropping tasks
```

```
Object.values(taskContainers).forEach(container =>
{
    container.addEventListener('dragover', e
=> {
        e.preventDefault();
        container.classList.add('bg-gray-200');
    });

    container.addEventListener('dragleave', ()
=> {
        container.classList.remove('bg-
gray-200');
    });

    container.addEventListener('drop', e => {
        e.preventDefault();
        container.classList.remove('bg-
gray-200');

        const taskId =
e.dataTransfer.getData('text/plain');
        const newStatus =
container.dataset.status;
        updateTaskStatus(taskId, newStatus);
    });
});
```

```
});
```

```
// Search functionality
```

```
searchInput.addEventListener('input', (e) =>
```

```
{
```

```
    renderTasks(e.target.value);
```

```
});
```

```
}
```

```
// Add a new task
```

```
function addTask() {
```

```
    const title = taskForm.title.value.trim();
```

```
    if (!title) return;
```

```
    const newTask = {
```

```
        id: Date.now().toString(),
```

```
        title: title,
```

```
        description:
```

```
taskForm.description.value.trim(),
```

```
        priority: taskForm.priority.value,
```

```
        dueDate: taskForm.dueDate.value,
```

```
        status: 'todo',
```

```
        createdAt: new Date().toISOString()
```

```
    };
```



```
tasks.push(newTask);  
saveTasks();  
renderTasks();
```

```
// Reset form  
taskForm.title.value = "";  
taskForm.description.value = "";  
taskForm.priority.value = 'medium';  
taskForm.dueDate.value = "";  
taskForm.title.focus();  
}
```

```
// Delete a task  
function deleteTask(taskId) {  
    tasks = tasks.filter(task => task.id !==  
taskId);  
    saveTasks();  
    renderTasks();  
}
```

```
// Edit a task  
function editTask(taskId) {  
    const task = tasks.find(task => task.id ===  
taskId);  
    if (!task) return;
```

```
    taskForm.title.value = task.title;
    taskForm.description.value =
task.description;
    taskForm.priority.value = task.priority;
    taskForm.dueDate.value = task.dueDate;

    // Remove the old task
    tasks = tasks.filter(t => t.id !== taskId);

    // Focus on title field
    taskForm.title.focus();
}

// Update task status (drag and drop)
function updateTaskStatus(taskId,
newStatus) {
    const task = tasks.find(task => task.id ===
taskId);
    if (task && task.status !== newStatus) {
        task.status = newStatus;
        saveTasks();
        renderTasks();
        updateProgress();
    }
}
```

```
}
```

```
// Save tasks to localStorage
```

```
function saveTasks() {
```

```
    localStorage.setItem('tasks',
```

```
    JSON.stringify(tasks));
```

```
    updateCounts();
```

```
    updateProgress();
```

```
}
```

```
// Update task counts in each column
```

```
function updateCounts() {
```

```
    countElements.todo.textContent =
```

```
tasks.filter(task => task.status === 'todo').length;
```

```
    countElements.progress.textContent =
```

```
tasks.filter(task => task.status ===  
'progress').length;
```

```
    countElements.done.textContent =
```

```
tasks.filter(task => task.status === 'done').length;
```

```
}
```

```
// Update progress bar
```

```
function updateProgress() {
```

```
    const totalTasks = tasks.length;
```

```
    const completedTasks = tasks.filter(task
```

```
=> task.status === 'done').length;  
    const progressPercentage = totalTasks > 0  
? Math.round((completedTasks / totalTasks) * 100)  
: 0;
```

```
    progressBar.style.width = `${  
{progressPercentage}%`;   
    progressText.textContent = `${  
{progressPercentage}% Complete`;  
}
```

```
// Initialize drag events for task cards  
document.addEventListener('dragstart', e => {  
    if (e.target.classList.contains('task-card')) {  
        e.dataTransfer.setData('text/plain',  
e.target.dataset.taskId);  
        e.target.style.opacity = '0.5';  
    }  
});
```

```
document.addEventListener('dragend', e => {  
    if (e.target.classList.contains('task-card')) {  
        e.target.style.opacity = '1';  
    }  
});
```

```
        // Initialize the app  
        init();  
    });  
</script>  
</body>  
</html>
```