

- Developer
- / Documentation
- / Unreal Engine ▾
- / Unreal Engine 5.4 Documentation
- / Making Interactive Experiences
- / Artificial Intelligence
- / Behavior Trees
- / Behavior Tree Node Reference
- / Behavior Tree Node Reference: Composites

Behavior Tree Node Reference: Composites

Reference information for the Behavior Tree Composite nodes.



Composite nodes define the root of a branch and the base rules for how that branch is executed. They can have [Decorators](#) applied to them to modify entry into their branch, or even cancel out mid-execution. Also, they can have [Services](#) attached to them that will only be active if the children of the Composite are being executed.



Only Composite nodes can be attached to the Root node of a Behavior Tree.


Selector



Selector nodes execute their children from left to right. They stop executing when one of their children succeeds. If a Selector's child succeeds, the Selector succeeds. If all the Selector's children fail, the Selector fails.

Property	Description
Apply Decorator Scope	If set, all Decorators in the branch below will be removed when execution flow leaves the branch (Decorators on this node are not affected).
Node Name	The name the node should display in the Behavior Tree graph.

Sequence




Sequence nodes execute their children from left to right. They stop executing when one of their children fails. If a child fails, then the Sequence fails. If all the Sequence's children succeed, then the Sequence succeeds.

Property	Description
Apply Decorator Scope	If set, all Decorators in the branch below will be removed when execution flow leaves the branch (Decorators on this node are not affected).

Property	Description
Node Name	The name the node should display in the Behavior Tree graph.

Simple Parallel



The **Simple Parallel** node allows a single main Task node to be executed alongside of a full tree. When the main Task finishes, the setting in **Finish Mode** dictates if the node should finish immediately, aborting the secondary tree, or if it should delay for the secondary tree to finish.

Property	Description
Finish Mode	<ul style="list-style-type: none"> • Immediate: Once the main Task finishes, the background tree will be aborted. • Delayed: The background tree will be permitted to finish once the main Task has finished.
Node Name	The name the node should display in the Behavior Tree graph.