

SmartJourney: Administrator Manual

Administrators keep SmartJourney's data trustworthy and the AI running. **The trip planner only uses verified places**, so the review queues here directly decide what travelers get recommended.

Web address: <https://aismartjourney.vercel.app> (sign in, then click **Admin** in the left sidebar)

1. Admin access

- Admin rights come from the Keycloak **realm role** `admin`. Accounts with that role see an **Admin** item in the sidebar, and their profile shows *Platform admin* instead of *Traveler account*.
 - `/admin` is protected twice: the web app sends anyone without the role away, and **every admin API call is re-checked by the server**.
 - There are two ways to make someone an admin: 1. An existing admin opens **Admin** → **Users** and clicks **Make admin** (section 6). 2. In the **Keycloak admin console** (realm `smartjourney`), go to **Users**, open the user, then **Role mapping** → **Assign role** → `admin`.
 - A role change takes effect when the user's session refreshes (within about 5 minutes), or straight away if they sign out and back in.
-

2. The admin dashboard

The top of the Admin page shows four counters: **Travellers**, **Itineraries**, **Published** (approved listings and events), and **Awaiting review** (the size of the pending queues).

Below them are six tabs: **Listings** · **Events** · **Entry fees** · **Users** · **Analytics** · **AI models**.

3. Listings

Listings are attractions, hotels and restaurants, imported from OpenStreetMap, Booking.com, Wikidata and other sources, or added by an admin.

3.1 The review queues

Use the buttons at the top to switch queues:

- **Pending review:** imported and not yet checked. **Travelers never see these.**
- **Approved:** published. Used by the planner and shown in Explore.
- **Rejected:** hidden. Can be approved later if the decision changes.

Narrow the list with the **search box**, **All categories**, and **All districts**. The line above the list shows how many records match.

3.2 Reviewing

For each row:

- **Approve:** publishes the listing.
- **Reject:** hides it. You're asked for an optional reason, which is recorded.
- **Edit:** fixes details before approving (see 3.3).
- **Delete** (bin icon): removes it **permanently**, after a confirmation. *Rejecting is usually enough.*

Approve all N shown approves only the pending rows **currently on screen**, after a confirmation. Filter the list first, so you approve only rows you have actually looked at.

3.3 Adding or editing a listing

Click **Add listing**, or **Edit** on a row. The form fields are:

Field	Notes
Name	Required
District, Category	Required (dropdowns)
Latitude, Longitude	Required. The map and distance scoring need them (e.g. 7.2936 , 80.6413)
Description	Optional
Price level	1 (cheap) to 4 (expensive)
Rating	Optional
Image URL	Shown on the listing card in Explore

A listing an admin creates is **published straight away**. Edits are recorded in the activity log.

4. Events

Events (festivals, cultural events) work just like listings: the same **Pending review / Approved / Rejected** queues, the same **Approve / Reject / Edit / Delete** actions, and **Add event**. Event forms also have **Venue**, **Starts** and **Ends**. Only approved events with a future date appear in Explore and in trip plans.

Most events come from the event scraper, so **checking the dates and venue is the main review job**.

5. Entry fees

Ticket prices for heritage sites, scraped from official sources. Nothing here is written by an admin; it's **review only**.

Each row shows the site name, the **foreign adult** price (and the child price if known), a link to the **source page**, and the **suggested listing** it belongs to.

1. **Check the link.** The suggested listing is only the scraper's guess, based on name and district. If it's wrong or missing, click **Change link / Link a listing**, search for the correct listing by name, and pick it. **Unlink** removes a wrong link.
 2. **Approve.** This only works once a listing is linked (the button says *Link a listing first* otherwise). Approved fees are used in trip cost estimates.
 3. **Reject** fees that are wrong or outdated.
-

6. Users

- **Search** by name or email, and filter by role (**All roles / Travelers / Admins**) and status (**Any status / Active / Deactivated**).
 - **Make admin / Revoke admin:** changes the user's role in Keycloak.
 - **Deactivate / Reactivate:** a deactivated user can't sign in again. A session that's already open runs until its token expires (within about 5 minutes).
 - **Account activity:** shows a user's most recent 100 actions.
 - **Locked rows:** you can't change your own role or status, and accounts created before Keycloak was introduced can't be managed here.
-

7. Analytics

All charts cover a recent time window, shown in the subtitle (e.g. *Last 30 days, from ...*):

- **Platform activity:** new travellers, chat sessions and itineraries per day.
 - **Moderation activity:** listings and events approved vs rejected, per day.
 - **Saved itineraries by status:** draft, upcoming, past.
 - **Published listings by category** and **by district**.
 - **Most active planners** (top 8, by saved itineraries). Click **View / Hide** to show the details.
-

8. AI models

This tab controls which language models the trip planner uses. Changes **take effect from the next request**, with no restart or redeploy.

8.1 Model order

- The list is a **failover chain**. The first model is **Main**, and the others are tried automatically in order when the one before them is out of quota or down. If every model fails, the planner still returns a rule-based (`fallback`) plan.
- Each row has a **Provider** (Google Gemini, Groq, OpenAI, Anthropic Claude) and a **Model** name. Use **Move up / Move down / Remove** to arrange the list, and **Add model** to add one. At least one model must remain.
- Click **Save order**. The notice "*Saved. The trip planner uses the new order from the next request.*" confirms it.

- If nothing has been saved here, the list shows "*Currently the default order from the server .env.*"

8.2 Testing

Test models sends one tiny request to every model in the chain and shows whether each one works. Save your changes before testing.

8.3 API keys

For each provider, the key source is shown as **Saved here**, **From server .env**, or **Not set**.

- **Add key / Replace:** paste the key and click **Save**. Keys are stored **encrypted**, and are never shown again after saving.
- **Remove:** deletes the saved key. The server's `.env` key (if any) is used instead.

Free tiers have limits: **Gemini** has a daily request limit per model, and **Groq** has a small per-minute token limit. **OpenAI** and **Anthropic** are paid.

9. Good practice

- Work the **Pending review** queues regularly. New data isn't visible to travelers until it's approved.
 - Filter before using **Approve all**.
 - Prefer **Reject** over **Delete**, since rejected items can be restored.
 - Keep at least two models in the AI chain, from different providers.
 - Use **Test models** after changing keys or the order.
-