Problem Chosen

2022 MCM/ICM Summary Sheet

Team Control Number

2208487

Traders buy and sell volatile assets to maximize their income. Recently, with the growing interest of the public in cryptocurrencies, gold and bitcoin become a feasible kind of portfolio. But what comes with interest is risk. How can we do our best to increase our income? Our team is requested to determine the trading strategies for a trader which utilizes only the past daily prices.

As for problem 1, First we plot the price data and found that they show non-stationarity in the sense of mean. We therefore utilize ARIMA to deal with the non-stationarity and predict the future prices of gold and bitcoin. Our choice of parameters is ARIMA(4,1,4) for both bitcoin and gold. Our ARIMA(4,1,4)-based predictor shows good capability to accurately predict the price of future.

To find the best timing to sell and buy the two assets, we first rate them with the our well-designed rating system by three important factors:

- Changes in value
- Moving averages
- Bias

Then from the factors our model further calculates our indicator for risk and trend. By linearly compose these two indicators, we get our main factor, which can give us enough information to make trading decisions.

By utilizing the information we get with our main factor to make trading decisions, we furthermore set thresholds based on our observations and experiments in our data and we finally balance our portfolio by the Markowiz's asset portfolio model.

As for problem 2, we dig into the application of Markowiz's asset portfolio model to the data. By plotting a thermodynamic diagram for various asset allocation schemes, we find that our scheme yields nearly the best result that is possibly for us to get. Moreover, it indicates that we achieve better risk management.

As for problem 3, we test our model by change the commissions for trading bitcoin and gold. By visualizing the result we find that commissions do not have a noteworthy impact on the amount of income of our model.

Key words: ARIMA, Quantitative Trading, Regression, Trading Strategy

(

To Harvest More: Best Trading Strategies on Gold and Bitcoins

Contents

1	Intr	oductio	on	1
	1.1	Probler	m Background	1
	1.2	Restate	ement of the Problem	1
	1.3	Our Ap	pproach	2
2	Ass	umptio	ns and Justifications	2
	2.1	Assum	ptions	2
	2.2	Symbol	ls and Definitions	3
3	Dat	a Prepi	rocessing	3
	3.1	Metric	Calculating	3
		3.1.1	Average Change	3
		3.1.2	Bias	3
		3.1.3	Moving Averages (MA)	4
4	Mat	themati	ical Modeling	4
	4.1	ARIMA	A Predictor	4
		4.1.1	Augmented Dickey-Fuller Test	4
		4.1.2	Finite Difference	5
		4.1.3	Choice of Parameters	6
		4.1.4	Residual Test and Durbin-Watson Test	7
		4.1.5	Predict the Change Using ARIMA	8
	4.2	Trade I	Pecision	8

Team # 2208487 Page 3 of 13

	4.2.1	Rating Gold and Bitcoin	8
	4.2.2	Position Management	9
5	Results an	nd Solutions	9
6	Sensitivity	y Analysis	10
7	Strength	and Weakness	11
	7.1 Streng	gth	11
	7.2 Weak	ness	11
8	Conclusio	$\mathbf{n}\mathbf{s}$	11
Re	eferences		11

Team # 2208487 Page 1 of 13

1 Introduction

1.1 Problem Background

With the popularity of cryptocurrencies and the simplification of trading methods, more of the population become market traders. Some of them expect to outperform inflation, while others want to create wealth. By buying and selling volatile assets frequently, market traders pursue a goal to maximize their total return. Gold and bitcoins enjoy great popularity these days for their complementary characteristics in risk and value. Gold is stable in price and has lower risk while the value of bitcoins varies greatly and thus has a higher risk, as is shown in Figure 1.



Figure 1: Gold and bitcoin daily prices, in U.S. dollars per troy ounce and U.S. dollars per bitcoin. **Source:** London Bullion Market Association, 9/11/2021 and NASDAQ, 9/11/2021

Regarding trading rules, Gold is only traded on days the market is open while bitcoins are traded every day. Commissions are charged to make each transaction. For market traders to achieve their goals, they need to build a model to determine the strategies to manage their portfolios well.

1.2 Restatement of the Problem

- Develop a model that gives the best daily trading strategy based only on price data up to that day, and calculate how much the initial \$1000 investment is worth on 9/10/2021 using the model and strategy.
- Present evidence that this model provides the best strategy.

Team # 2208487 Page 2 of 13

• Find how sensitive the strategy is to transaction costs and analyze how the costs affect the strategy and results.

1.3 Our Approach

- 1. To predict the prices of bitcoin and gold and make decision, we use ARIMA (Autoregressive integrated moving average). To predict future prices with existing data is a difficult problem because too many factors may influence the prices. The international situation, national policies, and even social media can have a considerable impact on the prices. Moreover, the data shows non-stationarity. To take as many factors as possible and predict accurately according to their inner laws, we adopt ARIMA to predict the prices, which is proved to give satisfying results.
- 2. To make decision on trading, design a comprehensive rating system to make decisions on trading. Based on various factor drawn out from price data, we compute our main factor by compose the trend indicator and risk indicator. We then set thresholds based on both our observations and findings in data. Then we decide the final strategies Markowiz's asset portfolio model.

2 Assumptions and Justifications

2.1 Assumptions

To simplify the problem stated above, we make following assumptions, each of which is justified properly:

- 1. The trader does not have a bias towards a lower risk. The two given assests, gold and bitcoin, differs a lot in risk. To simplify the problem, we assume that the trader will not prefer lower risk than higher and only cares about higher income.
- 2. The trader will have \$1000 in the beginning, and the transaction commissions for gold and bitcoin are $\alpha_{gold} = 1\%$ and $\alpha_{bitcoin} = 2\%$, respectively.
- 3. The market trader sells all of the gold and bitcoins by the end of the five-year trading period, i.e. on 9/10/2021. Generally, investors cares about funding liquidity. Among cash, gold and bitcoins, only cash can circulate unhindered in the market. So we make this assumption and thus measure the outcome in cash.

Team # 2208487 Page 3 of 13

2.2 Symbols and Definitions

Table 1: Symbols and Definitions.

Notations	Description
PC	Percentage change
$P_{0,bitcoin}$	The p-value for ADF test of the raw data of bitcoin
$P_{0,gold}$	The p-value for ADF test of the raw data of gold
$P_{1,bitcoin}$	The p-value for ADF test of the first-order difference of bitcoin
$P_{1,gold}$	The p-value for ADF test of the first-order difference of gold
SS	Threshold for main factor to sell certain asset
BS	Threshold for main factor to buy certain asset
TI	The trend indicator
RI	The risk indicator
MF	The main factor

3 Data Preprocessing

3.1 Metric Calculating

3.1.1 Average Change

Using the trained predictor, we calculate the average of change in the period of 5,10,15,20, and 25 days.

The change each day is defined as

$$Percentage\ change = PC = \frac{New\ price - Old\ price}{Old\ price} \times 100\%$$

The result for the given data is in the Appendix: Figures and Tables. Figure 10 and Figure 11 shows the average change we calculated for bitcoin and gold, respectively.

3.1.2 Bias

Bias measures how much the closing price shifts from the average price.

The formula to calculate the Bias in a n day period is

$$Bias = \frac{Closing\ price}{The\ mean\ price\ of\ n\ days} - 1$$

Team # 2208487 Page 4 of 13

Bias can help to track the market for the raise and fall of the price, which help us to decide whether and when to sell or buy.

3.1.3 Moving Averages (MA)

An n day's MA is the average of the price today and the previous n-1 days. Plotting all the MAs in a chart, it can reveal the trend of the price of the given period. Combined with current price, it helps us to find the favorable timing to increase our outcome

4 Mathematical Modeling

4.1 ARIMA Predictor

ARIMA is widely used for forecasting time series data, which is a generalization of ARMA (autoregressive moving average) model. ARMA requires the mean function of the data to be stationary, because history data of stationary series can be used to predict the future. But time series are not always stationary, so ARIMA take an initial differencing step to eliminate the non-stationarity of the mean function. In this case, we find the first order difference is stationary, so we take first order difference. Figure 2 shows the procedure we take to build the ARIMA model.



Figure 2: Procedure to Build ARIMA Model

To apply the model, we first have to test the stationarity.

4.1.1 Augmented Dickey-Fuller Test

An augmented Dickey–Fuller test (ADF) is a kind of hypothesis test. The null hypothesis is

 H_0 : A unit root is present in a time series sample.

Subject to the χ^2 distribution, we accept it when the observed value of the waviness of the series, P, also known as the p-value, satisfies

Team # 2208487 Page 5 of 13




Figure 3: The 1^{st} Order Difference

It can test whether the data is stationary or trend-stationary. If the unit root is present in the series, the time-series is non-stationary.

In the raw data, we found

$$P_{0,bitcoin} = 0.8420802907198858 > 0.05$$

 $P_{0,gold} = 0.9042384812941653 > 0.05$

So we accept H_0 . The raw time series is non-stationary. And in the first-order difference, we found

$$P_{1,bitcoin} = 9.276161468079189e - 13 < 0.05$$

 $P_{1,gold} = 9.269711421536524e - 13 < 0.05$

The first-order difference is stationary, So we plot them in Figure 3.

We also can see from the plot that it is stationary. Therefore, we use it for our ARIMA model. The parameter d of ARIMA(p, d, q) is d = 1.

4.1.2 Finite Difference

The difference of a function y is defined as

$$\Delta^{k} y_{t} = \Delta(\Delta^{k-1} y_{t}) = \Delta^{k-1} y_{t+1} - \Delta^{k-1} y_{t} = \Sigma_{i=0}^{k} (-1)^{i} C_{k}^{i} y_{t+k-1} \ (k = 1, 2, 3, \dots)$$

Team # 2208487 Page 6 of 13




Figure 4: ACF Plot for Gold and Bitcoin




Figure 5: PACF Plot for Gold and Bitcoin

Specially, the first-order difference, which is commonly used in ARIMA model, is defined as

$$\Delta y_t = y_{t+1} - y_t$$

Finite difference is useful in processing non-stationary data.

4.1.3 Choice of Parameters

To select the best parameters of ARIMA model, we first rely on observation on PACF and ACF plot. And then, if it does not fall in a range that makes sense, we search for possible parameters by grid searching the feasible domain.

The parameter p of ARIMA(p,d,q) is the number of lag observations in the model, which is also known as the lag order. To assign p, ACF plot in Figure 4 is inspected. We find that p = 4 is the best choice for both bitcoin and gold.

The parameter q is the size of moving average window, which is also called the order of moving window. To assign q, PACF plot in Figure 4.1.3 is inspected. We find that q=4 is the best choice for both bitcoin and gold.

Team # 2208487 Page 7 of 13




Figure 6: Residual Q-Q Plot for Gold and Bitcoin

4.1.4 Residual Test and Durbin-Watson Test

To test whether our model has extracted all information in the data, we inspect the residuals and test if they look like white noise. White noise residuals reveal that all information to predict has been extracted, so that we can utilize them to predict the future. And what is left is only random perturbation and is of no use for our ARIMA predictor. To carry out the test, we first plot the residual Q-Q plot and then carry our a Durbin-Watson(DW) test. The test results are as follows.

1. **Residual Q-Q Plot** A Quantile-Quantile plot (QQ-plot) shows the "match" of an observed distribution with a theoretical distribution, almost always the normal distribution. We plot the Q-Q plot and find that the residual distribution is roughly the same as the normal distribution, or is similar to white noise.

We can see in Figure 6 that the scatters appears to be around a straight line, which indicates our parameters are good enough to predict the future.

2. **DW** Test DW test is commonly used for test whether autocorrelation presents in the residuals from a regression analysis. The DW statistics has a null hypothesis

$$H_0 : \rho = 0$$

And the test statistic is

$$d = \frac{\sum_{t=2}^{T} (e_t - e_{t-1})^2}{\sum_{t=1}^{T} e_t^2}$$
 (1)

We calculate d in equation 1, which is the approximation of $2(1 - \hat{\rho})$, where $\hat{\rho}$ is the sample autocorrelation of the residuals. So d = 2 indicates no autocorrelation. In our case, we calculate the values in by equation 1, and find

Team # 2208487 Page 8 of 13

which is very close to 2, indicating very low autocorrelation.

4.1.5 Predict the Change Using ARIMA

4.2 Trade Decision

4.2.1 Rating Gold and Bitcoin

Based on the closing price every day, we first calculates the required normalized factors using including the change today, and the average change of 15 days and the bias, for both bitcoin and gold. Then our model predict the price the next day with ARIMA model.

Then, we calculate the indicators with the formula below for bitcoin and gold.

Trend indicator = $TI = 0.7 \times 30$ day's average change + 0.3×20 day's average bias Risk indicator = $RI = 0.4 \times Normalized$ 15 day's average change + $0.6 \times bias$

Then we compose TI and RI linearly with ratios chosen according to Markowiz's asset portfolio model and then normalize it to get our main factor (MF) for bitcoin and gold.

We set following thresholds for selling or buying bitcoin and gold in Table 2.

Table 2: Trading Thresholds.

	Bitcoin	Gold
Buy(BS)	0.775	0.57
$\mathrm{Sell}(SS)$	0.55	0.3

Then, we trade bitcoin and gold subject to the following rules.

	$MF_{bitcoin} > BS_{bitcoin}$	Others	$MF_{bitcoin} < SS_{bitcoin}$
$MF_{gold} > BS_{gold}$	Further Judgment Required	Buy gold	Sell bitcoin and buy gold
Others	Buy bitcoin	Do nothing	Sell bitcoin
$MF_{gold} < SS_{gold}$	Sell gold and buy bitcoin	Sell gold	Sell both

When further judgment is required, we come up with the following factor F

$$F = 2.5 \times (MF_{bitcoin} - BS_{bitcoin}) - (MF_{gold} - BS_{gold})$$

Then, our model recommend buying gold when F < 0 and buying bitcoin when F > 0.

Team # 2208487 Page 9 of 13

4.2.2 Position Management




Figure 7: Application of Markowiz Model

5 Results and Solutions




Figure 8: Equity Change Result

As is plotted in Figure 8, our equity change rises a lot with time going by. From the plot we can know the following facts.

- Our strategies work well to maximize income. As is seen in the plot, the equity rises in the order of magnitude from 10^3 to 10^6 , which is a considerable achievement.
- Our strategies has a distinct feature that it has very low retracement. As is seen in the plot, only there are only a few retracements, all of which have small value changes. It reveals that we have a good performance in dealing with risks.

The detailed performance data is shown in Table 3. From the table we can have a quantitative view on the brilliant performance of our model.

Team # 2208487 Page 10 of 13

Table 3:	Performance Data	

Performance Indicator	Measurement
Accumulated Equity	1.03743×10^6
Annualized Return	1469.58%
Maximum Retracement	-53.90%
Annualized Return/Retracement Ratio	27.77
Sharpe Ratio	1.1358

6 Sensitivity Analysis

For each transaction, a commission is charged. The commission can also have an impact on our model. We tested our model with different commissions and found that the level of commission does not significantly affect our model.




Figure 9: Equity Change with Commissions

By changing commissions and recalculating the total assets we get, we plot Figure 9, from which we can draw the following conclusions

- 1. Commissions may influence the equity change in the end, but the range is considered small, which reveals great stability of our model.
- 2. From the figure we plot, we find that commissions for bitcoins have a stronger impact on the income. It is because to reach higher income, we hold more bitcoins so that when commissions go higher, we are charged much more.

Team # 2208487 Page 11 of 13

3. The given commissions is higher than the commissions in the real world, 0.02% for bitcoin and 0.05% for gold. When choosing the thresholds for trading, we can choose more suitable parameters and trade in lower frequencies to reduce frictional costs.

7 Strength and Weakness

7.1 Strength

The models have the following strengths:

- Our model yields considerable income
- Our model do not involve artificial neural network, which saves computational resources.
- Our model build up a good system to assess a financial asset.
- Our model can be generalized to all problems in trading.

7.2 Weakness

Though our model performs well, the models have following weaknesses:

- We do not consider factors other than prices.
- The choice of our model's parameters relies on experience and grid search.

8 Conclusions

In this paper, we build a ARIMA based predictor and the rating-based decision maker to enhance the income of trading cash, gold, and bitcoins. First, we preprocess the data and calculate various factors. Then, we do feature engineering by finite difference to deal with non-stationarity. After that, we use a ARIMA(4,1,4) predictor to predict the price in the future. Finally, we design a rating system and then derive our main factor to decide whether to buy, hold, or sell bitcoin and gold, and our strategies is test with Markowiz's asset portfolio model. Sensitive tests are carried out to find that our model will remain stable when commissions change. We measured our model by performance indicators like annualized return, retracement, and Sharpe ratio. Our model yields satisfying results.

References

- [1] Lin Hongmei, Du Jinyan, Zhang Shaodong. Sharpe ratio: estimation method, applicability and empirical analysis [J]. Journal of Statistics, 2021, 2(06):73-88. DOI:10.19820/j.cnki.issn2096-7411.2021.06.006.
- [2] Sun, Lipo. An empirical study of Makowitz's portfolio theory based on Python[J]. Times Finance, 2020(25):46-47+50.
- [3] Pierre Rostan, Alexandra Rostan, Mohammad Nurunnabi. Options trading strategy based on ARIMA forecasting [J]. PSU Research Review, 2020.
- [4] Marcos Lopez dai Prado, Advances in Financial Machine Learning[M]:75-82. ISBN 978-1119482086
- [5] Li F. Modelling the stock market using a multi-scale approach[D]. University of Leicester, 2017.
- [6] Lin Xiaoming, A preliminary exploration of Huatai's multi-factor model system [R], Huatai Securities, 2016.
- [7] Marling H, Emanuelsson S. The Markowitz Portfolio Theory[J]. November, 2012, 25: 2012.

Memorandum to the Trader

Considering the intensely changing financial markets and the difficulty of handling your portfolio, using an appropriate model to make predictions and strategies to trade are of vital importance to improve income. It is a great honor for us to develop the model for you to buy, hold and sell your assets. Here is our model based on **ARIMA** and strategies for you to trade your assets effectively.

- 1. Our model calculates the required normalized factors using the closing price every day, including the change today, the average change of 15 days and the bias, for both bitcoin and gold. Then our model predict the price the next day with ARIMA model.
- 2. Based on the calculated values and our research, we calculate the indicators with the formula below for bitcoin and gold.

 $Trend\ indicator = TI = 0.7 \times 30\ day's\ average change\ +\ 0.3 \times 20\ day's\ average\ bias$ $Risk\ indicator = RI = 0.4 \times Normalized\ 15\ day's\ average\ change\ +\ 0.6 \times bias$

Then we compose TI and RI linearly with ratios chosen according to Markowiz's asset portfolio model and then normalize it to get our main factor (MF) for bitcoin and gold.

3. We set following thresholds for selling or buying bitcoin and gold in Table 4.

Table 4: Trading Thresholds.

	Bitcoin	Gold
Buy(BS)	0.775	0.57
Sell(SS)	0.55	0.3

Our model trades bitcoin and gold subject to the following rules.

	$MF_{bitcoin} > BS_{bitcoin}$	Others	$MF_{bitcoin} < SS_{bitcoin}$
$MF_{gold} > BS_{gold}$	Further Judgment Required	Buy gold	Sell bitcoin and buy gold
Others	Buy bitcoin	Do nothing	Sell bitcoin
$MF_{gold} < SS_{gold}$	Sell gold and buy bitcoin	Sell gold	Sell both

When further judgment is required, we come up with the following factor F

$$F = 2.5 \times (MF_{bitcoin} - BS_{bitcoin}) - (MF_{gold} - BS_{gold})$$

Team # 2208487 Page 12 of 13

Then, our model recommend buying gold when F < 0 and buying bitcoin when F > 0.

With above strategies, our model achieve great income. The performance of our model is as follows

Table 5: Performance

Performance Indicator	Measurement
Accumulated Equity	1.03743×10^{6}
Annualized Return	1469.58%
Maximum Retracement	-53.90%
Annualized Return/Retracement Ratio	27.77
Sharpe Ratio	1.1358

We appreciate this opportunity to help you to build up a trading strategy for cash, gold and bitcoins, and we firmly believe that our model can be utilized in your tradings to maximize your income. Feel free to contact us for further information on the proposal.

Sincerely yours

MCM 2022 Team

Appendix: Figures and Tables




Figure 10: Average Change in 5,10,15,20,25 days for bitcoin

Team # 2208487 Page 13 of 13




Figure 11: Average Change in 5,10,15,20,25 days for gold