

**PROJECT:
PREDICTING LIFE EXPECTANCY
USING MACHINE LEARNING**

**PROJECT REPORT BY:
TUSHAR JINDAL**

INDEX

S. No	Title	Page No.
1	Introduction	3
2	Literature Survey	4
3	Theoretical Analysis	5-8
4	Experimental Investigations	9-11
5	Flowchart	12
6	Result	13-14
7	Advantages and Disadvantages	15
8	Applications	16
9	Conclusion	16
10	Future Scope	17
11	Bibliography	17
12	Source Code	18-20

1. Introduction

1.1. Overview

Life expectancy refers to the number of years a person is expected to live. In mathematical terms, life expectancy refers to the expected number of years remaining for an individual at any given age.

The life expectancy for a person or population group depends on several variables such as their lifestyle, access to healthcare, diet, economic status and the relevant mortality and morbidity data. However, as life expectancy is calculated based on averages, a person may live for many years more or less than expected.

In order to predict life expectancy rate of a given country, we will be using Machine Learning algorithms to draw inferences from the given dataset and give an output. For better usability by the customer, we are also going to be creating a UI for the user to interact with using Node-Red.

1.2. Purpose

Economic growth

Predicting life expectancy would play a vital role in judging the growth and development of the economy.

Across countries, high life expectancy is associated with high income per capita. Increase in life expectancy also leads to an increase in the “manpower” of a country.

Population Growth

Helps the government bodies take appropriate measures to control the population growth and also direct the utilization of the increase in human resources and skillset acquired by people over many years.

Personal growth

This project would also help an individual assess his/her lifestyle choices and alter them accordingly to lead a longer and healthier life. It would make them more aware of their general health and its improvement or deterioration over time.

Growth in Health Sector

Based on the factors used to calculate life expectancy of an individual and the outcome, health care will be able to fund and provide better services to those with greater need.

Insurance Companies

Insurance sector will be able to provide individualized services to people based on the life expectancy outcomes and factors.

2. Literature Survey

2.1. Existing Solution

As a result of the evolution of biotechnologies and related technologies such as the development of sophisticated medical equipment, humans are able to enjoy longer life expectancies than previously before. Predicting a human's life expectancy has been a long-term question to humankind. Many calculations and research have been done to create an equation despite it being impractical to simplify these variables into one equation.

Currently there are various smart devices and applications such as smartphone apps and wearable devices that provide wellness and fitness tracking. Some apps provide health related data such as sleep monitoring, heart rate measuring, and calorie expenditure collected and processed by the devices and servers in the cloud. However no existing works provide the Personalized Life expectancy.

2.2. Proposed Solution


There has been an explosion of breakthroughs in the field of Machine Learning over the past few years. Machine Learning algorithms are capable of a lot and can-do wonders for the healthcare sector.

The proposed solution involves the use of Machine Learning algorithms specifically Regression models such as Linear Regression, Ridge regression, etc. Life expectancy is highly correlated over time among countries and between males and females. These associations can be used to improve forecasts. Here we propose a method for forecasting life expectancy of an individual from a country taking into certain factors such as Adult Mortality rate, Infant deaths, Alcohol, Hepatitis B, Measles, BMI, Polio, Total expenditure, Diphtheria, HIV/AIDS, GDP of a country, Population, Income composition of resources, Schooling and status of the country in terms of Developing or Developed.

This machine learning model will be made accessible to the users by integrating it with Node-Red to create an interactive and user-friendly User Interface.

3. Theoretical Analysis


3.1. Block Diagram



3.2. Hardware/ Software Designing

Model Designing (Watson Studio) :

Steps: New Project => Create an empty Project => Give project name => Click Create => Add to Project => Notebook



```

In [1]: # Multiple Linear Regression

# Importing the libraries
import numpy as np
import matplotlib.pyplot as plt
import pandas as pd
import seaborn as sns; sns.set(style="ticks", color_codes=True)
import scipy.stats as stats
import statsmodels.api as sm

In [2]: # Importing the dataset
import types
import pandas as pd
from boto3.client import Config
import boto3

def __iter__(self): return 0

# @hidden cell
# The following code accesses a file in your IBM Cloud Object Storage. It includes your credentials.
# You might want to remove those credentials before you share the notebook.
client_92775fee2bd94566a1d8dd83c7d3c288 = boto3.client(service_name='s3',
    aws_access_key_id='651f17b7e00a784614d4b1d700e1a5a8u1j1HmWj10',
    aws_secret_access_key='...',
    config=Config(signature_version='oauth'),
    endpoint_url='https://s3.eu-gb.objectstorage.service.networklayer.com')

body = client_92775fee2bd94566a1d8dd83c7d3c288.get_object(Bucket='predictinglifeexpectancy-donotdelete-pr-pchu393pulufof',Key='Life Expectancy Data.csv')['Body']
# add missing __iter__ method, so pandas accepts body as file-like object
if not hasattr(body, "__iter__"): body.__iter__ = types.MethodType(__iter__, body)

dataset = pd.read_csv(body)
dataset.head()

```

Scoring Endpoint:

For wml credentials, replace with your own credentials of the service.

Services => Machine Learning Service => Service Credentials => Copy the credentials

```

In [42]: from watson_machine_learning_client import WatsonMachineLearningAPIClient

2020-06-01 13:46:20,429 - watson_machine_learning_client.metanames - WARNING - 'AUTHOR_EMAIL' meta prop is deprecated. It will be ignored.

In [43]: wml_credentials={
    "apikey": "DMF_kai70y1Lshky4veogxmoD0zsD3VISRnf15QtfgHy",
    "instance_id": "70173c98-da39-4066-bf9f-60be7d94cfaa",
    "url": "https://eu-gb.ml.cloud.ibm.com"
}

In [44]: client = WatsonMachineLearningAPIClient( wml_credentials )

In [45]: model_props = {client.repository.ModelMetaNames.AUTHOR_NAME: "Tushar jindal",
    client.repository.ModelMetaNames.AUTHOR_EMAIL: "tushar18csu218@ncuindia.edu",
    client.repository.ModelMetaNames.NAME: "Life Expectancy"}

In [46]: model_artifact = client.repository.store_model(regressor, meta_props=model_props)

In [47]: published_model_uid = client.repository.get_model_uid(model_artifact)


In [48]: published_model_uid
Out[48]: 'd80fa3ce-e598-4d2a-b22a-c2d319165b98'

In [49]: deployment = client.deployments.create(published_model_uid, name="Life Expectancy")

#####
Synchronous deployment creation for uid: 'd80fa3ce-e598-4d2a-b22a-c2d319165b98' started
#####

INITIALIZING

```




User Interface Integration with ML Model (Node-

Red): Nodes: 1) Form Node: Edit => Add

New UI Tab

2) Function Node: To obtain access to Machine Learning Services. Requires API Key

3) HTTP Request Node: POST method and returns a parsed JSON object.
Gains access to Machine Learning services.



Resource list - IBM Cloud | Application Details - IBM Cloud | Node-RED: node-red-aduoh.eu | +

node-red-aduoh.eu-gb.mybluemix.net/red/#flow/b499040e.861ae8

Node-RED

filter nodes | Flow 1

common

- inject
- debug
- complete
- catch
- status
- link in
- link out
- comment

function

- function
- switch
- change
- range
- template

Edit form node

Delete | Cancel | Done

Properties

Group: [Home] Life

Size: auto

Label: optional label

Form elements

Label	Name	Type	Required	Rows	Remove
Country	a	Text	<input checked="" type="checkbox"/>		
Year	b	Text	<input checked="" type="checkbox"/>		
Status	c	Text	<input checked="" type="checkbox"/>		
Adult Mortality	d	Number	<input checked="" type="checkbox"/>		
Infant deaths	e	Number	<input checked="" type="checkbox"/>		

+ element

Buttons: submit | cancel

Info

Information

Node: "34b44fa0.3dbbb"

Type: ui_form

Description

Node Help

Adds a form to user interface.

Helps to collect multiple value from the user on submit button click as an object in `msg.payload`

Multiple input elements can be added using add elements button

Each element contains following components:

- Label**: Value that will be the label of the element in the user interface
- Name**: Represents the key (variable name) in the `msg.payload` in which the value of the corresponding element.

Hold down **⌘** when you **click** on a node to also select all of its connected nodes

https://node-red-aduoh.eu-gb.mybluemix.net/red/#editor-tab-properties

Search | 01:44 PM 10-06-2020

4. Experimental Investigations

Analyzing the relations between various features can help us improve the performance of the model as well as decide which model would be more suitable.

Resource list - IBM Cloud | Service Details - IBM Cloud | Predicting Life Expectancy - IBM | +

eu-gb.dataplatform.cloud.ibm.com/analytcs/notebooks/v2/0b04fa69-c45f-401c-8c6e-1d735fdb3f5/view?projectid=beef8eec-0b5f-41e3-bbd1-5fe11c007df8&context=wdp

IBM Watson Studio

My projects / Predicting Life Expectancy / Predicting Life Expectancy

```
thinness 5-9 years      2984 non-null float64
income composition of resources  2771 non-null float64
schooling              2775 non-null float64
life expectancy        2928 non-null float64
dtypes: float64(16), int64(4), object(2)
memory usage: 505.0+ KB
```

```
In [5]: dataset.describe()
```

```
Out[5]:
```

	Year	Adult Mortality	Infant deaths	Alcohol	percentage expenditure	Hepatitis B	Measles	BMI	under-five deaths	Polio
count	2938.000000	2928.000000	2938.000000	2744.000000	2938.000000	2985.000000	2938.000000	2904.000000	2938.000000	2919.000000
mean	2007.518720	164.796448	30.303948	4.602861	738.251295	80.940461	2419.562240	38.321247	42.035739	82.550188
std	4.613841	124.292079	117.926501	4.052413	1987.914858	25.070016	11467.272489	20.044034	160.445548	23.428046
min	2000.000000	1.000000	0.000000	0.010000	0.000000	1.000000	0.000000	1.000000	0.000000	3.000000
25%	2004.000000	74.000000	0.000000	0.877500	4.685343	77.000000	0.000000	19.300000	0.000000	78.000000
50%	2008.000000	144.000000	3.000000	3.755000	64.912906	92.000000	17.000000	43.500000	4.000000	93.000000
75%	2012.000000	228.000000	22.000000	7.702500	441.534144	97.000000	360.250000	56.200000	28.000000	97.000000
max	2015.000000	723.000000	1800.000000	17.870000	19479.911610	99.000000	212183.000000	87.300000	2500.000000	99.000000

```
In [6]: dataset.columns
```

```
Out[6]: Index(['Country', 'Year', 'Status', 'Adult Mortality', 'Infant deaths', 'Alcohol', 'percentage expenditure', 'Hepatitis B', 'Measles', 'BMI', 'under-five deaths', 'Polio', 'Total expenditure', 'Diphtheria', 'HIV/AIDS', 'GDP', 'Population', 'thinness 1-19 years', 'thinness 5-9 years', 'Income composition of resources', 'Schooling', 'Life expectancy'], dtype='object')
```

Search

01:59 PM 10-06-2020

Resource list - IBM Cloud | Service Details - IBM Cloud | Predicting Life Expectancy - IBM | +

eu-gb.dataplatform.cloud.ibm.com/analytcs/notebooks/v2/0b04fa69-c45f-401c-8c6e-1d735fdb3f5/view?projectid=beef8eec-0b5f-41e3-bbd1-5fe11c007df8&context=wdp


IBM Watson Studio

My projects / Predicting Life Expectancy / Predicting Life Expectancy

```
'under-five deaths', 'Polio', 'Total expenditure', 'Diphtheria', 'HIV/AIDS', 'GDP', 'Population', 'thinness 1-19 years', 'thinness 5-9 years', 'Income composition of resources', 'Schooling', 'Life expectancy'], dtype='object')
```

```
In [7]: sns.heatmap(dataset.isnull(),yticklabels=False,cbar=False,cmap='viridis')
```

```
Out[7]: <matplotlib.axes._subplots.AxesSubplot at 0x7fd060815fd0>
```






```
In [8]: dataset.corr()
```

```
Out[8]:
```


Search

01:59 PM 10-06-2020





5. Flowchart



6. Result

Resource list - IBM Cloud x Application Details - IBM Cloud x Node-RED : node-red-aduoh.eu- x Node-RED Dashboard x +

node-red-aduoh.eu-gb.mybluemix.net/ui/#/!/?socketid=kyXr0iO64RUF4deyAAAA

Home

Country *
d

Year *
15

Status *
0

Adult Mortality *
263

infant deaths *
62

Alcohol *
0.01

percentage expenditure *
71.27962362

Hepatitis B *
65

Measles *
1154

BMI *
19.1

under-five deaths *
83

Polio *
6

Total expenditure *
8.16

Diphtheria *

0.1

Resource list - IBM Cloud x Application Details - IBM Cloud x Node-RED : node-red-aduoh.eu- x Node-RED Dashboard x +

node-red-aduoh.eu-gb.mybluemix.net/ui/#/!/?socketid=kyXr0iO64RUF4deyAAAA

Home

under-five deaths *
83

Polio *
6

Total expenditure *
8.16

Diphtheria *
65

HIV/AIDS *
0.1

GDP *
584.25921

Population *
33736494

thinness 1-19 years *
17.2

thinness 5-9 years *
17.3

Income composition of resources *
0.479

Schooling *
10.1

SUBMIT CANCEL

Resource list - IBM Cloud | Application Details - IBM Cloud | Node-RED : node-red-aduoh.eu | Node-RED Dashboard

node-red-aduoh.eu-gb.mybluemix.net/ui/#/0?socketid=kyXr0iO64RUF4deyAAAA

Home

Life

Prediction **62.121744939043964**

Country ^{*}
d

Year ^{*}
15

Status ^{*}
0

Adult Mortality ^{*}
263

infant deaths ^{*}
62

Alcohol ^{*}
0.01

percentage expenditure ^{*}
71.27962362

Hepatitis B ^{*}
65

Measles ^{*}
1154

BMI ^{*}
19.1

under-five deaths ^{*}
83

Polio ^{*}
6

Search

02:07 PM
10-06-2020

7. Advantages and Disadvantages

Advantages:

One of the biggest advantages of embedding machine learning algorithms is their ability to improve over time. Machine learning technology typically improves efficiency and accuracy thanks to the ever-increasing amounts of data that are processed.

The application learns the patterns and trends hidden within the data without human intervention which makes predicting much simpler and easier. The more data is fed to the algorithm, the higher the accuracy of the algorithm is. It is also the key component in technologies for automation.

Using Node-Red also simplifies the effort put into creating the front-end. The programmer doesn't need extensive knowledge on HTML and JavaScript. It also makes the integration between Machine learning model and the UI much easier.

Disadvantages:

Using machine learning interface comes with its own problems. Since the whole point of it is minimize human involvement, it also makes error detection and fixing much more problematic. It takes a lot of time to identify the root cause for the problem.

Machine learning can also be very time-consuming. When the size of the data fed to the machine learning is very large, the computational cost and the time taken to train the model on the data increases drastically. This can increase the cost of resources required to implement the application on a large scale.

At the same time, Node-Red does not give many features to customize our UI.

8. Applications

- 1) Personalized Life Expectancy: Individuals can predict their own life expectancy by inputting values in the corresponding fields. This could help make people more aware of their general health, and its improvement or deterioration over time. This may motivate them to make healthier lifestyle choices.
- 2) Government: It could help the government bodies take appropriate measures to control the population growth and also direct the utilization of the increase in human resources and skillset acquired by people over many years. Across countries, high life expectancy is associated with high income per capita. Increase in life expectancy also leads to an increase in the “manpower” of a country. The knowledge asset of a country increases with the number of individuals in a country.
- 3) Health Sector: Based on the factors used to calculate life expectancy of an individual and the outcome, health care will be able to fund and provide better services to those with greater need.
- 4) Insurance Companies: Insurance sector will be able to provide individualized services to people based on the life expectancy outcomes and factors.

9. Conclusion

Predicting lifespan of human beings can greatly alter our lives. Human behavior and activities are so unpredictable, it may almost be impossible to correctly predict lifespan. However, with the help of Machine learning algorithms such as Regression models, we can get close to predicting a roundabout value.

This breakthrough can widely impact health sectors and economic sectors by improving the resources, funds and services provided to the common people. It can also increase the ease of access to the individuals.

With the help of Machine Learning algorithms, one can ease the process of automating the application and predicting the expectancy with an admirable accuracy. It also reduces the effort and time put into deploying the application and making it more accessible to the users.

10.Future Scope

For future use, one can integrate the life expectancy prediction with providing suggestions and medications to the individual using the application. This will help predict as well as increase the individual's life expectancy.

The scalability and flexibility of the application can also be improved with advancement in technology and availability of new and improved resources. Also, with the growth in Artificial Neural networks and Deep learning, one can integrate that with our existing application. With the help of Convolutional Neural networks and Computer vision, we can also try to take into account the physical health and appearance of a person.

Mental health can also be taken into account while predicting life expectancy with the help of sentiment analysis systems as well.

11.Bibliography

- <https://theconversation.com/dont-die-wondering-apps-may-soon-be-able-to-predict-your-life-expectancy-but-do-you-want-to-know-129068>
- <https://developer.ibm.com/tutorials/how-to-create-a-node-red-starter-application/>
- <https://bookdown.org/caoying4work/watsonstudio-workshop/jn.html>
- <https://bookdown.org/caoying4work/watsonstudio-workshop/jn.html#deploy-model-as-web-service>
- <https://www.ibm.com/watson/products-services>
- <https://www.allbusinesstemplates.com/download/?filecode=2KBA4&lang=en&iuid=9f9faa69-9fab-40ee-8457-ea0e5df8c8de>

12.Appendix

12.1. Source Code

Services Used:

- **Watson Assistant**
- **Watson Studio**
- **IBM Cloud Function**
- **Node-Red**

Python Notebook:

Multiple Linear Regression

```
# Importing the libraries
import numpy as np
import matplotlib.pyplot as plt
import pandas as pd
import seaborn as sns; sns.set(style="ticks", color_codes=True)
import scipy.stats as stats
import statsmodels.api as sm

# If you are reading an Excel file into a pandas DataFrame, replace `read_csv` by
read_excel` in the next statement.
dataset= pd.read_csv(body)
dataset.head()
# Data Preprocessing
X = dataset.iloc[:, :-1].values
y = dataset.iloc[:, 21].values
dataset.head()
dataset.info()
dataset.describe()
dataset.columns
sns.heatmap(dataset.isnull(),yticklabels=False,cbar=False,cmap='viridis')
dataset.corr()
```

Taking care of missing data

```
from sklearn.impute import SimpleImputer #sklearn is library
imputer = SimpleImputer(missing_values=np.nan, strategy='mean') #nan is not a number
imputer = imputer.fit(dataset.iloc[:, 3:]) # fit calculates mean
dataset.iloc[:, 3:] = imputer.transform(dataset.iloc[:, 3:]) #transform means to apply
# Encoding categorical data i.e. converting categorical to numerical
from sklearn.preprocessing import LabelEncoder, OneHotEncoder
labelencoder_X = LabelEncoder()
dataset.iloc[:, :1] = labelencoder_X.fit_transform(dataset.iloc[:, :1])
# Encoding categorical data i.e. converting categorical to numerical
from sklearn.preprocessing import LabelEncoder, OneHotEncoder
labelencoder_X = LabelEncoder()
dataset.iloc[:, 1] = labelencoder_X.fit_transform(dataset.iloc[:, 1])
# Encoding categorical data ie converting categorical to numerical
from sklearn.preprocessing import LabelEncoder, OneHotEncoder
labelencoder_X = LabelEncoder()
dataset.iloc[:, 2] = labelencoder_X.fit_transform(dataset.iloc[:, 2])
```

```

dataset.iloc[:, :1]
dataset.iloc[:, 1]
dataset.iloc[:, 2]
dataset
X= dataset.iloc[:, :-1].values
y = dataset.iloc[:, 21].values
X
Y
from sklearn.model_selection import train_test_split
X_train, X_test, y_train, y_test = train_test_split(X, y, test_size = 0.2)
# Fitting Multiple Linear Regression to the Training set
from sklearn.linear_model import LinearRegression
regressor = LinearRegression()
regressor.fit(X_train, y_train)
# Predicting the Test set results
y_pred = regressor.predict(X_test)
y_pred
y_test

```

K-Fold cross validation

```

from sklearn.model_selection import cross_val_score
accuracies = cross_val_score(estimator=regressor, X=X_train, y=y_train, cv=10)
accuracies.mean()
accuracies.std()

```

The mean squared error

```

from sklearn.metrics import mean_squared_error, r2_score
print("Mean squared error: {}".format(mean_squared_error(y_test, y_pred)))
print("Variance score: {}".format(r2_score(y_test, y_pred)))

```

Predictions from our Model

```

predictions = regressor.predict(X_test)
plt.scatter(y_test, predictions)

```

Residual Histogram

```

sns.distplot((y_test-predictions),bins=50);
!pip install watson-machine-learning-client
from watson_machine_learning_client import WatsonMachineLearningAPIClient
client = WatsonMachineLearningAPIClient( wml_credentials )
model_artifact =client.repository.store_model(regressor, meta_props=model_props)
published_model_uid = client.repository.get_model_uid(model_artifact)
published_model_uid
deployment = client.deployments.create(published_model_uid, name="LifeExpectancy")
scoring_endpoint = client.deployments.get_scoring_url(deployment)
scoring_endpoint

```

Node Red Flow:

