

Internship Project Report
On
Smart Agriculture system based on IoT

Under Supervision Of
Smart Bridge

Name: Omkar Agrawal
email-id: omkar3654@gmail.com

TABLE OF CONTENTS

Introduction	3
Overview	3
Purpose	3
Literature Survey	4
Existing Problem	4
Proposed System	4
Theoretical Analysis	5
Block Diagram	5
Software Designing	5
Experimental Investigations	6
Flowchart	7
Result	8
Advantages and Disadvantages	8
Advantages	8
Disadvantages	8
Applications	9
Conclusion	9
Future Scope	10
Bibliography	10
Source Code	11
Node-red Flow	11
Node-red Source Code	12

Introduction

1. Overview

The goal of this project is to build a smart Agriculture based on IOT, for active monitoring of agriculture even from remote places. This helps to get better yield from the crops, as well as reduce the damages caused to crops because of ineffective control of the environment in which crops grow.

The dashboard build in this project is based on the general requirements in the monitoring system. This can/shall be used by the farmers or an organisation for active and real time monitoring of the crops.

IBM Cloud Platform holds all the dashboard components. The platform is also used to collect real time data from the remote devices in the field and transmit it for monitoring and control purposes. It uses MQTT protocol for communicating with sensors and controllers, while using regular protocol for dashboard purposes.

2. Purpose

The most important purpose of this project is to reduce the damages caused to crops, and provide a platform with most effective management systems for the farms. It also is used for analytics of the effect of the environment on the crops, for further microscale changes required.

It is a real time dashboard, in the back it automatically collects the transmitted data from the sensors and the controllers, and displays it on the dashboard. This uses the helpful IBM Watson platform to automatically collect the data transmitted from the field. IBM Platform is also used to host Node-red on which the dashboard is based.

Literature Survey

1. Existing Problem

Existing solutions have a flaw which requires a lot of human interaction in the form of manually monitoring the environment of the field. Human interaction is also required to manually turn on the lights, switch the motors, etc.

This becomes a major issue when the human interaction is not possible due to non-availability of people, or else some other conditions which would make it impossible to be manually regulated. In such situations, monitoring is also lost, since all the data collections are manually performed.

2. Proposed System


The proposed solution consists of building a highly manageable portal, which will be used to monitor and control purposes.

First problem of active monitoring is solved by using the Watson IoT platform. Sensors on the field communicate to transmit the data to Watson IoT platform.

Second problem of dynamic display of updated information is tackled using Node-red-App service of the Watson platform. Node-red is used to display the dashboard and communicate with the Watson IoT platform to update info on the dashboard.

Theoretical Analysis

1. Block Diagram



2. Software Designing


The Project was kicked off using an Agile process known as Kanban. Each Task had to go through (not done, In progress, Review, Completed) columns. Using this software engineering technique, we were able to complete the project in a quick, efficient, and complete way. The steps performed were as follows:

- a. Create Watson IoT Platform.
- b. Configure Watson IoT Platform.
- c. Create Watson Node-red App.
- d. Configure Node-red.
- e. Integrate Watson IoT platform and Node-red App.
- f. Build Node-RED flow to integrate data from Watson IoT.
- g. Deploy using a web dashboard.


Experimental Investigations

After creating a use-case specific display and control for the dashboard, connecting it with Watson IoT platform to receive data and display it here are some of the experiment runs:


1. Dashboard:




2. Controller:



3. Controller start / end



Flowchart



Result

We have created an IoT enabled web based Smart Agriculture dashboard, which can be used to control and monitor the fields actively and remotely virtually from anywhere in the world.

Advantages and Disadvantages

1. Advantages

- It reduces human interaction based problems.
- It is less expensive in the long run.
- It is available 24/7.
- It provides real time sensor updates directly from the field without human intervention.
- Increases active control.
- It can be integrated with any sensors placed anywhere on any field.
- Rich analytics and better interaction
- Instantaneous response without the need for human response delays
- This dashboard can be used for any no. of the fields we require.

2. Disadvantages

- Internationalization can be one of the major issues.
- It has a complex display and control behaviour for the uneducated.
- They may not be able to solve complex problems like moths, etc.
- It has a maintenance requirement on the sensor's side.

Applications

This kind of dashboard can be used and deployed for multiple use cases. Anyplace where a controlled environment is required, this dashboard can be proven to be an effective solution.

Even though primarily developed for agricultural environment control and management. This dashboard can be deployed to any controlled environment. It helps to view and manage the environment variables with the help of sensors and controllers.

Some real-world use cases of Dashboard are:

- Workplaces: This dashboard can also be deployed for workplace, for optimum environment for work, but also saving a lot on inefficient electricity consumption.
- Theatres, malls, etc: This system is very effective for them, as it helps in providing optimum environment, but also can be customised to detect fire, etc emergency cases. While also saving on electricity.

Conclusion

Hence, we were able to create a smart agriculture system based on IoT. Using great services provided by IBM on its cloud platform. IBM helps in getting real-time updates and back-end processing of the data, to provide users with a simple dashboard.

Future Scope

1. Automatic control

Smart systems can be deployed based on this system without any major changes in its working. Custom rule based, or artificial intelligence based systems can be developed to further reduce human interaction and increase its effectiveness.


2. Multiple fields on a single dashboard:

Current system restricts a dashboard to control and display only one field at a time. It can be further improved to get the dashboard integrate multiple fields/places. This will help in reducing the cost to deploy multiple dashboard. It will also be better for users.

Bibliography

1. [Creating an Iot device on IBM Iot Platform and connecting it.](#)
2. [Creating Node-red App on IBM Cloud.](#)
3. [Connecting the IBM controller with Watson IoT platform.](#)
4. [Creating a UI in Node-red.](#)
5. [Connecting using python.](#)

Source Code



Node-red Flow

Node-red Source Code

```
[{"id":"c16c79ac.7bba08","type":"tab","label":"Flow original","disabled":false,"info":"","},{ "id":"1d9bab84.1af424","type":"tab","label":"Lights control","disabled":false,"info":"","},{ "id":"1a5a5803.8c10b8","type":"ibmiot","z":"","name":"IOT-Main","keepalive":"60","serverName":"gmttoy9.messaging.internetofthings.ibmcloud.com/","cleansession":true,"appId":"","shared":false},{ "id":"41e9ad36.7dd854","type":"ui_group","z":"","name":"Dashboard","tab":"62f70673.26c608","order":1,"display":true,"width":"19","collapse":false},{ "id":"62f70673.26c608","type":"ui_tab","z":"","name":"Home","icon":"home","order":1,"disabled":false,"hidden":false},{ "id":"494f1fa0.2df7b","type":"ui_base","theme":{"name":"theme-dark","lightTheme":{"default":"#0094CE","baseColor":"#0094CE","baseFont":"-apple-system,BlinkMacSystemFont,Segoe UI,Roboto,Oxygen-Sans,Ubuntu,Cantarell,Helvetica Neue,sans-serif","edited":true,"reset":false},"darkTheme":{"default":"#097479","baseColor":"#097479","baseFont":"-apple-system,BlinkMacSystemFont,Segoe UI,Roboto,Oxygen-Sans,Ubuntu,Cantarell,Helvetica Neue,sans-serif","edited":true,"reset":false},"customTheme":{"name":"Untitled Theme 1","default":"#4B7930","baseColor":"#4B7930","baseFont":"-apple-system,BlinkMacSy
```

```
stemFont,Segoe UI,Roboto,Oxygen-Sans,Ubuntu,Cantarell,Helvetica Neue,sans-serif"},"themeState":{"base-color":{"default":"#097479","value":"#097479","edited":false},"page-titlebar-backgroundColor":{"value":"#097479","edited":false},"page-backgroundColor":{"value":"#111111","edited":false},"page-sidebar-backgroundColor":{"value":"#000000","edited":false},"group-textColor":{"value":"#0eb8c0","edited":false},"group-borderColor":{"value":"#555555","edited":false},"group-backgroundColor":{"value":"#333333","edited":false},"widget-textColor":{"value":"#eeeeee","edited":false},"widget-backgroundColor":{"value":"#097479","edited":false},"widget-borderColor":{"value":"#333333","edited":false},"base-font":{"value":"-apple-system,BlinkMacSystemFont,Segoe UI,Roboto,Oxygen-Sans,Ubuntu,Cantarell,Helvetica Neue,sans-serif"},"angularTheme":{"primary":"indigo","accents":"blue","warn":"red","background":"grey"},"site":{"name":"Node-RED Dashboard"},"hideToolbar":"true","allowSwipe":"false","lockMenu":"false","allowTempTheme":"false","dateFormat":"DD/MM/YYYY","sizes":{"sx":48,"sy":48,"gx":6,"gy":6,"cx":6,"cy":6,"px":0,"py":0}}},{ "id":"6c1218f8.91c4a8","type":"ibmiot","z":"","name":"controllable-devices","keepalive":"60","serv
```

erName":"40z6hv.messaging.internetofthings.ibmcloud.com","cleansession":true,"appId":"","shared":false},{ "id":"983998c8.e06e68","type":"ui_group","z":"","c16c79ac.7bba08","name":"Click","tab":"","order":1,"disp":true,"width":"5"}, {"id":"870239b9.370f28","type":"ui_tab","z":"","name":"Controls","icon":"adjust","order":2,"disabled":false,"hidden":false},{ "id":"28c05254.e93fbe","type":"ui_group","z":"","name":"Default","tab":"","order":3,"disp":true,"width":"6","collapse":false},{ "id":"70ecfd7b.0085c4","type":"ui_spacer","name":"spacer","group":"28c05254.e93fbe","order":1,"width":1,"height":1},{ "id":"646efdc3.ba02e4","type":"ui_group","name":"Group 2","tab":"","order":2,"disp":true,"width":6},{ "id":"893d8e01.2067b","type":"mqtt-broker","z":"","name":"","broker":"gmttoy9.messaging.internetofthings.ibm.com","port":"8883","clientid":"","usetls":false,"compatmode":false,"keepalive":"60","cleansession":true,"birthTopic":"","birthQos":"0","birthPayload":"","closeTopic":"","closeQos":"0","closePayload":"","willTopic":"","willQos":"0","willPayload":"","},{ "id":"7be5a4d8.e18c6c","type":"ui_group","z":"","name":"www","tab":"","order":1,"disp":false,"width":"35"}, {"id":"5f294de7.391044","type":"ui_group","z":"c16c79ac.7bba08","name":"Default","tab":"","order":1,"disp":true,"width":"6"}, {"id":"40e1e49.7f2001c","type":"ui_group","z":"","name":"Tests","tab":"cd088de3.12348","order":2,"disp":true,"width":"12"}, {"id":"f2a50817.959ef8","type":"ui_group","z":"","name":"Car Data","tab":"","order":3,"disp":true,"width":"12","collapse":false},{ "id":"cd1de44b.89e658","type":"ui_group","z":"","name":"Car

Data","tab":"","order":3,"disp":true,"width":"12","collapse":false},{ "id":"de9d65e1.052808","type":"ui_group","z":"","name":"Default","tab":"","order":1,"disp":true,"width":"6","collapse":false},{ "id":"26828283.e10cfe","type":"ui_group","z":"","name":"Group 1","tab":"","order":1,"disp":true,"width":"10","collapse":false},{ "id":"fc7f4064.40e68","type":"ui_group","z":"","name":"Controls","tab":"870239b9.370f28","order":1,"disp":true,"width":"27","collapse":false},{ "id":"64a7c737.d43fc8","type":"ui_spacer","name":"spacer","group":"fc7f4064.40e68","order":1,"width":4,"height":1},{ "id":"ec35561.93219a8","type":"ui_spacer","name":"spacer","group":"fc7f4064.40e68","order":3,"width":1,"height":1},{ "id":"9b0e95e3.395668","type":"ui_spacer","name":"spacer","group":"fc7f4064.40e68","order":5,"width":6,"height":1},{ "id":"d8bb889b.134a28","type":"ui_spacer","name":"spacer","group":"fc7f4064.40e68","order":6,"width":4,"height":1},{ "id":"3f5e18fa.96eab8","type":"ui_spacer","name":"spacer","group":"fc7f4064.40e68","order":8,"width":6,"height":1},{ "id":"3e16e1b4.a7ed6e","type":"ui_spacer","name":"spacer","group":"fc7f4064.40e68","order":9,"width":4,"height":1},{ "id":"f3e0fbe5.5c2308","type":"ui_spacer","name":"spacer","group":"fc7f4064.40e68","order":10,"width":6,"height":1},{ "id":"1a40799.a352086","type":"ui_spacer","name":"spacer","group":"fc7f4064.40e68","order":11,"width":4,"height":1},{ "id":"596c2b56.f7efe4","type":"ui_spacer","name":"spacer","group":"fc7f4064.40e68","order":12,"width":6,"height":1},{ "id":"a608fffd.dbf58","type":"ui_spacer","name":"spacer","group":"fc7f4064.40e68","order":13,"width":4,"height":1},{ "id":"3c0f2987.9af636","type":"ui_s

pacers", "name": "spacer", "group": "fc7f4064.40e68", "order": 14, "width": 6, "height": 1}, {"id": "b1485e56.ee41e", "type": "ui_spacer", "name": "spacer", "group": "fc7f4064.40e68", "order": 15, "width": 4, "height": 1}, {"id": "fc42aae2.0ef4c8", "type": "ui_spacer", "name": "spacer", "group": "fc7f4064.40e68", "order": 16, "width": 6, "height": 1}, {"id": "77b9da75.ee5714", "type": "ui_spacer", "name": "spacer", "group": "fc7f4064.40e68", "order": 17, "width": 4, "height": 1}, {"id": "971dc03a.36ccd", "type": "ui_spacer", "name": "spacer", "group": "fc7f4064.40e68", "order": 18, "width": 6, "height": 1}, {"id": "f0921e0.4b8e9e", "type": "ui_spacer", "name": "spacer", "group": "fc7f4064.40e68", "order": 19, "width": 4, "height": 1}, {"id": "c7730cbf.07cf9", "type": "ui_spacer", "name": "spacer", "group": "fc7f4064.40e68", "order": 20, "width": 6, "height": 1}, {"id": "42739914.d12d58", "type": "ui_spacer", "name": "spacer", "group": "fc7f4064.40e68", "order": 21, "width": 4, "height": 1}, {"id": "587e5bbb.a49aa4", "type": "ui_spacer", "name": "spacer", "group": "fc7f4064.40e68", "order": 22, "width": 6, "height": 1}, {"id": "c0a337b5.9d4cd8", "type": "ui_spacer", "name": "spacer", "group": "fc7f4064.40e68", "order": 23, "width": 4, "height": 1}, {"id": "adcb66a.7f40c8", "type": "ui_spacer", "name": "spacer", "group": "fc7f4064.40e68", "order": 24, "width": 6, "height": 1}, {"id": "b9eb3da9.4d4a9", "type": "ui_spacer", "name": "spacer", "group": "fc7f4064.40e68", "order": 25, "width": 4, "height": 1}, {"id": "8931e0b7.dfb7f", "type": "ui_spacer", "name": "spacer", "group": "fc7f4064.40e68", "order": 26, "width": 6, "height": 1}, {"id": "fc6c8bf4.70e408", "type": "ui_spacer", "name": "spacer", "group": "fc7f4064.40e68", "order": 27, "width": 4, "height": 1}, {"id": "2415e8a3.6d5cf8", "type": "ui_spacer", "name": "s

pacers", "group": "fc7f4064.40e68", "order": 28, "width": 6, "height": 1}, {"id": "1093fb92.c555e4", "type": "ui_spacer", "name": "spacer", "group": "fc7f4064.40e68", "order": 29, "width": 4, "height": 1}, {"id": "7a74e69e.6b6ae8", "type": "ui_spacer", "name": "spacer", "group": "fc7f4064.40e68", "order": 30, "width": 6, "height": 1}, {"id": "991737e8.4727c8", "type": "ui_spacer", "name": "spacer", "group": "fc7f4064.40e68", "order": 31, "width": 4, "height": 1}, {"id": "6e72cd1a.b46914", "type": "ui_spacer", "name": "spacer", "group": "fc7f4064.40e68", "order": 32, "width": 6, "height": 1}, {"id": "27e2bfa1.e69b2", "type": "ui_spacer", "name": "spacer", "group": "fc7f4064.40e68", "order": 33, "width": 4, "height": 1}, {"id": "50088c33.e1ac04", "type": "ui_spacer", "name": "spacer", "group": "fc7f4064.40e68", "order": 34, "width": 6, "height": 1}, {"id": "f6d9117e.39e1d", "type": "ui_spacer", "name": "spacer", "group": "41e9ad36.7dd854", "order": 1, "width": 7, "height": 1}, {"id": "a0f2f5ca.dad438", "type": "ui_spacer", "name": "spacer", "group": "41e9ad36.7dd854", "order": 3, "width": 6, "height": 1}, {"id": "8af64dba.300e1", "type": "ui_spacer", "name": "spacer", "group": "41e9ad36.7dd854", "order": 5, "width": 1, "height": 1}, {"id": "e8dfd185.ce19d", "type": "ui_spacer", "name": "spacer", "group": "41e9ad36.7dd854", "order": 7, "width": 1, "height": 1}, {"id": "ddcfad7f.ee312", "type": "ui_spacer", "name": "spacer", "group": "41e9ad36.7dd854", "order": 8, "width": 1, "height": 1}, {"id": "3ae97e20.b74732", "type": "ui_spacer", "name": "spacer", "group": "41e9ad36.7dd854", "order": 9, "width": 1, "height": 1}, {"id": "d945e87c.ed4b18", "type": "ui_spacer", "name": "spacer", "group": "41e9ad36.7dd854", "order": 12, "width": 1, "height": 1}, {"id": "aac5aa93.27d478", "type": "ui_spacer", "name": "spacer", "

```

group": "41e9ad36.7dd854", "order": 14, "width": 1, "height": 1}, {"id": "3964ae1.28cd752", "type": "ui_spacer", "name": "spacer", "group": "41e9ad36.7dd854", "order": 15, "width": 1, "height": 1}, {"id": "68293783.8cdd78", "type": "ui_spacer", "name": "spacer", "group": "41e9ad36.7dd854", "order": 16, "width": 1, "height": 1}, {"id": "f004b537.87f668", "type": "ui_spacer", "name": "spacer", "group": "41e9ad36.7dd854", "order": 17, "width": 1, "height": 1}, {"id": "ce1412a.8c3e1f", "type": "ui_spacer", "name": "spacer", "group": "41e9ad36.7dd854", "order": 18, "width": 1, "height": 1}, {"id": "f3ce91a1.ac885", "type": "ibmiotin", "z": "c16c79ac.7bba08", "authentication": "apiKey", "apiKey": "1a5a5803.8c10b8", "inputType": "evt", "logicalInterface": "", "ruleId": "", "deviceId": "iotDevice1", "applicationId": "", "deviceType": "iotDevice1", "eventType": "+", "commandType": "Data", "format": "json", "name": "IBMIoT", "service": "registered", "allDevices": true, "allApplications": "", "allDeviceTypes": true, "allLogicalInterfaces": "", "allEvents": false, "allCommands": false, "allFormats": false, "qos": "1", "x": 87, "y": 140.00000190734863, "wires": [{"id": "171cac9d.c44f03", "type": "function", "z": "c16c79ac.7bba08", "name": "temperature", "func": "msg.payload = msg.payload.d.temperature\nreturn msg;", "outputs": 1, "noerr": 0, "x": 470, "y": 100, "wires": [{"id": "aabfa477.623658", "type": "debug", "z": "c16c79ac.7bba08", "name": "", "active": false, "tosidebar": true, "console": false, "tostatus": false, "complete": "payload", "targetType": "msg", "x": 741.0000152587891, "y": 80.00000190734863, "wires": []}, {"id": "171cac9d.c44f03", "type": "function", "z": "c16c79ac.7bba08", "name": "humidity", "func": "msg.payload = msg.payload.d.humidity\nreturn msg;", "outputs": 1, "noerr": 0, "x": 460, "y": 220, "wires": [{"id": "aabfa477.623658", "type": "debug", "z": "c16c79ac.7bba08", "name": "", "active": false, "tosidebar": true, "console": false, "tostatus": false, "complete": "payload", "targetType": "msg", "x": 741.0000152587891, "y": 80.00000190734863, "wires": []}, {"id": "d0797d2.ca0e98", "type": "ui_gauge", "z": "c16c79ac.7bba08", "name": "", "group": "41e9ad36.7dd854", "order": 6, "width": 9, "height": 4, "gtype": "gage", "title": "Temperature", "label": "units", "format": "{{value}}", "min": 0, "max": 60, "colors": ["#00b500", "#e6e600", "#ca3838"], "seg1": "", "seg2": "", "x": 773.0000114440918, "y": 123.00000190734863, "wires": []}, {"id": "f1aaea1c.c9d668", "type": "ui_gauge", "z": "c16c79ac.7bba08", "name": "", "group": "41e9ad36.7dd854", "order": 4, "width": 9, "height": 4, "gtype": "gage", "title": "Humidity", "label": "%", "format": "{{value}}", "min": 0, "max": 100, "colors": ["#00b500", "#e6e600", "#ca3838"], "seg1": "", "seg2": "", "x": 776.0000076293945, "y": 164.00000381469727, "wires": []}, {"id": "145f6a5e.a2ed16", "type": "ibmiotout", "z": "1d9bab84.1af424", "authentication": "apiKey", "apiKey": "6c1218f8.91c4a8", "outputType": "cmd", "deviceId": "lights", "deviceType": "controllable-device", "eventCommandType": "command", "format": "json", "data": "lights", "qos": "1", "name": "IBMIoT", "service": "registered", "x": 755, "y": 160, "wires": [{"id": "657bfc9.3ea2704", "type": "ibmiotin", "z": "1d9bab84.1af424", "authentication": "apiKey", "apiKey": "6c1218f8.91c4a8", "inputType": "cmd", "logicalInterface": "", "ruleId": "", "deviceId": "lights", "applicationId": "", "deviceType": "controllable-device", "eventType": "+", "commandType": "command", "format": "json", "name": "IBMI

```

```

ba08", "name": "humidity", "func": "msg.payload = msg.payload.d.humidity\nreturn msg;", "outputs": 1, "noerr": 0, "x": 460, "y": 220, "wires": [{"id": "aabfa477.623658", "type": "debug", "z": "c16c79ac.7bba08", "name": "", "active": false, "tosidebar": true, "console": false, "tostatus": false, "complete": "payload", "targetType": "msg", "x": 741.0000152587891, "y": 80.00000190734863, "wires": []}, {"id": "d0797d2.ca0e98", "type": "ui_gauge", "z": "c16c79ac.7bba08", "name": "", "group": "41e9ad36.7dd854", "order": 6, "width": 9, "height": 4, "gtype": "gage", "title": "Temperature", "label": "units", "format": "{{value}}", "min": 0, "max": 60, "colors": ["#00b500", "#e6e600", "#ca3838"], "seg1": "", "seg2": "", "x": 773.0000114440918, "y": 123.00000190734863, "wires": []}, {"id": "f1aaea1c.c9d668", "type": "ui_gauge", "z": "c16c79ac.7bba08", "name": "", "group": "41e9ad36.7dd854", "order": 4, "width": 9, "height": 4, "gtype": "gage", "title": "Humidity", "label": "%", "format": "{{value}}", "min": 0, "max": 100, "colors": ["#00b500", "#e6e600", "#ca3838"], "seg1": "", "seg2": "", "x": 776.0000076293945, "y": 164.00000381469727, "wires": []}, {"id": "145f6a5e.a2ed16", "type": "ibmiotout", "z": "1d9bab84.1af424", "authentication": "apiKey", "apiKey": "6c1218f8.91c4a8", "outputType": "cmd", "deviceId": "lights", "deviceType": "controllable-device", "eventCommandType": "command", "format": "json", "data": "lights", "qos": "1", "name": "IBMIoT", "service": "registered", "x": 755, "y": 160, "wires": [{"id": "657bfc9.3ea2704", "type": "ibmiotin", "z": "1d9bab84.1af424", "authentication": "apiKey", "apiKey": "6c1218f8.91c4a8", "inputType": "cmd", "logicalInterface": "", "ruleId": "", "deviceId": "lights", "applicationId": "", "deviceType": "controllable-device", "eventType": "+", "commandType": "command", "format": "json", "name": "IBMI

```

```

IoT","service":"registered","allDevices":"","allApplications":"","allDeviceTypes":"","allLogicalInterfaces":"","allEvents":true,"allCommands":"","allFormats":"","qos":"1","x":155,"y":160,"wires":[["bd518166.b589d"]],{"l":false},{"id":"83f5435.66d1ec","type":"ui_switch","z":"1d9bab84.1af424","name":"switch-light","label":"{{txt}}","tooltip":"","group":"fc7f4064.40e68","order":2,"width":8,"height":1,"passthru":false,"decouple":"true","topic":"switch-light","style":"","onvalue":{"lights":1},"onvalueType":"json","onicon":"lightbulb","oncolor":{"colorOn":"","offvalue":{"lights":0},"offvalueType":"json","officon":"","offcolor":{"colorOff":"","x":535,"y":160,"wires":[["145f6a5e.a2ed16"]],{"l":false},{"id":"bd518166.b589d","type":"function","z":"1d9bab84.1af424","name":"","func":"msg.colorOn =\n'#f1fa43';\nmsg.colorOff =\n'#969c25';\nif(msg.payload.lights) {\nmsg.txt='Lights ON. Turn off?';\n} else if(!msg.payload.lights) {\nmsg.txt='Lights OFF. Turn on?';\n}\nreturn msg;","outputs":1,"noerr":0,"x":335,"y":160,"wires":[["83f5435.66d1ec"]],{"id":"f3c2ac43.6ef94","type":"ui_template","z":"1d9bab84.1af424","group":"fc7f4064.40e68","name":"","order":7,"width":17,"height":14,"format":"<div id='controller' ng-bind-html='msg.payload | trusted'></div>\n","storeOutMessages":true,"fwdInMessages":true,"resendOnRefresh":false,"templateScope":"local","x":712.4000091552734,"y":209.00000286102295,"wires":[[]]},{"id":"449f2b9.33253d4","type":"template","z":"1d9bab84.1af424","name":"","fieldId":"payload","fieldType":"msg","format":"

```

```

handlebars","syntax":"mustache","template":<!-- <script> \n// <iframe src='https://watson-iot-sensor-simulator.mybluemix.net' style='height:600%; width:100%' ></iframe>\n// let elem = document.createElement('iframe');\n// console.log('node-created');\n// elem.style = 'width:100%; height:500%';\n// elem.id = 'controller-iframe';\n// document.getElementById('controller').appendChild(elem)\n// elem.src = 'https://watson-iot-sensor-simulator.mybluemix.net';\n// Controls_Load-Sensor_Control_cards\n// let button = document.createElement('button');\n// button.id = 'example';\n// button.onClick = \nfunction(event){console.log(event);}\n// let trial_button = document.body.insertBefore(button, document.getElementById('controller'));\n// let trial_button = document.getElementById('Controls_Load-Sensor_Control_cards').insertBefore(button, document.getElementsByClassName('nr-dashboard-template ng-scope _md visible')[0]);\n-->\n\n<iframe id='controllerIframe' src='https://watson-iot-sensor-simulator.mybluemix.net' style='height:500%; width:100%' >\n\n<button id='fillFormButton' onclick =\nfillForm(event)>Fill Form</button>\n\nfunction fillForm(event) {\nconsole.log(document.getElementById('controllerIframe'));\n

```



```

}
</script>
</iframe>
"x":421.40003204
345703,"y":211.00000286102295,"wires":[[
"f3c2ac43.6ef94"]]],{"id":"a3a04020.20055
","type":"ui_ui_control","z":"1d9bab84.1af4
24","name":"","events":"all","x":155.60000
324249268,"y":217.20000457763672,"wires
":["449f2b9.33253d4"]],"l":false},{"id":"b6
67051e.953238","type":"ui_chart","z":"c16c
79ac.7bba08","name":"","group":"41e9ad36
.7dd854","order":11,"width":9,"height":6,"la
bel":"Humidity","chartType":"line","legend
":false,"xformat":"auto","interpolate":"cub
ic","nodata":"Liine graph for
humidity","dot":true,"ymin":0,"ymax":10
0,"removeOlder":1,"removeOlderPoints":"","
removeOlderUnit":"604800","cutout":0,"u
seOneColor":false,"useUTC":false,"colors":
["#1f77b4","#aec7e8","#ff7f0e","#2ca02c",
"#98df8a","#d62728","#ff9896","#9467bd",
"#c5b0d5"],"useOldStyle":false,"outputs":1,"
x":737.6000127792358,"y":249.600004196
167,"wires":[[]],"l":false},{"id":"c2982514.
781b68","type":"ui_chart","z":"c16c79ac.7b
ba08","name":"","group":"41e9ad36.7dd854
","order":13,"width":9,"height":6,"label":"T
emperature","chartType":"line","legend":fa
lse,"xformat":"auto","interpolate":"bezier",
"nodata":"Liine graph for
temperature","dot":true,"ymin":0,"ymax":
60,"removeOlder":1,"removeOlderPoints":
":"","removeOlderUnit":"604800","cutout":0,
"useOneColor":false,"useUTC":false,"colors
":["#1f77b4","#aec7e8","#ff7f0e","#2ca02c",
"#98df8a","#d62728","#ff9896","#9467bd",
"#c5b0d5"],"useOldStyle":false,"outputs":1,
"x":746.0000133514404,"y":205,"wires":[[]
],"l":false},{"id":"b9fee74c.6ce688","type":
"ui_switch","z":"c16c79ac.7bba08","name":
":"","label":"{txt}","tooltip":"","group":"41

```

```

e9ad36.7dd854","order":2,"width":6,"height
":1,"passthru":false,"decouple":"true","topic
":"switch-tab","style":"","onvalue":"{\tab\
:1}","onvalueType":"json","onicon":"wrench
","oncolor":"","offvalue":"{\tab\":0}","offv
alueType":"json","officon":"desktop","offco
lor":"","x":519.0000562667847,"y":367.000
0057220459,"wires":["785e6149.94a8e"]],"
l":false},{"id":"785e6149.94a8e","type":"ui
_ui_control","z":"c16c79ac.7bba08","name"
":"","events":"change","x":472.00006389617
92,"y":282.0000066757202,"wires":["55f8
2929.5ba798"]],"l":false},{"id":"55f82929.5
ba798","type":"function","z":"c16c79ac.7bb
a08","name":"","func":"if(msg.tab === 1)
{\n  msg.txt = \"Switch to dashboard\";\n
msg.payload = {\tab\:msg.tab};\n  return
msg;\n} else if(msg.tab === 0) {\n  msg.txt
= \"Switch to controller\";\n  msg.payload
= {\tab\:msg.tab};\n  return
msg;\n}\n","outputs":1,"noerr":0,"x":433.00
005531311035,"y":368.0000057220459,"wi
res":["b9fee74c.6ce688"]],"l":false},{"id":
"13f085de.f2d56a","type":"ui_switch","z":"1
d9bab84.1af424","name":"","label":"{txt}
","tooltip":"","group":"fc7f4064.40e68","ord
er":4,"width":8,"height":1,"passthru":false,"
decouple":"true","topic":"switch-tab","style
":"","onvalue":"{\tab\":1}","onvalueType":
"json","onicon":"wrench","oncolor":"","offva
lue":"{\tab\":0}","offvalueType":"json","of
ficon":"desktop","offcolor":"","x":502.0000
0762939453,"y":426.0000057220459,"wires
":["e3c4051c.a52168"]],"l":false},{"id":"e3
c4051c.a52168","type":"ui_ui_control","z":
"1d9bab84.1af424","name":"","events":"chan
ge","x":435.00005626678467,"y":328.0000
0381469727,"wires":["5e92949c.c7015c"]],
"l":false},{"id":"5e92949c.c7015c","type":"f

```

```
unction", "z": "1d9bab84.1af424", "name": "", "
func": "if(msg.tab === 1) {\n  msg.txt =
\"Switch to dashboard\";\n  msg.payload =
{\"tab\": msg.tab};\n  return msg;\n} else
if(msg.tab === 0) {\n  msg.txt = \"Switch
to controller\";\n  msg.payload =
{\"tab\": msg.tab};\n  return
msg;\n}\n", "outputs": 1, "noerr": 0, "x": 391.00
00030994415, "y": 425, "wires": [[ "13f085de.f
2d56a" ]], "l": false}]
```