

Project Report

Name : *Dolby Agarwal* (dolby14agarwal@gmail.com)

Title : *Intelligent Customer Help Desk With Smart
Document Understanding*

Category: *Artificial Intelligence*

Internship at smartinternz.com@2020

1 INTRODUCTION

- Overview
- Purpose

2 LITERATURE SURVEY

- Existing problem
- Proposed solution

3 THEORITICAL ANALYSIS

- Block diagram
- Hardware / Software designing

4 EXPERIMENTAL INVESTIGATIONS

5 FLOWCHART

6 RESULT

7 ADVANTAGES & DISADVANTAGES

8 APPLICATIONS

9 CONCLUSION

10 FUTURE SCOPE

11 BIBILOGRAPHY

APPENDIX

- A. Source code
- B. Reference

INTRODUCTION

Overview:

We will be able to write an application that leverages multiple Watson AI Services (Discovery , Assistant, Cloud function and Node Red). By the end of the project, we'll learn best practices of combining Watson services, and how they can build interactive information retrieval systems with Discovery + Assistant.

- ❖ **Project Requirements:** Python, IBM Cloud, IBM Watson
- ❖ **Functional Requirements:** IBM cloud
- ❖ **Technical Requirements:** AI,ML,WATSON AI,PYTHON
- ❖ **Software Requirements:** Watson assistant, Watson discovery.
- ❖ **Project Deliverables:** Smartinternz Intership
- ❖ **Project Team:** Dolby Agarwal
- ❖ **Project Duration:**19 days

Purpose:

The typical customer care chatbot can answer simple questions, such as store locations and hours, directions, and maybe even making appointments. When a question falls outside of the scope of the pre-determined question set, the option is typically to tell the customer the question isn't valid or offer to speak to a real person.

In this project, there will be another option. If the customer question is about the operation of a device, the application shall pass the question onto Watson Discovery Service, which has been pre-loaded with the device's owners manual. So now, instead of "Would you like to speak to a customer representative?" we can return relevant sections of the owners manual to help solve our customers' problems.

To take it a step further, the project shall use the Smart Document Understanding feature of Watson Discovery to train it on what text in the owners manual is important and what is not. This will improve the answers returned from the queries.

Scope of Work:

- ✓ Create a customer care dialog skill in Watson Assistant
- ✓ Use Smart Document Understanding to build an enhanced Watson Discovery collection
- ✓ Create an IBM Cloud Functions web action that allows Watson Assistant to post queries to Watson Discovery
- ✓ Build a web application with integration to all these services & deploy the same on IBM Cloud Platform

LITERATURE SURVEY

Existing problem:


Generally Chatbots means getting input from users and getting only response questions and for some questions the output from bot will be like “try again”, “I don’t understand”, “will you repeat again”, and so on... and directs customer to customer agent but a good customer Chatbot should minimize involvement of customer agent to chat with customer to clarify his/her doubts. So to achieve this we should include an virtual agent in chatbot so that it will take care of real involvement of customer agent and customer can clarifies his doubts with fast chatbots.

Proposed solution:

For the above problem to get solved we have to put an virtual agent in chatbot so it can understand the queries that are posted by customers. The virtual agent should trained from some insight records based company background so it can answer queries based on the product or related to company. In this project I used Watson Discovery to achieve the above solution. And later including Assistant and Discovery on Node-RED.

THEORITICAL ANALYSIS

Block/Flow Diagram



1. The document is annotated using Watson Discovery SDU
2. The user interacts with the backend server via the app UI. The frontend app UI is a chatbot that engages the user in a conversation.
3. Dialog between the user and backend server is coordinated using a Watson Assistant dialog skill.
4. If the user asks a product operation question, a search query is passed to a predefined IBM Cloud Functions action.
5. The Cloud Functions action will query the Watson Discovery service and return the results.

Hardware / Software designing:

1. Create IBM Cloud services
2. Configure Watson Discovery
3. Create IBM Cloud Functions action
4. Configure Watson Assistant
5. Create flow and configure node
6. Deploy and run Node Red app.

EXPERIMENTAL INVESTIGATIONS

1. Create IBM Cloud services

Create the following services:

- Watson Discovery
- Watson Assistant
- Node Red

2. Configure Watson Discovery

Import the document

Launch the Watson Discovery tool and create a new data collection by selecting the Upload your own data option. Give the data collection a unique name. When prompted, select and upload the smart watch.pdf file located in the data directory of your local repo.


The Samsung Galaxy Watch is a smart watch with a lot of capabilities that a smart phone is capable to do. This Discovery is trained to read the manual and answer any questions regarding the smart watch functions from the manual.

Before applying SDU to our document, I had run some simple queries on the dataset to compare it to with results after applying SDU to it. Before applying SDU, the assistant answered vague answers and off topic, after applying SDU, it answered questions related to the confined topic only and many turned out to be appropriate expected answers.

Annotate with SDU

Apply SDU to our document to see if we can generate some better query responses. From the Discovery collection panel, click the Configure data button (located in the top right corner) to start the SDU process.

Here is the layout of the Identify fields tab of the SDU annotation panel:



The goal is to annotate all of the pages in the document so Discovery can learn what text is important, and what text can be ignored.

As you go through the annotations one page at a time, Discovery is learning and should start automatically updating the upcoming pages. Once you get to a page that is already correctly annotated, you can stop, or simply click Submit page to acknowledge it is correct. The more pages you annotate, the better the model will be trained.

For this specific owner's manual, at a minimum, it is suggested to mark the following:

The main title page as title

The table of contents (shown in the first few pages) as table_of_contents

All headers and sub-headers (typed in light green text) as a subtitle


All page numbers as footers

All warranty and licensing information (located in the last few pages) as a footer

All other text should be marked as text.

Once you click the Apply changes to collection button [6], you will be asked to reload the document. Choose the same owner's manual .pdf document as before.

Next, click on the Manage fields tab.



[2] Here is where you tell Discovery which fields to ignore. Using the on/off buttons, turn off all labels except subtitles and text.

[3] is telling Discovery to split the document apart, based on subtitle.

Click [4] to submit your changes.

Once again, you will be asked to reload the document.

Now, as a result of splitting the document apart, your collection will look very different:

IBM Watson Discovery

Instance: Discovery-wd

watch_manual

Configure data

Overview Errors and warnings (197) Search settings

197 documents

0 documents failed View details

Created on 6/9/2020 11:49:57 am EDT
Last updated 6/9/2020 11:49:57 am EDT

Upload documents

Identified 5 fields from your data

- footer
- subtitle
- table_of_contents
- text
- title

Need to identify more fields? Add fields

Added 4 enrichments to your data

Entity Extraction

Samsung (17) | Samsung Health (16) | Bixby (4) | 15 percent (2) | 810G (2)

Sentiment Analysis

33% positive 41% neutral 26% negative

Concept Tagging

Frequency (11) | Group (10) | English-language films (7) | Personal digital assistant (6)

5 enrichments available. Add enrichments

Category Classification

technology and com... tech news

Now you're ready to query!

Documents that contain **Frequency, but not Group**
Run

Entities of type **Company** which have positive sentiment
Run

Entities of type **Company** which have negative sentiment
Run

Build your own query →

Return to the query panel (click Build your own query) and see how much better the results are.

us-south.discovery.watson.cloud.ibm.com/regions/us-south/services/crm%3Av1%3Abluemix%3Apublic%3Adiscovery%3Aus-south%3Aa%2F00d304d4e3dc43799f6cf59cb4ce46d%3A09e6a1e3-e...

IBM Watson Discovery

Instance: Discovery-wd

watch_manual / Build queries

Build a query using one or more of these components. Learn more.

Use a sample query

Search for documents

Use natural language Use the Discovery Query Language

how to play music

+ Include analysis of your results

+ Filter which documents you query

Run query Close

Summary JSON

Passages

"From the Apps screen, rotate the bezel and tap Music . 2. Tap the output until the Phone icon is displayed. 3. Tap Play music to play music on your smartphone. 4. The music plays on your smartphone and the Watch displays the music controller screen."

"When you select a smartphone to play music from, you can control playback of the music with your Watch. The music plays on your smartphone. 1. From the Apps screen, rotate the bezel and tap Music . 2."

"Play music"

"Play music on your smartphone"

"Play music from the Watch"

Results

Showing 10 of 16 matching documents

✓ Samsung Galaxy Watch User Manual


Sentiment positive

Categories /art and entertainment/music/music reference

Store credentials for future use

In upcoming steps, you will need to provide the credentials to access your Discovery collection. The values can be found in the following locations.

The Collection ID and Environment ID values can be found by clicking the dropdown button [1] located at the top right side of your collection panel:



For credentials, return to the main panel of your Discovery service, and click the Service credentials [1] tab:

IBM Cloud

Search resources and offerings...

Resource list /

Discovery-od

Resource group: default Location: Dallas Add Tags

Service credentials

Credentials are provided in JSON format. The JSON snippet lists credentials, such as the API key and secret, as well as connection information for the service. [Learn more](#)

Service credentials

New credential

Items per page: 10 | 1-1 of 1 items | 1 of 1 pages

KEY NAME	DATE CREATED	ACTIONS
Service credentials-1	FEB 5, 2019 - 09:26:31 AM	View credentials 2


```
3 {
  "apikey": "dry8f3a1Tnsy: [REDACTED] Ah1au8oko4tu10",
  "iam_apikey_description": "Auto generated apikey during resource-key operation for Instance - crn:v1:bluemix:public:discovery:us-south:a/bc1b651c396536dc7d5f81d5a4e19533:acrfe2871-3b0d-4e04-a019-00aa59778052::",
  "iam_apikey_name": "auto-generated-apikey-f5f36cdd-d1d2-4a17-b41d-8ca5d11c7a6",
  "iam_role_crn": "crn:v1:bluemix:public:iam:::serviceRole:Manager",
  "iam_serviceid_crn": "crn:v1:bluemix:public:iam-identity::a/bc1b651c396536dc7d5f81d5a4e19533::serviceid:ServiceId-01a08efa-a050-4708-a191-0b71f43c0d0b",
  "url": "https://gateway.watsonplatform.net/discovery/api"
  4
}
```

Click the View credentials [2] drop-down menu to view the IAM apikey [3] and URL endpoint [4] for your service.

3. Create IBM Cloud Functions action

Now let's create the web action that will make queries against our Discovery collection.


Start the IBM Cloud Functions service by selecting Create Resource from the IBM Cloud dashboard. Enter functions as the filter [1], then select the Functions card [2]:




From the Functions main panel, click on the Actions tab. Then click on Create.

From the Create panel, select the Create Action option.

On the Create Action panel, provide a unique Action Name [1], keep the default package [2], and select the Node.js 10 [3] runtime. Click the Create button [4] to create the action.



Once your action is created, click on the Code tab [1]:



In the code editor window [2], cut and paste in the code from the disco-action.js file found in the actions directory of your local repo. The code is pretty straight-forward - it simply connects to the Discovery service, makes a query against the collection, then returns the response.

If you press the Invoke button [3], it will fail due to credentials not being defined yet. We'll do this next.

Select the Parameters tab [1]:



Add the following keys:

- ❖ url
- ❖ environment_id
- ❖ collection_id
- ❖ iam_apikey

For values, please use the values associated with the Discovery service you created in the previous step.

Now that the credentials are set, return to the Code panel and press the Invoke button again. Now you should see actual results returned from the Discovery service:

The screenshot shows the IBM Cloud Functions console for a function named 'watch-action'. The 'Code' panel is active, displaying a Node.js script. The script defines a function 'main' that takes parameters and returns a Promise. The Promise resolves to a JSON object containing the results of a discovery search. The 'Invoke' button is visible. The 'Activations' panel shows a successful execution with a duration of 1492 ms and a timestamp of 6/13/2020, 21:54:40. The 'Results' section displays the JSON output, which includes file metadata and search results.


```

1 // **
2 //
3 // @param {object} params
4 // @param {string} params.iam_apikey
5 // @param {string} params.url
6 // @param {string} params.username
7 // @param {string} params.password
8 // @param {string} params.environment_id
9 // @param {string} params.collection_id
10 // @param {string} params.configuration_id
11 // @param {string} params.input
12 //
13 // @return {object}
14 //
15 //
16
17 const assert = require('assert');
18 const DiscoveryV1 = require('watson-developer-cloud/discovery/v1');
19
20 // **
21 //
22 // main() will be run when you invoke this action
23 //
24 // @param Cloud Functions actions accept a single parameter, which must be a JSON object.
25 //
26 // @return The output of this action, which must be a JSON object.
27 //
28 //
29 = function main(params) {
30 =   return new Promise(function (resolve, reject) {
31
32     let discovery;
  
```

```

{
  "matching_results": 197,
  "pages": [],
  "results": [
    {
      "extracted_metadata": {
        "file_type": "pdf",
        "filename": "smart watch.pdf",
        "keywords": "Samsung Galaxy Watch;;Samsung Galaxy Watch ;Samsung Galaxy Watch user guide;Samsung Galaxy Watch manual; user guide; manual",
        "sha1": "697f7e18e37728328555a0ba340ca23bf264e98",
        "title": "Samsung Galaxy Watch User Manual"
      },
      "id": "5a813b4d298200cc37be1747cc3cc8d",
      "result_metadata": {
        "confidence": 0,
        "score": 1
      },
      "segment_metadata": {
        "id": "5a813b4d298200cc37be1747cc3cc8d",
        "parent_id": "5a813b4d298200cc37be1747cc3cc8d",
        "total_segments": 197
      },
      "text": "",
      "title": "User Manual"
    }
  ]
}
  
```

Next, go to the Endpoints panel [1]:



Click the checkbox for Enable as Web Action [2]. This will generate a public endpoint URL [3].

Take note of the URL value [3], as this will be needed by Watson Assistant in a future step.

To verify you have entered the correct Discovery parameters, execute the provided curl command [4]. If it fails, re-check your parameter values.

4. Configure Watson Assistant

Launch the Watson Assistant tool and create a new dialog skill. Select the Use sample skill option as your starting point. This dialog skill contains all of the nodes needed to have a typical call center conversation with a user.

Add new intent

The default customer care dialog does not have a way to deal with any questions involving outside resources, so we will need to add this.

Create a new intent that can detect when the user is asking about operating the Ecobee thermostat.

From the Customer Care Sample Skill panel, select the Intents tab.

Click the Create intent button.

Name the intent `#Product_Info`, and at a minimum, enter the following example questions to be associated with it.

The screenshot shows the IBM Watson Assistant interface for configuring an intent named `#Product_Info`. The interface includes a header with the IBM logo, 'Watson Assistant Lite', and an 'Upgrade' button. Below the header, the intent name `#Product_Info` is displayed, along with a 'Last updated: 2 hours ago' status and a 'Try it' button. The main configuration area has a 'Description (optional)' field containing 'Information about smart watch'. Below this is a 'User example' section with a text input field containing 'Type a user example here, e.g. I want to pay my credit card bill'. There are two buttons: 'Add example' and 'Show recommendations'. At the bottom, there is a table of user examples with a toggle for 'Annotate entities' and a 'What's this?' link. The table shows 61 examples, with the first three visible: 'Access location services' (added 2 hours ago), 'activate goodnight mode' (added 2 hours ago), and 'Airplane Mode' (added 3 days ago). A pagination bar at the bottom indicates 'Showing 1–61 of 61 examples' and '1 of 1 pages'.

<input type="checkbox"/>	User examples (61) ↑	Added ↑↓
<input type="checkbox"/>	Access location services	2 hours ago
<input type="checkbox"/>	activate goodnight mode	2 hours ago
<input type="checkbox"/>	Airplane Mode	3 days ago

Create new dialog node

Now we need to add a node to handle our intent. Click on the Dialog [1] tab, then click on the drop down menu for the Small Talk node [2], and select the Add node below [3] option.

IBM Watson Assistant

Skills /

Customer Care Sample Skill copy
Sample simple customer service skill to get you started.

Intents Entities **1 Dialog** Analytics Options Versions Content Catalog

>

Directions and location
#Customer_Care_Store_Location
3 Responses / 0 Context Set / Skip user input / Returns

Make an appointment
#Customer_Care_Appointments
3 Responses / 7 Context Set / 5 Slots / Does not return

>

Transfer to agent
#General_Connect_to_Agent
1 Responses / 0 Context Set / Does not return

Small Talk
3 Dialog nodes / No digressions

anything_else
1 Responses / 0 Context Set / Returns

2

Add node to folder

Add node above

Add node below 3

Add folder

Move

Duplicate

Jump to

Delete

Name the node "Ask about product" [1] and assign it our new intent [2].

IBM Watson Assistant

Customer Care Sample Skill copy
Sample simple customer service skill to get you started.

Intents Entities **Dialog** Analytics Options Versions Content Catalog

1 Ask about product

If assistant recognizes:

2 #Product_Information

Then respond with

Text

Enter response text

Response variations are set to **sequential**. Set to **random**

Add response type

And finally:

This means that if Watson Assistant recognizes a user input such as "how do I set the time?", it will direct the conversation to this node.

Enable webhook from Assistant

Set up access to our WebHook for the IBM Cloud Functions action you created in Step #4.

Select the Options tab [1]:

IBM Watson Assistant

Skills /

Customer Care Sample Skill for Disco

Sample simple customer service skill to get you started.

Try it

Save new version

Intents Entities Dialog Analytics **Options** Versions Content Catalog

1

Webhooks

Autocorrection

System Entities

Webhooks

A webhook is a mechanism that allows your dialog skill to call an external API when specific dialog nodes are triggered. Specify the request URL for the external API you want to be able to invoke. You will then be able to access this URL from within the dialog editor.

[Learn more](#)

URL

2 `https://us-south.functions.cloud.ibm.com/api/v1/web/IBM%20Cloud%20Stor`

Headers

Add HTTP headers for authorization or any other parameters required for invoking the specified request URL.

HEADER NAME	HEADER VALUE
-------------	--------------


[Add header](#) [Add authorization](#)

Next step

To trigger this webhook from an individual dialog node, enable the webhook from the Customize page in node details. [Go to dialog](#).

Enter the public URL endpoint for your action [2].

Return to the Dialog tab, and click on the Ask about product node. From the details panel for the node, click on Customize, and enable Webhooks for this node:



Click Apply.

The dialog node should have a Return variable [1] set automatically to \$webhook_result_1. This is the variable name you can use to access the result from the Discovery service query.

IBM Watson Assistant

Customer Care Sample Skill for Disco
Sample simple customer service skill to get you started.

Intents Entities **Dialog** Analytics Options Versions Content Catalog

#Customer_Care_Store_Hours
5 Responses / 0 Context Set / Returns

Directions and location
#Customer_Care_Store_Location
3 Responses / 0 Context Set / Skip user input / Returns

Make an appointment
#Customer_Care_Appointments
3 Responses / 7 Context Set / 5 Slots / Does not return

Transfer to agent
#General_Connect_to_Agent
1 Responses / 0 Context Set / Does not return

Small Talk
3 Dialog nodes / No digressions

Ask about product
#Product_Information
2 Responses / 0 Context Set / Does not return

anything_else
1 Responses / 0 Context Set / Returns

Ask about product

If assistant recognizes:

#Product_Information

Then callout to my webhook:

Parameters

KEY	VALUE
2 input	"<?input.text?>"

Add parameter +

Return variable

1 \$webhook_result_1

Then respond with

You will also need to pass in the users question via the parameter input [2]. The key needs to be set to the value: "<?input.text?>"

If you fail to do this, Discovery will return results based on a blank query.

Optionally, you can add these responses to aid in debugging:

Return variable

\$webhook_result_1

Then respond with


	IF ASSISTANT RECOGNIZES	RESPOND WITH		
1	\$webhook_result_1	\$webhook_result_1		
2	anything_else	Try again later		

[Add response](#) 

Test in Assistant Tooling

From the Dialog panel, click the Try it button located at the top right side of the panel.


Enter some user input:



Note that the input "how do I turn on the heater?" has triggered our Ask about product dialog node, which is indicated by the #Product_Information response.

And because we specified that \$webhook_result_1.passages be the response, that value is displayed also.

You can also verify that the call was successfully completed by clicking on the Manage Context button at the top right. The response from the Discovery query will be stored in the \$webhook_result_1 variable:



Context variables ⓘ		✕
<input type="text" value="\$Enter variable name"/>		
\$timezone		⊖
"America/Los_Angeles"		
\$webhook_result_1		⊖
{ "matching_results": 9, "passages": [{ "do		
\$no_reservation		⊖
true		

5. Create flow and configure node:

Integration of watson assistant in Node-RED

- Double-click on the Watson assistant node
- Give a name to your node and enter the username, password and workspace id of your Watson assistant service

Edit assistant V2 node

Delete Cancel Done

Properties

Name: My first assistant

Username: Username

Password: Password

API Key:

Service Endpoint: https://api.eu-gb.assistant.watson.cloud.ibm.com

Assistant ID: d3fa58b9-7946-4784-b120-5e025c58c9ba

Timeout Period: Leave empty to disable

☐ Switch on Debug


☒ Enabled

- After entering all the information click on Done
- Drag inject node on to the flow from the Input section
- Drag Debug on to the flow from the output section
- Double-click on the inject node
- Select the payload as a string
- Enter a sample input to be sent to the assistant service and click on done
- Connect the nodes as shown below and click on Deploy




- Open Debug window as shown below
- Click on the button to send input text to the assistant node
- Observe the output from the assistant service node
- The Bot output is located inside "output.text"
- Drag the function node to parse the JSON data and get the bot response
- Double click on the function node and enter the JSON parsing code as shown below and click on done
- Connect the nodes as shown below and click on Deploy
- Re-inject the flow and observe the parsed output

- For creating a web application
UI we need “dashboard” nodes which should be installed manually.
- Go to navigation pane and click on manage palette



- Click on install
- Search for “node-red-dashboard” and click on install and again click on install on the prompt
- The following message indicates dashboard nodes are installed, close the manage palette
- Search for “Form” node and drag on to the flow
- Double click on the “form” node to configure
- Click on the edit button to add the “Group” name and “Tab” name
- Click on the edit button to add tab name to web application
- Give sample tab name and click on add do the same thing for the group
- Give the label as “Enter your input”, Name as “text” and click on Done
- Drag a function node, double-click on it and enter the input parsing code as shown below




- Click on done
- Connect the form output to the input of the function node and output of the function to input of assistant node
- Search for “text” node from the “dashboard” section
- Drag two “text” nodes on to the flow
- Double click on the first text node, change the label as “You” and click on Done
- Double click on the second text node, change the label as “Bot” and click on Done
- Connect the output of “input parsing” function node to “ You” text node and output of “Parsing” function node to the input of “Bot” text node
- Click on Deploy

FLOWCHART

At first go to manage palette and install dashboard.



Now, Create the flow with the help of following node:

- ✓ Inject
- ✓ Assistant
- ✓ Debug
- ✓ Function
- ✓ Ui_Form
- ✓ Ui_Text



RESULTS

Finally our Node-RED dash board integrates all the components and displayed in the Dashboard UI by typing URL - <https://node-red-hgtcp.eu-gb.mybluemix.net/ui> in browser



ADVANTAGES & DISADVANTAGES

Advantages:

- ✓ Companies can deploy chatbots to rectify simple and general human queries .
- ✓ Reduces man power
- ✓ Cost efficient
- ✓ No need to divert calls to customer agent and customer agent can look on other works.

Disadvantages:

- ✓ Some times chatbot can mislead customers
- ✓ Giving same answer for different sentiments.
- ✓ Some times cannot connect to customer sentiments and intentions.

APPLICATIONS

- ❖ It can deploy in popular social media applications like facebook,slack,telegram.
- ❖ Chatbot can deploy any website to clarify basic doubts of viewers.

CONCLUSION

By doing the above procedure and all we successfully created Intelligent helpdesk smart chatbot using Watson assistant, Watson discovery, Node-RED and cloud-functions.

FUTURE SCOPE

We can include watson studio text to speech and speech to text services to access the chatbot handsfree. This is one of the future scope of this project.

BIBLIOGRAPHY

APPENDIX

Source Code

1.Cloud Function(Node.js)

```
/**  
  
 *  
  
 * @param {object} params  
  
 * @param {string} params.iam_apikey  
  
 * @param {string} params.url  
  
 * @param {string} params.username  
  
 * @param {string} params.password  
  
 * @param {string} params.environment_id  
  
 * @param {string} params.collection_id  
  
 * @param {string} params.configuration_id
```

```
* @param {string} params.input
```

```
* @return {object}
```

```
*
```

```
*/
```

```
const assert = require('assert');
```

```
const DiscoveryV1 = require('watson-developer-cloud/discovery/v1');
```

```
/**
```

```
*
```

```
* main() will be run when you invoke this action
```

```
*
```

```
* @param Cloud Functions actions accept a single parameter, which must be a JSON object.
```

```
*
```

```
* @return The output of this action, which must be a JSON object.
```

```
*
```

```
*/
```

```
function main(params) {
```

```
  return new Promise(function (resolve, reject) {
```

```
    let discovery;
```

```
if (params.iam_apikey){

    discovery = new DiscoveryV1({

        'iam_apikey': params.iam_apikey,

        'url': params.url,

        'version': '2020-05-09'

    });

}

else {

    discovery = new DiscoveryV1({

        'username': params.username,

        'password': params.password,

        'url': params.url,

        'version': '2020-05-11'

    });

}


discovery.query({

    'environment_id': params.environment_id,

    'collection_id': params.collection_id,
```



```

    'natural_language_query': params.input,

    'passages': true,

    'count': 3,

    'passages_count': 3

  }, function(err, data) {

    if (err) {

      return reject(err);

    }

    return resolve(data);

  });

});

}

```

2. Node Red (flow.json)

```

[
  {
    "id": "675b3a31.def114",
    "type": "tab",
    "label": "Flow 2",
    "disabled": false,
    "info": ""
  },
  {
    "id": "8de0c04c.3c6d1",
    "type": "ui_form",
    "z": "675b3a31.def114",
    "name": "Smart Watch Chatbot",
    "label": "",
    "group": "7a11e873.9818d8",
    "order": 0,
    "width": "6",
    "height": "13",
    "options": [
      {
        "label": "Enter your query",

```

```

        "value": "text",
        "type": "text",
        "required": true,
        "rows": null
    }
],
"formValue": {
    "text": ""
},
"payload": "",
"submit": "submit",
"cancel": "cancel",
"topic": "Smart Watch Chatbot",
"x": 160,
"y": 340,
"wires": [
    [
        "ecc58b5d.0b0008"
    ]
]
},
{
    "id": "ecc58b5d.0b0008",
    "type": "function",
    "z": "675b3a31.def114",
    "name": "input parsing",
    "func": "msg.payload=msg.payload.text;\nreturn msg;",
    "outputs": 1,
    "noerr": 0,
    "x": 270,
    "y": 300,
    "wires": [
        [
            "f568f617.34a3a8",
            "7c9b8813.f43618"
        ]
    ]
},
{
    "id": "f568f617.34a3a8",
    "type": "ui_text",
    "z": "675b3a31.def114",
    "group": "7a11e873.9818d8",
    "order": 1,
    "width": "0",
    "height": "0",
    "name": "",
    "label": "Me",
    "format": "{{msg.payload}}",
    "layout": "col-center",
    "x": 470,
    "y": 380,

```

```

        "wires": []
    },
    {
        "id": "7c9b8813.f43618",
        "type": "watson-conversation-v1",
        "z": "675b3a31.def114",
        "name": "Smart Watch Chatbot",
        "workspaceid": "1a22641d-c49f-40c9-b578-b32f6cc6037a",
        "multiuser": false,
        "context": true,
        "empty-payload": false,
        "service-endpoint": "https://api.eu-gb.assistant.watson.cloud.ibm.com/instances/3b691979-1f3e-4d35-8942-bced35ffc07b",
        "timeout": "",
        "optout-learning": false,
        "x": 560,
        "y": 220,
        "wires": [
            [
                "2c83b9b5.e8d806",
                "4a28b06a.56991"
            ]
        ]
    },
    {
        "id": "2c83b9b5.e8d806",
        "type": "debug",
        "z": "675b3a31.def114",
        "name": "",
        "active": true,
        "tosidebar": true,
        "console": false,
        "tostatus": false,
        "complete": "payload",
        "targetType": "msg",
        "x": 770,
        "y": 120,
        "wires": []
    },
    {
        "id": "4a28b06a.56991",
        "type": "function",
        "z": "675b3a31.def114",
        "name": "parsing",
        "func": "msg.payload=msg.payload.output.generic[0].text;\nreturn msg;",
        "outputs": 1,
        "noerr": 0,
        "x": 660,
        "y": 300,
        "wires": [
            [
                "1adf6d16.133b63",

```

```

        "949ebc72.ba5af"
    ]
]
},
{
    "id": "1adf6d16.133b63",
    "type": "ui_text",
    "z": "675b3a31.def114",
    "group": "7a11e873.9818d8",
    "order": 2,
    "width": "6",
    "height": "5",
    "name": "",
    "label": "Bot",
    "format": "{{msg.payload}}",
    "layout": "col-center",
    "x": 870,
    "y": 360,
    "wires": []
},
{
    "id": "949ebc72.ba5af",
    "type": "debug",
    "z": "675b3a31.def114",
    "name": "",
    "active": true,
    "tosidebar": true,
    "console": false,
    "tostatus": false,
    "complete": "payload",
    "targetType": "msg",
    "x": 860,
    "y": 260,
    "wires": []
},
{
    "id": "7a11e873.9818d8",
    "type": "ui_group",
    "z": "",
    "name": "Chatbot",
    "tab": "af28c11.ce0c04",
    "order": 1,
    "disp": true,
    "width": "6",
    "collapse": false
},
{
    "id": "af28c11.ce0c04",
    "type": "ui_tab",
    "z": "",
    "name": "BotHome",
    "icon": "dashboard",

```

```
    "disabled": false,  
    "hidden": false  
  }  
]
```

Reference:

1. https://www.ibm.com/cloud/architecture/tutorials/cognitive_discovery
2. <https://cloud.ibm.com/docs/assistant?topic=assistant-getting-started>
3. <https://developer.ibm.com/recipes/tutorials/how-to-create-a-watson-chatbot-on-nodered/>
4. <http://www.iotgyan.com/learning-resource/integration-of-watson-assistant-to-node-red>
5. <https://github.com/IBM/watson-discovery-sdu-with-assistant>
6. <https://www.youtube.com/watch?v=Jpr3wVH3FVA>