

JV Management System

Doc Number: GMJV-KeNHA-BRW-WOM039FM006

Revision:

01

Doc Type :

Form

Author/Owner: Wellingtone Odali Reviewed by: Maurice Ademba

Effective Date: January 2022

Review Date : January 2023

Number Pages: Page 1 of 3

Approved by :

Godfrey Walala

Name of Technician

BILLY MOGAKA

Date or Duration valid

Title: Traffic Control Form

Site Name

			T	
BOOMS	FREQ	√	х	COMMENTS
Check for booms opening and closing as expected	W	V		7 010-
Check booms response to the weighed vehicles of different status	W	V		Joseph
3. Check boom arms physical integrity	W		X	Arms not connected
4. Check by first listening for dry bearings running, followed by opening the boom top cover to check for dust and greasing of the bearings		V		
5. Open the boom box door:		V		V okacj
(i) Check the functioning of the presence loop by checking the detector LED	W	V		,)
(ii)Press the reset button to reset the loop detector-check for the blinking of the reset button	W	!		
WIM BOX				
Check for physical integrity of the outdoor housing:	W	1		P
(i) Check for bumping by vehicles or vandalism	W	V		Okay.
(ii) Check the key holes	W	V		



repared By: (Technician) _

Checked By: (Duty Manager) _

JV Management System

Title: Traffic Control Form

Doc Number : GMJV-KeNHA-BRW-WOM039FM006

Revision: Doc Type : 01

Form

Author/Owner : Wellingtone Odali Reviewed by: Maurice Ademba Effective Date: January 2022 Review Date: January 2023

Number Pages: Page 2 of 3 Approved by: Godfrey Walala

(iiI) Check hinges and movable		. /		
parts for greasing	W	1		^ /
		V		101/-1
2. Check the Earthing cable is intact	W			JURay,
3. Check to see all PSU are working by:			*	
9				
(i) Check LED to see its lighting	W	V		
(ii) Check Devices being powered by		V		
PSU are all ON (IP switches, IO)	W			
(iii) ID (ii) above is not ON, use a				
multimeter to measure the input		-4		
voltage (220-240VAC) and the output		V		
voltage (12VDC)	W			
(iv) If input is not as (iii) above, measure the supply voltage to the MCB				
on the left of the box to ascertain				
supply, is output is not as				
(iii) above please replace the unit	l w	~		
4. Check all devices are ON (IP	1			
switches, logger, Pocket PAD, IO)	l _w	V		
switches, logger, Focket FAD, 10)	VV			. 1
E. Defends the leasure shouldist				N/A
5. Refer to the loggers checklist				
CAMERAS & CAMERA HOUSINGS				
CAIVIERAS & CAIVIERA HOOSINGS				
1. Defends the Company shouldist of the	ĺ			
Refer to the Camera checklist of the Cameras		1		
2. Clean off dust/blow dust from the		1		DK
scale cameras	W			y oray
TRAFFIC LIGHTS				
1. Check response of the scale		1/		
traffic light to weighed vehicles	W	0		
2. Check on any physical damage to				
the traffic lights	W			
3. Clean off dust from the traffic lights	W	V		



JV Management System

Title: Scales Check List

Doc Number: GMJV-KeNHA-BRW-WOM039FM004

Revision:

Doc Type :

Author/Owner: Wellingtone Odali Reviewed by: Maurice Ademba

Effective Date: January 2022 Review Date: January 2023

Number Pages: Page 1 of 1 Approved by: Godfrey Walala

SCALES CHECK LIST

Name of Technician

Date or Duration valid

Site Name

BUSIA

	1					
PHYSICAL & SYSTEM CHECKS		√	Х	COMMENTS		
Do a physical inspection of the scale and check as follows;	W					
i) Check the cleanliness (oil, grease, mud, silt etc) off the surface		~		Uran		
ii) Check for accumulated silt and dirt, ensure its removed				7		
iii) Check earthing cables, glands and ties are well secured & bolts tight		/		4 OKay		
iv) Check load cell cables are well secured		V				
v) Check the Junction Box cables are well secured		V				
vi) Check cable routing (pipes, sleeves and ducts) are secure and not flooded with water/mud		V				
vii) Check the scale drainage to ensure its not blocked		~				
Do a physical inspection of the indicator and the interface to the weighing computer as follows;		V				
i) Check cables from the scale are intact and well terminated on the indicator		V		Well terminated		
ii) Check to ensure indicator power supply is through a UPS		6				
iii) Check UPS is functioning properly-output voltage & backup- switch OFF mains to check						
iv) Compare the indicator reading and KenLoad reading		4		bkay.		
v) Check cable routing (pipes, sleeves and ducts) are secure and not flooded with water		/		,		
Check deck for shaking when stepped on by a truck	w	V				
4. Check deck for sinking below the set level	W	X		Deck 132 are sint in		
If 3 and 4 above are not okay, contact the scale servicing company to check the deck, stoppers or grouting	w	V		7		
 Check guide rails to ensure that they have not been bumped by trucks & all reflective tape is not damage, where damage ensure its replaced and clean 	W	V	1	Jokay		
7. Check decks for alignment for all multi-decks to ensure no misalighment	W	V		ONAL HIGHWAYS AUTHO		
8. External Displays-check if working			X	4 displays sin family		
				1 AUG 2022		

4	7	DEC ALLA		DAR LICIANO 2015
Prepared By: (Technician)	SILL I	MOGHIZA	Sign	S SHOW MEIGHSWOOD HANK
Checked By: (Duty Manager) _	Anyando	Mormilles.	Sign_	19712-0010