

Brady

February 18, 2021

0.1 Geothermal machine learning analysis: Brady site, NV

This notebook is a part of the GTcloud.jl: GeoThermal Cloud for Machine Learning.

Machine learning analyses are performed using the **SmartTensors** machine learning framework.

This notebook demonstrates how the **NMFk** module of **SmartTensors** can be applied to perform unsupervised geothermal machine-learning analyses.

More information how the ML results are interpreted to provide geothermal insights is discussed in our research paper.

0.2 Import required Julia modules

If **NMFk** is not installed, first execute in the Julia REPL `import Pkg; Pkg.add("NMFk"); Pkg.add("DelimitedFiles"); Pkg.add("JLD"); Pkg.add("Gadfly"); Pkg.add("Cairo"); Pkg.add("Fontconfig"); Pkg.add("Mads")`.

```
[1]: import NMFk
      import DelimitedFiles
      import JLD
      import Gadfly
      import Cairo
      import Fontconfig
      import Mads
```

0.3 Load and pre-process the dataset

0.3.1 Setup the working directory containing the Brady site data

```
[2]: cd("/Users/vvv/Julia/GTcloud-SmartTensors.jl/Brady");
```

0.3.2 Load the data file

```
[3]: d, h = DelimitedFiles.readdlm("data/AllBradyWells_LANL_ML_9.txt", ',', ;  
    ↴header=true);
```

0.3.3 Populate the missing well names

```
[4]: global wellname = ""  
for i = 1:size(d, 1)  
    if d[i, 1] != ""  
        global wellname = d[i, 1]  
    else  
        d[i, 1] = wellname  
    end  
end
```

0.3.4 Set up missing entries to be equal to zero

```
[5]: d[d[:, 24] .== "", 24] .= 0;
```

0.3.5 Define names of the data attributes (matrix columns)

```
[6]: attributes_short = ["ID", "D", "azimuth", "incline", "x", "y", "z", "casing",  
    ↴"fluids", "use", "production", "use2", "lt750mstatus", "normal", "coulomb",  
    ↴"dilation", "faults", "td", "ts", "curve", "modeltemp", "faultdense",  
    ↴"faultintdense", "inv_distcontacts", "inv_distfaults", "unitthickness",  
    ↴"goodlith", "confidence"]  
attributes_long = ["ID", "Depth", "Azimuth", "Inclination", "X", "Y", "Z",  
    ↴"Casing", "Fluids", "use", "Production", "use2", "Status", "Normal stress",  
    ↴"Coulomb shear stress", "Dilation", "Faulting", "Fault dilation tendency",  
    ↴"Fault slip tendency", "Fault curvature", "Temperature", "Fault density",  
    ↴"Fault intersection density", "Inverse distance from contacts", "Inverse  
    ↴distance from faults", "Unit thickness", "Lithology", "Confidence"];
```

Short attribute names are used for coding.

Long attribute names are used for plotting and visualization.

0.3.6 Define the attributes that will be processed

```
[7]: attributes_process = ["normal", "coulomb", "dilation", "faults", "td", "ts",  
    ↴"curve", "modeltemp", "faultdense", "faultintdense", "inv_distcontacts",  
    ↴"inv_distfaults", "unitthickness", "goodlith"];
```

0.3.7 Index the attributes that will be processed

```
[8]: ai = indexin(attributes_process, attributes_short)
pr = indexin(["production"], attributes_short)
attributes_process_long = attributes_long[ai]

attributes_col = vec(permutedims(h))
attributes = attributes_col[ai];
```

0.3.8 Display information about the processed data (min, max, count):

```
[9]: for i=1:length(attributes_col); println("$(attributes_col[i]): Column $i Min_"
    "→$(minimum(d[:,i])) Max $(maximum(d[:,i]))"); end
for i=1:length(attributes_col); println("$(attributes_col[i]): Column $i Unique_"
    "→entries:"); display(unique(sort(d[:,i]))); end
```

```
wellid: Column 1 Min 15-12 Max MGI-2
md: Column 2 Min 0.0 Max 2213.723
azimuth: Column 3 Min 0.0 Max 359.991
inclination: Column 4 Min 0.0 Max 359.963
x: Column 5 Min 326859.34 Max 328813.04
y: Column 6 Min 4.4051245e6 Max 4.40887416e6
z: Column 7 Min -923.476 Max 1277.29
casing: Column 8 Min Cased Max Slotted
fluids: Column 9 Min Flowing Max NotFlowing
use: Column 10 Min Dry Max Production
production: Column 11 Min InjectionZone Max SecondaryProductionZone
use2: Column 12 Min Dry Max Production
lt750mstatus: Column 13 Min Dry Max Production
normal: Column 14 Min -100.6743850708 Max 156.40034484863
dilation: Column 15 Min -0.000240148059675 Max 0.0002483890857548
coulomb: Column 16 Min -44.226177215576 Max 105.31118774414
shear: Column 17 Min -104.33931732178 Max 87.588310241699
faults: Column 18 Min 0 Max 1
td: Column 19 Min 0.0 Max 1.0
ts: Column 20 Min 0.0 Max 0.4
curve: Column 21 Min 0.0 Max 0.0028201111126691

47-element Array{Any,1}:
"15-12"
"17-31"
"18-1"
"18-31"
"18A-1"
"18B-31"
"18D-31"
"22-13"
"26-12"
```

```

"27-1"
"46-1"
"46A-1"
"47A-1"

"B5A"
"B6"
"B7"
"B8"
"BCH-1"
"BCH-2"
"BCH-3"
"EE-1"
"MG-1(SP-1)"
"MG-2(SP-2)"
"MGI-1"
"MGI-2"

modeltemp: Column 22 Min 19.935361862183 Max 211.10404968262
faultdense: Column 23 Min 0.2445030361414 Max 68.830604553223
faultintdense: Column 24 Min 0.0004273319500498 Max 26.058692932129
inv_distfaults: Column 25 Min 0.0 Max 524.44979986751
inv_distcontacts: Column 26 Min 0.0 Max 788.70471191407
unitthick: Column 27 Min 0.0 Max 829.723
goodlith: Column 28 Min 0 Max 1
wellid: Column 1 Unique entries:

2482-element Array{Any,1}:
 0
 1
 2
 3
 4
 5
 6
 7
 8
 9
10
11
12

2203
2204
2205.001
2206
2207
2208
2209

```

2210.001
2211
2212
2213
2213.723

md: Column 2 Unique entries:

5965-element Array{Any,1}:

0
0.001
0.002
0.003
0.005
0.009
0.01
0.011
0.012
0.013
0.014
0.015
0.016

359.663
359.702
359.705
359.746
359.794
359.836
359.877
359.902
359.916
359.954
359.969
359.991

7680-element Array{Any,1}:

0
0.035
0.103
0.163
0.176
0.216
0.22
0.275
0.336
0.382
0.398
0.451

0.462

359.348
359.358
359.44
359.458
359.521
359.533
359.538
359.598
359.616
359.798
359.89
359.963

9381-element Array{Any,1}:

326859.34
326889
326907.12
326907.121
326907.122
326907.123
326907.124
326907.126
326907.128
326907.13
326907.133
326907.136
326907.139

328194.089
328194.09
328214.13
328229.72
328398.2
328528.63
328567.28
328598.76
328751.91
328791.32
328801.97
328813.04

9349-element Array{Any,1}:

4.4051245e6
4.40544507e6
4.40579963e6
4.40596877e6
4.40600409e6

4.406004091e6
4.406004092e6
4.406004093e6
4.406004094e6
4.406004095e6
4.406004096e6
4.406004097e6
4.406004098e6

4.407754196e6
4.407754581e6
4.40795433e6
4.40800628e6
4.40843124e6
4.40851194e6
4.40855648e6
4.40862911e6
4.40871144e6
4.40871725e6
4.40882204e6
4.40887416e6

32247-element Array{Any,1}:

-923.476
-922.98
-922.689
-922.45
-921.846
-920.943
-920.04
-919.137
-918.235
-917.333
-916.43
-915.527
-914.625

1274.81
1274.94
1275.12
1275.29
1275.75
1275.81
1275.94
1276.12
1276.29
1276.75
1276.81

1277.29

azimuth: Column 3 Unique entries:
inclination: Column 4 Unique entries:
x: Column 5 Unique entries:
y: Column 6 Unique entries:
z: Column 7 Unique entries:

3-element Array{Any,1}:
"Cased"
"Open"
"Slotted"

3-element Array{Any,1}:
"Flowing"
"NoFlow"
"NotFlowing"

4-element Array{Any,1}:
"Dry"
"Injection"
"PrimaryProduction"
"Production"

4-element Array{Any,1}:
"InjectionZone"
"NoFlow"
"PrimaryProductionZone"
"SecondaryProductionZone"

casing: Column 8 Unique entries:
fluids: Column 9 Unique entries:
use: Column 10 Unique entries:
production: Column 11 Unique entries:

3-element Array{Any,1}:
"Dry"
"Injection"
"Production"

3-element Array{Any,1}:
"Dry"
"Injection"
"Production"

34981-element Array{Any,1}:
-100.6743850708
-100.673828125
-100.67253875732
-100.67088317871
-100.66828155518
-100.66556549072

-100.66159057617
-100.65789031982
-100.65245819092
-100.6478729248
-100.64087677002
-100.63552856445
-100.62683105469

153.09405517578
153.41345214844
153.7287902832
154.04025268555
154.34797668457
154.6520690918
154.95252990723
155.24934387207
155.54254150391
155.83210754395
156.11804199219
156.40034484863

34987-element Array{Any,1}:

-0.000240148059675
-0.000240147914155
-0.000240147172008
-0.000240146750002
-0.000240145280259
-0.000240144552663
-0.000240142355324
-0.00024014133669
-0.000240138397203
-0.000240137116634
-0.000240133435
-0.000240131863393
-0.000240127439611

0.0002447074803058
0.0002447261067573
0.0002451444452163
0.0002452681073919
0.0002455763460603
0.0002458038507029
0.0002460031828377
0.0002463333948981
0.0002468566817697
0.0002473737113178
0.00024788454175
0.0002483890857548

```
use2: Column 12 Unique entries:  
lt750mstatus: Column 13 Unique entries:  
normal: Column 14 Unique entries:  
dilation: Column 15 Unique entries:
```

```
34967-element Array{Any,1}:
```

```
-44.226177215576  
-44.060958862305  
-44.040775299072  
-44.040149688721  
-44.039539337158  
-44.037845611572  
-44.036636352539  
-44.033767700195  
-44.031883239746  
-44.028003692627  
-44.025279998779  
-44.020561218262  
-44.016845703125
```

```
104.53256225586  
104.54156494141  
104.55010986328  
104.55821228027  
104.56585693359  
104.57305145264  
104.63977813721  
104.77731323242  
104.9132232666  
105.04750061035  
105.18015289307  
105.31118774414
```

```
34981-element Array{Any,1}:
```

```
-104.33931732178  
-104.33917236328  
-104.33711242676  
-104.33673095703  
-104.33235168457  
-104.33205413818  
-104.32529449463  
-104.32475280762  
-104.31578826904  
-104.31571960449  
-104.30475616455  
-104.30313110352  
-104.2912902832
```

87.164611816406

```
87.209342956543  
87.252738952637  
87.294860839844  
87.335746765137  
87.375434875488  
87.413917541504  
87.451202392578  
87.487281799316  
87.522155761719  
87.55583190918  
87.588310241699
```

```
2-element Array{Any,1}:
```

```
0  
1
```

```
10676-element Array{Any,1}:
```

```
0  
0.11799113452435  
0.14923796057701  
0.15205390751362  
0.15496139228344  
0.16140922904015  
0.16673655807972  
0.17388172447681  
0.17679633200169  
0.17838226258755  
0.18031936883926  
0.18279492855072  
0.18584255874157
```

```
0.95848602056503  
0.95974713563919  
0.96373718976974  
0.96613895893097  
0.96952033042908  
0.97369962930679  
0.97621542215347  
0.98268735408783  
0.9892275929451  
0.9904550909996  
0.99557024240494  
1
```

```
9007-element Array{Any,1}:
```

```
0  
0.087840177118778  
0.091098383069038  
0.092407882213593
```

```
0.096477940678596  
0.096891812980175  
0.097081169486046  
0.097131200134754  
0.098372466862202  
0.10165121406317  
0.10244186967611  
0.10283876210451  
0.10295303165913
```

```
0.3998741209507  
0.39990851283073  
0.3999188542366  
0.39992380142212  
0.39993488788605  
0.39998385310173  
0.39998802542686  
0.39999052882195  
0.39999303221703  
0.39999756217003  
0.39999777078629  
0.4
```

```
10157-element Array{Any,1}:
```

```
0  
1.377035459882e-6  
2.060575752694e-6  
2.769769935185e-6  
3.423073621889e-6  
3.490062226774e-6  
3.515589924064e-6  
4.223607902532e-6  
4.990432898921e-6  
5.854992650711e-6  
6.867431238788e-6  
7.028957497823e-6  
7.064185865602e-6
```

```
0.0027199159376323  
0.0027221064083278  
0.0027268228586763  
0.0027273003943264  
0.0027362606488168  
0.0027496886905283  
0.0027521136216819  
0.0027580843307078  
0.0027634077705443  
0.0027840670663863
```

```
0.0028071003034711  
0.0028201111126691  
  
coulomb: Column 16 Unique entries:  
shear: Column 17 Unique entries:  
faults: Column 18 Unique entries:  
td: Column 19 Unique entries:  
ts: Column 20 Unique entries:  
curve: Column 21 Unique entries:
```

```
34051-element Array{Any,1}:
```

```
19.935361862183  
20.744554519653  
20.875152587891  
20.880397796631  
21.007032394409  
21.1403465271  
21.274843215942  
21.409343719482  
21.542518615723  
21.674077987671  
21.804132461548  
21.932481765747  
21.953189849854
```

```
211.03363037109  
211.0478515625  
211.05171203613  
211.05932617188  
211.06907653809  
211.07919311523  
211.08502197266  
211.08833312988  
211.09809875488  
211.09963989258  
211.10243225098  
211.10404968262
```

```
34942-element Array{Any,1}:
```

```
0.2445030361414  
0.24515467882156  
0.2453466206789  
0.24580323696136  
0.24644432961941  
0.24707356095314  
0.24749314785004  
0.24769507348537  
0.24831020832062  
0.24891456961632
```

0.24949039518833
0.24951182305813
0.24985438585281

68.820022583008
68.823181152344
68.823387145996
68.82585144043
68.826110839844
68.827896118164
68.828178405762
68.829360961914
68.829605102539
68.830253601074
68.830406188965
68.830604553223

34973-element Array{Any,1}:

0.0004273319500498
0.0004274636157788
0.0004287812043913
0.0004294518730603
0.0004297314735595
0.0004349886439741
0.0004404290521052
0.0004457517934497
0.0004509270656854
0.0004559562075883
0.0004608305171132
0.0004655292141251
0.0004700521240011

26.052576065063
26.054138183594
26.054559707642
26.055700302124
26.056158065796
26.056926727295
26.057367324829
26.05782699585
26.058187484741
26.058418273926
26.058624267578
26.058692932129

34998-element Array{Any,1}:

0
0.14923977940998
0.25690020147999

```

0.29942775276993
0.44978606032998
0.59949898028003
0.74969664421997
0.86202767783993
0.90060913749994
1.05094159304
1.20164921508
1.35305688951
1.42706153879

524.43178380321
524.43272050194
524.43458434838
524.43461689776
524.43469630614
524.43844968037
524.43903237114
524.44025173764
524.44131276638
524.44259000193
524.44683307473
524.44979986751

modeltemp: Column 22 Unique entries:
faultdense: Column 23 Unique entries:
faultintdense: Column 24 Unique entries:
inv_distfaults: Column 25 Unique entries:

34698-element Array{Any,1}:
0
0.43933105469
0.62432861329
0.75549316407
1.27478027344
2.1298828125
2.98522949219
3.84057617188
4.69488525391
5.5492553711
6.40478515625
7.26013183594
8.11462402344

788.69079589844
788.69274902344
788.69555664063
788.69580078126
788.69665527344

```

```
788.69879150391
788.70031738282
788.70166015626
788.70178222657
788.70275878907
788.70385742188
788.70471191407
```

```
7470-element Array{Any,1}:
```

```
0
0.4139404296875
1.0655517578125
1.2747802734375
1.365478515625
1.6517333984375
1.803955078125
2.0863037109375
2.7310791015625
2.7896728515625
2.972412109375
3.065185546875
3.13037109375
```

```
519.43890380859
519.45367431641
519.46875
519.48352050781
519.49862670898
519.51354980469
545.82562255859
545.82563781738
558.01470947266
632.88
642.688
829.723
```

```
2-element Array{Any,1}:
```

```
0
1
```

```
inv_distcontacts: Column 26 Unique entries:
```

```
unitthick: Column 27 Unique entries:
```

```
goodlith: Column 28 Unique entries:
```

0.3.9 Get well locations and production

```
[10]: locations = unique(sort(d[:,1]))
ii = convert.(Int64, round.(d[:,2]))
zi = unique(sort(ii))

xcoord = Vector{Float64}(undef, length(locations))
ycoord = Vector{Float64}(undef, length(locations))
production = Vector{String}(undef, length(locations))
for (j, w) in enumerate(locations)
    iw = d[:, 1] .== w
    i = findmin(d[iw, 2])[2]
    xcoord[j] = d[iw, 5][i]
    ycoord[j] = d[iw, 6][i]
    production[j] = unique(d[iw, pr])[end]
end
```

0.3.10 Define well types

```
[11]: welltype = Vector{Symbol}(undef, length(locations))
for (j, w) in enumerate(locations)
    iw = d[:, 1] .== w
    welltype[j] = Symbol(unique(d[iw, indexin(["lt750mstatus"], ↴
    ↴attributes_short)))[1])
end
```

0.3.11 Display information about processed well attributes

```
[12]: for i = ai
    println("#(attributes_col[i]): $i")
    display(unique(sort(convert.(Float64, d[:,i]))))
end
```

```
34981-element Array{Float64,1}:
-100.6743850708
-100.673828125
-100.67253875732
-100.67088317871
-100.66828155518
-100.66556549072
-100.66159057617
-100.65789031982
-100.65245819092
-100.6478729248
-100.64087677002
-100.63552856445
-100.62683105469
```

```
153.09405517578
153.41345214844
153.7287902832
154.04025268555
154.34797668457
154.6520690918
154.95252990723
155.24934387207
155.54254150391
155.83210754395
156.11804199219
156.40034484863

normal: 14

34987-element Array{Float64,1}:
-0.000240148059675
-0.000240147914155
-0.000240147172008
-0.000240146750002
-0.000240145280259
-0.000240144552663
-0.000240142355324
-0.00024014133669
-0.000240138397203
-0.000240137116634
-0.000240133435
-0.000240131863393
-0.000240127439611

0.0002447074803058
0.0002447261067573
0.0002451444452163
0.0002452681073919
0.0002455763460603
0.0002458038507029
0.0002460031828377
0.0002463333948981
0.0002468566817697
0.0002473737113178
0.00024788454175
0.0002483890857548

34967-element Array{Float64,1}:
-44.226177215576
-44.060958862305
-44.040775299072
-44.040149688721
-44.039539337158
```

```
-44.037845611572  
-44.036636352539  
-44.033767700195  
-44.031883239746  
-44.028003692627  
-44.025279998779  
-44.020561218262  
-44.016845703125
```

```
104.53256225586  
104.54156494141  
104.55010986328  
104.55821228027  
104.56585693359  
104.57305145264  
104.63977813721  
104.77731323242  
104.9132232666  
105.04750061035  
105.18015289307  
105.31118774414
```

```
34981-element Array{Float64,1}:
```

```
-104.33931732178  
-104.33917236328  
-104.33711242676  
-104.33673095703  
-104.33235168457  
-104.33205413818  
-104.32529449463  
-104.32475280762  
-104.31578826904  
-104.31571960449  
-104.30475616455  
-104.30313110352  
-104.2912902832
```

```
87.164611816406  
87.209342956543  
87.252738952637  
87.294860839844  
87.335746765137  
87.375434875488  
87.413917541504  
87.451202392578  
87.487281799316  
87.522155761719  
87.55583190918
```

```
87.588310241699

2-element Array{Float64,1}:
0.0
1.0

10676-element Array{Float64,1}:
0.0
0.11799113452435
0.14923796057701
0.15205390751362
0.15496139228344
0.16140922904015
0.16673655807972
0.17388172447681
0.17679633200169
0.17838226258755
0.18031936883926
0.18279492855072
0.18584255874157

0.95848602056503
0.95974713563919
0.96373718976974
0.96613895893097
0.96952033042908
0.97369962930679
0.97621542215347
0.98268735408783
0.9892275929451
0.9904550909996
0.99557024240494
1.0

9007-element Array{Float64,1}:
0.0
0.087840177118778
0.091098383069038
0.092407882213593
0.096477940678596
0.096891812980175
0.097081169486046
0.097131200134754
0.098372466862202
0.10165121406317
0.10244186967611
0.10283876210451
0.10295303165913
```

```
0.3998741209507
0.39990851283073
0.3999188542366
0.39992380142212
0.39993488788605
0.39998385310173
0.39998802542686
0.39999052882195
0.39999303221703
0.39999756217003
0.39999777078629
0.4

10157-element Array{Float64,1}:
0.0
1.377035459882e-6
2.060575752694e-6
2.769769935185e-6
3.423073621889e-6
3.490062226774e-6
3.515589924064e-6
4.223607902532e-6
4.990432898921e-6
5.854992650711e-6
6.867431238788e-6
7.028957497823e-6
7.064185865602e-6

0.0027199159376323
0.0027221064083278
0.0027268228586763
0.0027273003943264
0.0027362606488168
0.0027496886905283
0.0027521136216819
0.0027580843307078
0.0027634077705443
0.0027840670663863
0.0028071003034711
0.0028201111126691

34051-element Array{Float64,1}:
19.935361862183
20.744554519653
20.875152587891
20.880397796631
21.007032394409
21.1403465271
21.274843215942
```

```
21.409343719482  
21.542518615723  
21.674077987671  
21.804132461548  
21.932481765747  
21.953189849854
```

```
211.03363037109  
211.0478515625  
211.05171203613  
211.05932617188  
211.06907653809  
211.07919311523  
211.08502197266  
211.08833312988  
211.09809875488  
211.09963989258  
211.10243225098  
211.10404968262
```

```
34942-element Array{Float64,1}:
```

```
0.2445030361414  
0.24515467882156  
0.2453466206789  
0.24580323696136  
0.24644432961941  
0.24707356095314  
0.24749314785004  
0.24769507348537  
0.24831020832062  
0.24891456961632  
0.24949039518833  
0.24951182305813  
0.24985438585281
```

```
68.820022583008  
68.823181152344  
68.823387145996  
68.82585144043  
68.826110839844  
68.827896118164  
68.828178405762  
68.829360961914  
68.829605102539  
68.830253601074  
68.830406188965  
68.830604553223
```

```
dilation: 15
```

```

coulomb: 16
shear: 17
faults: 18
td: 19
ts: 20
curve: 21
modeltemp: 22
faultdense: 23

34973-element Array{Float64,1}:
 0.0004273319500498
 0.0004274636157788
 0.0004287812043913
 0.0004294518730603
 0.0004297314735595
 0.0004349886439741
 0.0004404290521052
 0.0004457517934497
 0.0004509270656854
 0.0004559562075883
 0.0004608305171132
 0.0004655292141251
 0.0004700521240011

26.052576065063
26.054138183594
26.054559707642
26.055700302124
26.056158065796
26.056926727295
26.057367324829
26.05782699585
26.058187484741
26.058418273926
26.058624267578
26.058692932129

34998-element Array{Float64,1}:
 0.0
 0.14923977940998
 0.25690020147999
 0.29942775276993
 0.44978606032998
 0.59949898028003
 0.74969664421997
 0.86202767783993
 0.90060913749994
 1.05094159304
 1.20164921508

```

```
1.35305688951  
1.42706153879
```

```
524.43178380321  
524.43272050194  
524.43458434838  
524.43461689776  
524.43469630614  
524.43844968037  
524.43903237114  
524.44025173764  
524.44131276638  
524.44259000193  
524.44683307473  
524.44979986751
```

```
34698-element Array{Float64,1}:
```

```
0.0  
0.43933105469  
0.62432861329  
0.75549316407  
1.27478027344  
2.1298828125  
2.98522949219  
3.84057617188  
4.69488525391  
5.5492553711  
6.40478515625  
7.26013183594  
8.11462402344
```

```
788.69079589844  
788.69274902344  
788.69555664063  
788.69580078126  
788.69665527344  
788.69879150391  
788.70031738282  
788.70166015626  
788.70178222657  
788.70275878907  
788.70385742188  
788.70471191407
```

```
7470-element Array{Float64,1}:
```

```
0.0  
0.4139404296875  
1.0655517578125  
1.2747802734375
```

```
1.365478515625
1.6517333984375
1.803955078125
2.0863037109375
2.7310791015625
2.7896728515625
2.972412109375
3.065185546875
3.13037109375
```

```
519.43890380859
519.45367431641
519.46875
519.48352050781
519.49862670898
519.51354980469
545.82562255859
545.82563781738
558.01470947266
632.88
642.688
829.723
```

```
faultintdense: 24
inv_distfaults: 25
inv_distcontacts: 26
unitthick: 27
```

0.3.12 Collect the well data into a 3D tensor

Tensor indices (dimensions) define depths, attributes, and wells.

```
[13]: T = Array{Float64}(undef, length(zi), length(ai), length(locations))
T .= NaN

for w = 1:length(locations)
    iw = d[:, 1] .== locations[w]
    m = d[iw, ai]
    zw = ii[iw]
    for z = 1:length(zw)
        a = vec(m[z, :])
        s = length(a)
        if s == 0
            continue
        end
        T[zw[z] + 1, 1:s, w] .= a
    end
end
```

0.3.13 Define the maximum depth

The maximum depth limits the depth of the data included in the analyses.

The maximum depth is set to 750 m.

```
[14]: depth = 750;
```

0.3.14 Normalize tensor slices associated with each attribute

```
[15]: Tn = deepcopy(T[1:depth,:,:])
for a = 1:length(ai)
    Tn[:,a,:], _, _ = NMFk.normalize!(Tn[:,a,:])
end
```

0.3.15 Define problem setup variables

```
[16]: nruns = 1000 # number of random NMF runs
nkrange = 2:8 # range of k values explored by the NMFk algorithm

casename = "set00-v9-inv" # casename of the performed ML analyses
figuredir = "figures-$(casename)-$(depth)" # directory to store figures
# associated with the performed ML analyses
resultdir = "results-$(casename)-$(depth)"; # directory to store results
# associated with the performed ML analyses
```

0.3.16 Plot well data

```
[17]: nlocations = length(locations)
hovertext = Vector{String}(undef, nlocations)
for i = 1:nlocations
    hovertext[i] = join(map(j->("$(attributes_process_long[j]):"
        →$(round(float.(NMFk.meannan(T[:,j,i])); sigdigits=3))<br>"), 1:
        →length(attributes_process_long)))
end

NMFk.plot_wells("map/dataset-$(casename).html", xcoord, ycoord, String.
    →(welltype); hover=locations .* "<br>" .* String.(welltype) .* "<br>" .*_
    →production .* "<br>" .* hovertext, title="Brady site: Data")
```

A HTML file named [..../map/dataset-set00-v9-inv.html](#) is generated mapping the site data.

The map provides interactive visualization of the site data (it can be also opened with any browser).

The map shows the location of the Dry, Injection and Production wells.

```
<iframe src="..../map/dataset-set00-v9-inv.html" frameborder="0" height="400" width="50%"></i
```

0.4 Perform ML analyses

For the ML analyses, the data tensor can be flatten into a data matrix by using two different approaches:

- Type 1: Merge depth and attribute tensor dimensions; in this way, the focus of the ML analysis is on finding the features associated with the well locations
- Type 2: Merge depth and location tensor dimensions; in this way, the focus of the ML analysis is on finding the features associated with the well attributes

After that the **NMFk** algorithm will factorize the data matrix X into W and H matrices. For more information, check out the [NMFk website](#)

0.4.1 Type 1 flattening: Focus on well locations

Flatten the tensor into a matrix

```
[18]: Xdaln = reshape(Tn, (depth * length(attributes_process)), length(locations));
```

Matrix rows merge the depth and attribute dimensions.

Matrix cols represent the well locations.

Perform NMFk analyses

```
[19]: W, H, fitquality, robustness, aic = NMFk.execute(Xdaln, nkrange, nrunc; ↴  
    ↴resultdir=resultdir, casefilename="nmfk-daln-$(join(size(Xdaln), '_'))", ↴  
    ↴load=true)  
W, H, fitquality, robustness, aic = NMFk.load(nkrange, nrunc; ↴  
    ↴resultdir=resultdir, casefilename="nmfk-daln-$(join(size(Xdaln), '_'))");
```

```
Signals: 2 Fit: 17906.11 Silhouette: 0.6571116 AIC: -944054.7  
Signals: 3 Fit: 15067.48 Silhouette: 0.2121185 AIC: -981003.7  
Signals: 4 Fit: 12811.86 Silhouette: -0.03854946 AIC: -1014443  
Signals: 5 Fit: 10966.81 Silhouette: 0.4108927 AIC: -1045640  
Signals: 6 Fit: 9570.522 Silhouette: 0.4704617 AIC: -1070343  
Signals: 7 Fit: 8398.009 Silhouette: -0.2070509 AIC: -1093198  
Signals: 8 Fit: 7428.398 Silhouette: -0.2601539 AIC: -1113361  
Signals: 2 Fit: 17906.11 Silhouette: 0.6571116 AIC: -944054.7  
Signals: 3 Fit: 15067.48 Silhouette: 0.2121185 AIC: -981003.7  
Signals: 4 Fit: 12811.86 Silhouette: -0.03854946 AIC: -1014443  
Signals: 5 Fit: 10966.81 Silhouette: 0.4108927 AIC: -1045640  
Signals: 6 Fit: 9570.522 Silhouette: 0.4704617 AIC: -1070343  
Signals: 7 Fit: 8398.009 Silhouette: -0.2070509 AIC: -1093198  
Signals: 8 Fit: 7428.398 Silhouette: -0.2601539 AIC: -1113361
```

```
Info: Results  
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkExecute.jl:15  
Info: Optimal solution: 6 signals  
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkExecute.jl:20
```

```
Signals: 2 Fit: 17906.11 Silhouette: 0.6571116 AIC: -944054.7  
Signals: 3 Fit: 15067.48 Silhouette: 0.2121185 AIC: -981003.7  
Signals: 4 Fit: 12811.86 Silhouette: -0.03854946 AIC: -1014443
```

```

Signals: 5 Fit:      10966.81 Silhouette:      0.4108927 AIC:      -1045640
Signals: 6 Fit:      9570.522 Silhouette:      0.4704617 AIC:      -1070343
Signals: 7 Fit:      8398.009 Silhouette:     -0.2070509 AIC:      -1093198
Signals: 8 Fit:      7428.398 Silhouette:     -0.2601539 AIC:      -1113361

Info: Optimal solution: 6 signals
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkIO.jl:30

```

Here, the **NMFk** results are loaded from a prior ML runs.

As seen from the output above, the **NMFk** analyses identified that the optimal number of geothermal signatures in the dataset **6**.

Solutions with a number of signatures less than **6** are underfitting.

Solutions with a number of signatures greater than **6** are overfitting and unacceptable.

The set of acceptable solutions are defined as follows:

```
[20]: NMFk.getks(nkrange, robustness[nkrange])
```


```
[20]: 3-element Array{Int64,1}:
 2
 5
 6
```

The acceptable solutions contain 2, 5 and 6 signatures.

Post-process NMFk results

Number of signatures Plot representing solution quality (fit) and silhouette width (robustness) for different number of signatures k:

```
[21]: NMFk.plot_signal_selecton(nkrange, fitquality, robustness;
    ↪figuredir="$figuredir-$nrungs-daln", xtitle="Number of signatures")
```



The plot above also demonstrates that the acceptable solutions contain 2, 5 and 6 signatures.

Analysis of all the acceptable solutions The ML solutions containing an acceptable number of signatures are further analyzed as follows:

```
[22]: NMFk.clusterresults(NMFk.getks(nkrange, robustness[nkrange]), W, H,  
    ↪attributes_process_long, locations; loadassaignements=true, lon=xcoord,  
    ↪lat=ycoord, Wsize=depth, Wcasefilename="attributes",  
    ↪Hcasefilename="locations", resultdir=resultdir * "-$(nrungs)-daln",  
    ↪figuredir=figuredir * "-$(nrungs)-daln", hover="Well: " .* locations .*  
    ↪"  
    ↪" <br> " .* "WellType: " .* String.(welltype) .* "<br>" .* production,  
    ↪Wmatrix_font_size=4Gadfly.pt, biplotcolor=:WH, biplotlabel=:WH)
```

```
Info: Number of signals: 2  
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:144
```

Signal importance (high->low): [2, 1]

```
Info: Locations (signals=2)  
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:148  
Warning: type  
Clustering.KmeansResult{Core.Array{Core.Float64,2},Core.Float64,Core.Int64} not  
present in workspace; reconstructing  
@ JLD /Users/vvv/.julia/packages/JLD/nQ9iW/src/jld_types.jl:697  
Info: Robust k-means analysis results are loaded from file results-  
set00-v9-inv-750-1000-daln/Hmatrix-2-2_47-1000.jld!  
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkCluster.jl:67  
Warning: Procedure to find unique signals could not identify a solution ...  
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkCluster.jl:158  
Warning: Procedure to find unique signals could not identify a solution ...  
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkCluster.jl:158  
Warning: type  
Clustering.KmeansResult{Core.Array{Core.Float64,2},Core.Float64,Core.Int64} not  
present in workspace; reconstructing  
@ JLD /Users/vvv/.julia/packages/JLD/nQ9iW/src/jld_types.jl:697  
Info: Robust k-means analysis results are loaded from file results-  
set00-v9-inv-750-1000-daln/Wmatrix-2-2_14-1000.jld!  
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkCluster.jl:67  
Warning: Procedure to find unique signals could not identify a solution ...  
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkCluster.jl:158  
Warning: Procedure to find unique signals could not identify a solution ...  
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkCluster.jl:158  
Info: Signal A -> A Count: 24  
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:255
```

```

24×2 Array{Any,2}:
"MG1-2"      1.0
"B7"        0.971874
"MG-2(SP-2)" 0.957147
"64-1"       0.906381
"B4"         0.902571
"B6"         0.897107
"B5"         0.874384
"MG-1(SP-1)" 0.828417
"B3"         0.82034
"68A-1"      0.80013
"B5A"        0.78864
"MG1-1"      0.732217
"68B-1"      0.696522
"77-1"       0.655878
"17-31"      0.57376
"B8"         0.528089
"55-1"       0.491206
"EE-1"        0.487324
"56-1"       0.455524
"57-1"       0.43842
"56B-1"      0.413443
"18-1"        0.395716
"18A-1"      0.370733
"22-13"      0.269227

```

```

Info: Signal B -> B Count: 23
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:255
Info: Signal A (S1) (k-means clustering)
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:272

```


```
23×2 Array{Any,2}:
```

```


"18-31"      1.0
"18B-31"     0.960836
"56A-1"      0.878124
"81-1"        0.859001
"48A-1"      0.849051
"81A-1"      0.838298
"47C-1"      0.826181
"B2"         0.804453
"81B-1"      0.796872
"46-1"        0.765556
"46A-1"      0.763833
"BCH-3"      0.735382
"18D-31"     0.726398
"15-12"      0.719203
"27-1"        0.66714
"81-11"      0.659873
"88-11"      0.641011


```


"BCH-1"	0.61491
"B1"	0.58518
"47A-1"	0.533141
"BCH-2"	0.494268
"26-12"	0.482354
"82A-11"	0.354477




Info: Signal B (S2) (k-means clustering)
 © NMFK /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:272










```

1x2 Array{Any,2}:
 "Inverse distance from contacts"  0.619519

13x2 Array{Any,2}:
 "Unit thickness"                  1.0
 "Inverse distance from faults"   0.957468
 "Fault density"                 0.761708
 "Coulomb shear stress"          0.74607
 "Normal stress"                 0.737061
 "Faulting"                      0.706576
 "Fault intersection density"    0.702918
 "Dilation"                      0.635119

```

"Fault dilation tendency"	0.605243
"Fault curvature"	0.538705
"Lithology"	0.488473
"Fault slip tendency"	0.41415
"Temperature"	0.131901




```


Info: Attributes (signals=2)
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:322
Info: Signal A (S2) Count: 13
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:335
Info: Signal B (S1) Count: 1
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:335
Info: Signal B -> A Count: 1
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:345


```


```
Info: Signal A -> B Count: 13
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:345
Info: Signal A (remapped k-means clustering)
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:360
Info: Signal B (remapped k-means clustering)
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:360
```














Signal importance (high->low): [1, 3, 5, 4, 2]

```

Info: Number of signals: 5
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:144
Info: Locations (signals=5)
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:148
Warning: type
Clustering.KmeansResult{Core.Array{Core.Float64,2},Core.Float64,Core.Int64} not
present in workspace; reconstructing
@ JLD /Users/vvv/.julia/packages/JLD/nQ9iW/src/jld_types.jl:697
Info: Robust k-means analysis results are loaded from file results-
set00-v9-inv-750-1000-daln/Hmatrix-5-5_47-1000.jld!
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkCluster.jl:67
Warning: Procedure to find unique signals could not identify a solution ...

```

```

@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkCluster.jl:158
Warning: Procedure to find unique signals could not identify a solution ...
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkCluster.jl:158
Warning: Procedure to find unique signals could not identify a solution ...
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkCluster.jl:158
Warning: Procedure to find unique signals could not identify a solution ...
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkCluster.jl:158
Warning: Procedure to find unique signals could not identify a solution ...
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkCluster.jl:158
Warning: type
Clustering.KmeansResult{Core.Array{Core.Float64,2},Core.Float64,Core.Int64} not
present in workspace; reconstructing
@ JLD /Users/vvv/.julia/packages/JLD/nQ9iW/src/jld_types.jl:697
Info: Robust k-means analysis results are loaded from file results-
set00-v9-inv-750-1000-daln/Wmatrix-5-5_14-1000.jld!
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkCluster.jl:67

11×2 Array{Any,2}:
"MG-2(SP-2)" 1.0
"56-1" 0.833071
"18-31" 0.803582
"18B-31" 0.79762
"64-1" 0.771609
"57-1" 0.731212
"17-31" 0.675958
"81B-1" 0.638129
"18D-31" 0.542359
"55-1" 0.482608
"22-13" 0.384279

11×2 Array{Any,2}:
"68A-1" 1.0
"MG-1(SP-1)" 0.760228
"B7" 0.583165
"B3" 0.579901
"B4" 0.559561
"MG1-2" 0.550751
"68B-1" 0.549639
"B6" 0.533677
"77-1" 0.51494
"B5A" 0.492662
"B5" 0.444441

9×2 Array{Any,2}:
"56B-1" 1.0
"B2" 0.952516
"EE-1" 0.837563
"48A-1" 0.787595
"B8" 0.779397

```


```
"B1"      0.711321  
"47C-1"   0.625562  
"81-11"   0.574423  
"47A-1"   0.549964
```

8×2 Array{Any,2}:

```
"18-1"    1.0  
"82A-11"  0.947022  
"18A-1"   0.723864  
"88-11"   0.57605  
"15-12"   0.515703  
"BCH-3"   0.472471  
"27-1"    0.439353  
"56A-1"   0.3504
```

8×2 Array{Any,2}:

```
"26-12"  0.82344  
"BCH-2"  0.822391  
"BCH-1"  0.766974  
"46A-1"  0.586862  
"81-1"   0.570404  
"81A-1"  0.545145  
"46-1"   0.529248  
"MGI-1"  0.456212
```



```


Warning: Procedure to find unique signals could not identify a solution ...
@ NMFK /Users/vvv/.julia/dev/NMFk/src/NMFkCluster.jl:158
Warning: Procedure to find unique signals could not identify a solution ...
@ NMFK /Users/vvv/.julia/dev/NMFk/src/NMFkCluster.jl:158
Warning: Procedure to find unique signals could not identify a solution ...
@ NMFK /Users/vvv/.julia/dev/NMFk/src/NMFkCluster.jl:158
Info: Signal A -> A Count: 11
@ NMFK /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:255
Info: Signal B -> B Count: 11
@ NMFK /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:255
Info: Signal C -> C Count: 9
@ NMFK /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:255
Info: Signal D -> D Count: 8


```


```


© NMFK /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:255
Info: Signal E -> E Count: 8
© NMFK /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:255
Info: Signal A (S3) (k-means clustering)
© NMFK /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:272
Info: Signal B (S2) (k-means clustering)
© NMFK /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:272
Info: Signal C (S1) (k-means clustering)
© NMFK /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:272
Info: Signal D (S4) (k-means clustering)
© NMFK /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:272
Info: Signal E (S5) (k-means clustering)
© NMFK /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:272

```









7×2 Array{Any,2}:

"Unit thickness"	0.849937
"Inverse distance from faults"	0.680541
"Fault intersection density"	0.629292
"Fault dilation tendency"	0.501789
"Fault curvature"	0.449738
"Fault slip tendency"	0.365781
"Temperature"	0.123165

1×2 Array{Any,2}:

"Inverse distance from contacts" 1.0

3×2 Array{Any,2}:


```

"Faulting"          0.892846
"Fault density"    0.880551
"Dilation"         0.841464

1x2 Array{Any,2}:
 "Lithology"   0.89235

2x2 Array{Any,2}:
 "Coulomb shear stress" 0.826886
 "Normal stress"        0.820471

```





```


Info: Attributes (signals=5)
© NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:322
Info: Signal A (S3) Count: 7
© NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:335


```


```
Info: Signal B (S1) Count: 3
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:335
Info: Signal C (S5) Count: 2
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:335
Info: Signal D (S2) Count: 1
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:335
Info: Signal E (S4) Count: 1
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:335
Info: Signal A -> A Count: 7
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:345
Info: Signal D -> B Count: 1
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:345
Info: Signal B -> C Count: 3
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:345
Info: Signal E -> D Count: 1
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:345
Info: Signal C -> E Count: 2
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:345
Info: Signal A (remapped k-means clustering)
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:360
Info: Signal B (remapped k-means clustering)
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:360
Info: Signal C (remapped k-means clustering)
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:360
Info: Signal D (remapped k-means clustering)
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:360
Info: Signal E (remapped k-means clustering)
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:360
```














Signal importance (high->low): [1, 5, 2, 6, 4, 3]

Info: Number of signals: 6

© NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:144

Info: Locations (signals=6)

© NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:148

Warning: type

Clustering.KmeansResult{Core.Array{Core.Float64,2},Core.Float64,Core.Int64} not present in workspace; reconstructing

© JLD /Users/vvv/.julia/packages/JLD/nQ9iW/src/jld_types.jl:697

Info: Robust k-means analysis results are loaded from file results-set00-v9-inv-750-1000-daln/Hmatrix-6-6_47-1000.jld!

© NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkCluster.jl:67

Warning: Procedure to find unique signals could not identify a solution ...

```

@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkCluster.jl:158
Warning: Procedure to find unique signals could not identify a solution ...
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkCluster.jl:158
Warning: Procedure to find unique signals could not identify a solution ...
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkCluster.jl:158
Warning: Procedure to find unique signals could not identify a solution ...
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkCluster.jl:158
Warning: Procedure to find unique signals could not identify a solution ...
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkCluster.jl:158
Warning: Procedure to find unique signals could not identify a solution ...
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkCluster.jl:158
Warning: type
Clustering.KmeansResult{Core.Array{Core.Float64,2},Core.Float64,Core.Int64} not
present in workspace; reconstructing
@ JLD /Users/vvv/.julia/packages/JLD/nQ9iW/src/jld_types.jl:697

11×2 Array{Any,2}:
"MG-1(SP-1)"  1.0
"68B-1"        0.917059
"77-1"         0.81018
"B5A"          0.794163
"68A-1"        0.771571
"B5"           0.751175
"B6"           0.726543
"MGI-2"        0.712331
"B7"           0.71064
"B4"           0.671091
"B3"           0.643308

10×2 Array{Any,2}:
"82A-11"      1.0
"88-11"        0.708797
"18-1"         0.670833
"27-1"         0.588465
"18A-1"        0.586851
"22-13"        0.530055
"81B-1"        0.490522
"18B-31"       0.450915
"18D-31"       0.439487
"18-31"        0.413683

7×2 Array{Any,2}:
"MG-2(SP-2)"  1.0
"64-1"         0.741999
"MGI-1"        0.701663
"56-1"         0.640372
"57-1"         0.600702
"17-31"        0.512659
"55-1"         0.453248

```

7×2 Array{Any,2}:


"B2"	1.0
"EE-1"	0.68867
"B8"	0.679526
"56B-1"	0.56822
"BCH-2"	0.521776
"B1"	0.342468
"81-11"	0.320946

6×2 Array{Any,2}:

"BCH-3"	1.0
"15-12"	0.904396
"26-12"	0.808831
"BCH-1"	0.795303
"81-1"	0.7272
"81A-1"	0.707665

6×2 Array{Any,2}:

"47C-1"	1.0
"46A-1"	0.943298
"48A-1"	0.903309
"46-1"	0.882457
"47A-1"	0.751523
"56A-1"	0.720315



```


Info: Robust k-means analysis results are loaded from file results-
set00-v9-inv-750-1000-daln/Wmatrix-6-6_14-1000.jld!
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkCluster.jl:67
Warning: Procedure to find unique signals could not identify a solution ...
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkCluster.jl:158
Info: Signal A -> A Count: 11
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:255
Info: Signal B -> B Count: 10
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:255
Info: Signal C -> C Count: 7
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:255
Info: Signal D -> D Count: 7
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:255


```


```


Info: Signal E -> E Count: 6
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:255
Info: Signal F -> F Count: 6
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:255
Info: Signal A (S3) (k-means clustering)
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:272
Info: Signal B (S4) (k-means clustering)
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:272
Info: Signal C (S6) (k-means clustering)
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:272
Info: Signal D (S2) (k-means clustering)
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:272
Info: Signal E (S5) (k-means clustering)
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:272
Info: Signal F (S1) (k-means clustering)
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:272

```









```

1x2 Array{Any,2}:
  "Inverse distance from contacts"  1.0

1x2 Array{Any,2}:
  "Lithology"  0.864227

5x2 Array{Any,2}:
  "Fault intersection density"  0.534767
  "Fault dilation tendency"    0.494983
  "Fault curvature"           0.444422
  "Fault slip tendency"       0.367193
  "Temperature"               0.136511

```


```

2x2 Array{Any,2}:
"Unit thickness"           1.0
"Inverse distance from faults" 0.778501

2x2 Array{Any,2}:
"Normal stress"          0.896801
"Coulomb shear stress"   0.845105

3x2 Array{Any,2}:
"Fault density"    1.0
"Faulting"         0.877916
"Dilation"         0.834909

```





```

Info: Attributes (signals=6)
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:322

```


```
Info: Signal A (S6) Count: 5
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:335
Info: Signal B (S1) Count: 3
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:335
Info: Signal C (S5) Count: 2
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:335
Info: Signal D (S2) Count: 2
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:335
Info: Signal E (S3) Count: 1
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:335
Info: Signal F (S4) Count: 1
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:335
Info: Signal E -> A Count: 1
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:345
Info: Signal F -> B Count: 1
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:345
Info: Signal A -> C Count: 5
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:345
Info: Signal D -> D Count: 2
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:345
Info: Signal C -> E Count: 2
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:345
Info: Signal B -> F Count: 3
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:345
Info: Signal A (remapped k-means clustering)
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:360
Info: Signal B (remapped k-means clustering)
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:360
Info: Signal C (remapped k-means clustering)
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:360
Info: Signal D (remapped k-means clustering)
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:360
Info: Signal E (remapped k-means clustering)
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:360
Info: Signal F (remapped k-means clustering)
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:360
```












This grouping is based on analyses of the attribute matrix W :



Note that the attribute matrix W is automatically modified to account that vertical depths are applied in characterizing the analyzed datasets.

The well locations are also clustered into **6** groups:

This grouping is based on analyses of the location matrix H :



The map [.../figures-set00-v9-inv-750-1000-daln/locations-6-map.html](#) provides interactive visualization of the extracted well location groups (the html file can be also opened with any browser).

```
<iframe src=".../figures-set00-v9-inv-750-1000-daln/locations-6-map.html" frameborder="0" height=
```

More information how the ML results are interpreted to provide geothermal insights is discussed in our research paper.

0.4.2 Type 2 flattening: Focus on well attributes

Flatten the tensor into a matrix

```
[23]: Xdlan = reshape(permutedims(Tn, (1,3,2)), (depth * length(locations)), ↴
    ↴length(attributes_process));
```

Matrix rows merge the depth and well locations dimensions.

Matrix cols represent the well attributes.

Perform NMFk analyses

```
[24]: W, H, fitquality, robustness, aic = NMFk.execute(Xdlan, nkrange, nrungs;
    ↳resultdir=resultdir, casefilename="nmfk-dlan-$(join(size(Xdlan), '_'))",
    ↳load=true)

W, H, fitquality, robustness, aic = NMFk.load(nkrange, nrungs;
    ↳resultdir=resultdir, casefilename="nmfk-dlan-$(join(size(Xdlan), '_'))");
```

```
Signals: 2 Fit: 8717.101 Silhouette: 0.9918721 AIC: -1087260
Signals: 3 Fit: 6319.428 Silhouette: 0.5782437 AIC: -1124899
Signals: 4 Fit: 4843.099 Silhouette: -0.2086358 AIC: -1143846
Signals: 5 Fit: 3526.994 Silhouette: 0.03306949 AIC: -1179956
Signals: 6 Fit: 2430.352 Silhouette: -0.5717948 AIC: -1234661
Signals: 7 Fit: 1649.869 Silhouette: -0.4817311 AIC: -1294388
Signals: 8 Fit: 1182.794 Silhouette: 0.1610176 AIC: -1335780
Signals: 2 Fit: 8717.101 Silhouette: 0.9918721 AIC: -1087260
Signals: 3 Fit: 6319.428 Silhouette: 0.5782437 AIC: -1124899
Signals: 4 Fit: 4843.099 Silhouette: -0.2086358 AIC: -1143846
Signals: 5 Fit: 3526.994 Silhouette: 0.03306949 AIC: -1179956
Signals: 6 Fit: 2430.352 Silhouette: -0.5717948 AIC: -1234661
Signals: 7 Fit: 1649.869 Silhouette: -0.4817311 AIC: -1294388
Signals: 8 Fit: 1182.794 Silhouette: 0.1610176 AIC: -1335780
Signals: 2 Fit: 8717.101 Silhouette: 0.9918721 AIC: -1087260
Signals: 3 Fit: 6319.428 Silhouette: 0.5782437 AIC: -1124899
Signals: 4 Fit: 4843.099 Silhouette: -0.2086358 AIC: -1143846
Signals: 5 Fit: 3526.994 Silhouette: 0.03306949 AIC: -1179956
Signals: 6 Fit: 2430.352 Silhouette: -0.5717948 AIC: -1234661
Signals: 7 Fit: 1649.869 Silhouette: -0.4817311 AIC: -1294388
Signals: 8 Fit: 1182.794 Silhouette: 0.1610176 AIC: -1335780
Info: Results
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkExecute.jl:15
Info: Optimal solution: 3 signals
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkExecute.jl:20
Info: Optimal solution: 3 signals
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkIO.jl:30
```

Here the **NMFk** results are loaded from a prior ML runs.

As seen from the output above, the **NMFk** analyses identified that the optimal number of geothermal signatures in the dataset **3**.

Solutions with a number of signatures less than **3** are underfitting.

Solutions with a number of signatures greater than **3** are overfitting and unacceptable.

The set of acceptable solutions are defined as follows:

```
[25]: NMFk.getks(nkrange, robustness[nkrange])
```


```
[25]: 2-element Array{Int64,1}:
 2
 3
```

The acceptable solutions contain 2 and 3 signatures.

Post-process NMFk results

Number of signatures Plot representing solution quality (fit) and silhouette width (robustness) for different number of signatures k:

```
[26]: NMFk.plot_signal_selecton(nkrange, fitquality, robustness; ↴
    ↪figuredir="$figuredir-$(nrungs)-dlan", xtitle="Number of signatures")
```



The plot above also demonstrates that the acceptable solutions contain 2 and 3 signatures.

Analysis of all the acceptable solutions The ML solutions containing an acceptable number of signatures are further analyzed as follows:

```
[27]: NMFk.clusterresults(NMFk.getks(nkrange, robustness[nkrange]), W, H, locations, ↴
    ↪attributes_process_long; loadassaignements=true, lon=xcoord, lat=ycoord, ↴
    ↪Wsize=depth, Wcasefilename="locations", Hcasefilename="attributes", ↴
    ↪resultdir=resultdir * "-$(nrungs)-dlan", figuredir=figuredir * ↴
    ↪"-$(nrungs)-dlan", hover="Well: " .* locations .* "<br>" .* "WellType: " .* ↴
    ↪String.(welltype) .* "<br>" .* production, Wmatrix_font_size=4Gadfly.pt, ↴
    ↪biplotcolor=:WH, biplotlabel=:WH)
```


```

Signal importance (high->low): [2, 1]
Info: Number of signals: 2
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:144
Info: Attributes (signals=2)
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:148
Warning: type
Clustering.KmeansResult{Core.Array{Core.Float64,2},Core.Float64,Core.Int64} not
present in workspace; reconstructing
@ JLD /Users/vvv/.julia/packages/JLD/nQ9iW/src/jld_types.jl:697
Info: Robust k-means analysis results are loaded from file results-
set00-v9-inv-750-1000-dlan/Hmatrix-2-2_14-1000.jld!
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkCluster.jl:67
Warning: Procedure to find unique signals could not identify a solution ...
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkCluster.jl:158
Warning: Procedure to find unique signals could not identify a solution ...
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkCluster.jl:158
Warning: type
Clustering.KmeansResult{Core.Array{Core.Float64,2},Core.Float64,Core.Int64} not
present in workspace; reconstructing
@ JLD /Users/vvv/.julia/packages/JLD/nQ9iW/src/jld_types.jl:697

10×2 Array{Any,2}:
"Unit thickness"           1.0
"Faulting"                 0.863986
"Fault density"            0.849999
"Inverse distance from faults" 0.792619
"Dilation"                  0.75876
"Normal stress"             0.674322
"Fault intersection density" 0.673763
"Coulomb shear stress"      0.672813
"Lithology"                  0.501336
"Inverse distance from contacts" 0.388519

4×2 Array{Any,2}:
"Fault dilation tendency" 1.0
"Fault curvature"          0.89069
"Fault slip tendency"       0.706146
"Temperature"                0.239306

```





```


Info: Robust k-means analysis results are loaded from file results-
set00-v9-inv-750-1000-dlan/Wmatrix-2-2_47-1000.jld!
@ NMFK /Users/vvv/.julia/dev/NMFK/src/NMFkCluster.jl:67
Warning: Procedure to find unique signals could not identify a solution ...
@ NMFK /Users/vvv/.julia/dev/NMFK/src/NMFkCluster.jl:158
Warning: Procedure to find unique signals could not identify a solution ...
@ NMFK /Users/vvv/.julia/dev/NMFK/src/NMFkCluster.jl:158
Info: Signal A -> A Count: 10
@ NMFK /Users/vvv/.julia/dev/NMFK/src/NMFkPostprocess.jl:255
Info: Signal B -> B Count: 4
@ NMFK /Users/vvv/.julia/dev/NMFK/src/NMFkPostprocess.jl:255
Info: Signal A (S2) (k-means clustering)
@ NMFK /Users/vvv/.julia/dev/NMFK/src/NMFkPostprocess.jl:272


```

Info: Signal B (S1) (k-means clustering)
© NMFK /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:272









```
27×2 Array{Any,2}:
"B8"           1.0
"EE-1"          0.998613
"MG-1(SP-1)"   0.956943
"68A-1"         0.916159
"64-1"          0.864026
"47A-1"         0.859446
"77-1"          0.857345
"MG-2(SP-2)"   0.853707
"27-1"          0.829554
"82A-11"        0.807563
"18A-1"         0.782265
"47C-1"         0.745002
```

"22-13"	0.734719
"88-11"	0.659403
"46A-1"	0.629757
"B5"	0.614479
"46-1"	0.594959
"48A-1"	0.590979
"B1"	0.501909
"56B-1"	0.497064
"26-12"	0.472464
"81-11"	0.416937
"MGI-1"	0.24275
"B3"	0.241753
"B2"	0.127328

20×2 Array{Any,2}:

"56-1"	1.0
"55-1"	0.949937
"57-1"	0.947965
"BCH-3"	0.872622
"15-12"	0.808709
"68B-1"	0.758469
"56A-1"	0.753147
"BCH-1"	0.608981
"B5A"	0.43926
"17-31"	0.366493
"18B-31"	0.348668
"81B-1"	0.320223
"18D-31"	0.298697
"MGI-2"	0.291839
"B4"	0.286734
"18-31"	0.260379
"B6"	0.257226
"81-1"	0.234119
"81A-1"	0.207054
"B7"	0.156777




```


Info: Locations (signals=2)
@ NMFK /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:322
Info: Signal A (S2) Count: 27
@ NMFK /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:335
Info: Signal B (S1) Count: 20
@ NMFK /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:335
Info: Signal A -> A Count: 27
@ NMFK /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:345
Info: Signal B -> B Count: 20
@ NMFK /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:345
Info: Signal A (remapped k-means clustering)
@ NMFK /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:360
Info: Signal B (remapped k-means clustering)


```


© NMFK /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:360














```

Signal importance (high->low): [3, 1, 2]
Info: Number of signals: 3
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:144
Info: Attributes (signals=3)
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:148
Warning: type
Clustering.KmeansResult{Core.Array{Core.Float64,2},Core.Float64,Core.Int64} not
present in workspace; reconstructing
@ JLD /Users/vvv/.julia/packages/JLD/nQ9iW/src/jld_types.jl:697
Info: Robust k-means analysis results are loaded from file results-
set00-v9-inv-750-1000-dlan/Hmatrix-3-3_14-1000.jld!
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkCluster.jl:67
Warning: Procedure to find unique signals could not identify a solution ...

```

```


@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkCluster.jl:158
Warning: Procedure to find unique signals could not identify a solution ...
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkCluster.jl:158
Warning: Procedure to find unique signals could not identify a solution ...
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkCluster.jl:158
Warning: type
Clustering.KmeansResult{Core.Array{Core.Float64,2},Core.Float64,Core.Int64} not
present in workspace; reconstructing
@ JLD /Users/vvv/.julia/packages/JLD/nQ9iW/src/jld_types.jl:697
Info: Robust k-means analysis results are loaded from file results-
set00-v9-inv-750-1000-dlan/Wmatrix-3-3_47-1000.jld!
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkCluster.jl:67

9×2 Array{Any,2}:
"Unit thickness"           1.0
"Faulting"                 0.703863
"Dilation"                  0.652914
"Inverse distance from faults" 0.645557
"Fault density"              0.641279
"Fault intersection density" 0.633706
"Normal stress"                0.558339
"Coulomb shear stress"        0.544241
"Inverse distance from contacts" 0.377979

4×2 Array{Any,2}:
"Fault dilation tendency"   1.0
"Fault curvature"            0.89069
"Fault slip tendency"        0.706146
"Temperature"                  0.239306

1×2 Array{Any,2}:
"Lithology"    1.0

```




```


Warning: Procedure to find unique signals could not identify a solution ...
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkCluster.jl:158
Info: Signal A -> A Count: 9
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:255
Info: Signal B -> B Count: 4
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:255
Info: Signal C -> C Count: 1
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:255
Info: Signal A (S3) (k-means clustering)
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:272
Info: Signal B (S2) (k-means clustering)
@ NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:272
Info: Signal C (S1) (k-means clustering)


```

© NMFK /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:272









```
13×2 Array{Any,2}:
"B8"      1.0
"EE-1"    0.988215
"47A-1"   0.905634
"64-1"    0.867431
"47C-1"   0.79874
"27-1"    0.716696
"46A-1"   0.699196
"46-1"    0.675645
"48A-1"   0.56726
"56B-1"   0.557649
"MGI-1"   0.286221
```


```

"81A-1"  0.24804
"B2"      0.0820308

20×2 Array{Any,2}:
"56-1"      1.0
"55-1"      0.951665
"57-1"      0.947671
"68B-1"     0.759123
"56A-1"     0.752345
"BCH-2"     0.67324
"MG-2(SP-2)" 0.624464
"BCH-1"     0.609265
"B5A"        0.440143
"B5"         0.439178
"17-31"      0.372325
"81-11"      0.353316
"18B-31"     0.351038
"81B-1"      0.32106
"18D-31"     0.302397
"MGI-2"      0.289056
"B4"         0.286007
"18-31"      0.261958
"81-1"       0.234893
"B7"         0.155895

14×2 Array{Any,2}:
"88-11"      1.0
"22-13"      0.890617
"82A-11"     0.886939
"68A-1"       0.878252
"18-1"        0.872381
"77-1"        0.834481
"18A-1"       0.830688
"MG-1(SP-1)" 0.807444
"BCH-3"       0.805676
"15-12"       0.791843
"B1"          0.65222
"26-12"       0.444381
"B6"          0.213355
"B3"          0.212844

```



```


Info: Locations (signals=3)
@ NMFK /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:322
Info: Signal A (S2) Count: 20
@ NMFK /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:335
Info: Signal B (S1) Count: 14
@ NMFK /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:335
Info: Signal C (S3) Count: 13
@ NMFK /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:335
Info: Signal C -> A Count: 13
@ NMFK /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:345
Info: Signal A -> B Count: 20
@ NMFK /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:345
Info: Signal B -> C Count: 14


```


```


© NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:345
Info: Signal A (remapped k-means clustering)
© NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:360
Info: Signal B (remapped k-means clustering)
© NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:360
Info: Signal C (remapped k-means clustering)
© NMFk /Users/vvv/.julia/dev/NMFk/src/NMFkPostprocess.jl:360


```














[27]: ([[2, 1], [3, 2, 1]], [['B', 'B', 'A', 'B', 'A', 'B', 'A', 'A', 'A' ...
 'B', 'A', 'B', 'A', 'B', 'A', 'A', 'A', 'A', 'B'], ['C', 'B', 'C', 'B', 'C', 'C',
 'B', 'B', 'C', 'C', 'A' ... 'B', 'A', 'B', 'B', 'C', 'A', 'C', 'B', 'A', 'B']],
 [['A', 'A', 'A', 'A', 'B', 'B', 'B', 'B', 'A', 'A', 'A', 'A', 'A', 'A'], ['A',
 'A', 'A', 'A', 'B', 'B', 'B', 'B', 'A', 'A', 'A', 'A', 'A', 'C']])

Analysis of the 3-signature solution The results for a solution with **3** signatures presented above will be further discussed here.

The well attributes are clustered into **3** groups:

```
<iframe src="..../results-set00-v9-inv-750-1000-dlan/attributes-3-groups.txt" frameborder="0" he...
```

`width="95%"></iframe>`

This grouping is based on analyses of the attribute matrix W :



Note that the attribute matrix W is automatically modified to account that vertical depths are applied in characterizing the analyzed datasets.

The well locations are also clustered into **3** groups:

This grouping is based on analyses of the location matrix H :



The map [.../figures-set00-v9-inv-750-1000-dlan/locations-3-map.html](#) provides interactive visualization of the extracted well location groups (the html file can be also opened with any browser).

```
<iframe src=".../figures-set00-v9-inv-750-1000-dlan/locations-3-map.html" frameborder="0" height=
```