Test Authoring / User Interface

### Scenario Description:

Add Reporting from UI

#### **Version Control**

Version #	Date	Author	Description
1.0	03/06/2014	MR	Initial Draft

## **Test Scripts:**

The following scripts, links and pages consist of adding and validating reporting from Test Authoring UI

### **Test Components:**

This test scenario covers the following high-level test requirements (see scripts below for specific requirements covered by each test script):

1.0 Manage Assessments

## **Requirements Traceability:**

RADTIB 29, RADTIB 38.15

# Testing Requirements:

- The Test Authoring application permits authorized users to create and manage Reporting Measures entities.
- Test Author Reporting screen allows the user to create reporting measures, which are a collection of references to existing computation rules from Scoring Rules. The user adds computation rules to a reporting measure until they are satisfied.

#### Script #:1.1 Add Reporting

#### Purpose:

Add and validate Reporting

#### **Assumptions:**

 Test Spec Bank, ProgMan, Permission, Test Item Bank, Core Standard systems are up and running

**Test Authoring User Interface** 

## **Prerequisites:**

- Test Author application is online and user has valid credentials to login
- At least one assessment is available, which has not been published or submitted for publishing
- At least one scoring rule is available
- At least one segment is available
- Blueprint has been generated
- At least one item group is available
- Items are imported to item group
- At least one scoring rule is available

**Test case Steps** 

Test case Steps				
Step #	Test Action	Expected Results	Pass/ Fail	
Login				
L1	Open a supported browser and access link <a href="http://drcamp-dev.opentestsystem.org:8080/">http://drcamp-dev.opentestsystem.org:8080/</a>			
L2	Enter valid user ID and password TEST AUTHOR Dashboard page displays			
	Verifi	cation		
V1.0	Verify that all the images are enable in test-creation workflow page	All the images are enable in test- creation workflow page		
V1.1	Verify that all images in post test- creation workflow page are disable	All images in post test-creation workflow page are disable		
	Repo	orting		
R1.0	Click Reporting linked image from test-creation workflow page	Reporting Measures search page displays		
R1.1	Verify that reporting measures can be searched by following Blueprint Reference Type filters:	Reporting Measures can be searched by TEST' SEGMENT, SOCK and STANDARD		
	<ol> <li>TEST</li> <li>SEGMENT</li> <li>SOCK</li> <li>STANDARD</li> </ol>			
R1.2	Click New	Add New Reporting Measure page display		
R1.3	Verify that all the scoring rule's reference types are available in the	Scoring rule's reference types are available in the "Reference Type" list		

Test Authoring / User Interface

Step #	Test Action	Expected Results	Pass/ Fail		
	"Reference Type" list box	box			
R1.4	Select TEST from Reference Type list box  Verify that only tests are available that are selected in scoring rules	Only tests are available that are selected in scoring rules			
R1.5	Select SEGMENT from Reference Type list box Verify that only segments are available that are selected in scoring rules	e list box selected in scoring rules  fy that only segments are illable that are selected in scoring			
R1.6	Select SOCK from Reference Type list box  Verify that only socks are available that are selected in scoring rules	selected in scoring rules fy that only socks are available			
R1.7	Select STANDARD from Reference Type list box Verify that only standards are available that are selected in scoring rules	e list box selected in scoring rules  fy that only standards are lable that are selected in scoring			
R1.8	Click Save	Following error message display:  Please fix errors in order to save information:  Reference ID is required.  Reference Type is required.  At least one Scoring Rule must be selected.			
R1.9	Select Reference Type = SEGMENT (or TEST) from the list box  (Note: If test is selected then select Assessment Name from Reference Name list box)  Select segment from Reference Name list box	Available Scoring Rules, Selected Scoring Rules list uncovers Add button uncovers			
R1.10	Note down the default value of Available Scoring Rules				
	Scoring Function				
SF1.0	Click Smarter Balance logo	Test Author dashboard displays			

**Test Authoring User Interface** 

Step #	Test Action	Expected Results	Pass/ Fail	
SF1.1	Click Setup Scoring Function image	Scoring Function search page displays		
SF1.2	Click on view icon from the Action column of the scoring function record that has been used in assessment of this test	View Scoring Function page displays		
SF1.3	Note down the value of Conversion Table field from view page			
	Repo	orting		
R1.6	Verify that default value of Available Scoring Rules list matches with that of Conversion Table field of Scoring Function	Value matches		
R1.7	Select value from Available Scoring Rules list Click Add	Selected value moves to Selected Scoring Rules list		
R1.8	Click Save	Reporting Measure is saved View Reporting Measure page displays		
R1.9	Click Reporting link from left navigation pane	Reporting Measures search page displays		
K1.9	Verify that Reporting Measure is saved	Search Results grid displays newly added Reporting Measure		
	Monitoring and	Alerting (MnA)		
M1.0	Go to http://web- dev.opentestsystem.org:8080/permissions /roles.xhtml	MnA Dashboard displays		
M1.1	Click Search Log	MnA Log Search page displays		
M1.2	Select Component = test_auth Click Search	Search results display the same error message		
	Data	base		
D1.0	Logon to Mongo database collection  Execute query to verify that new	New reporting measure has been added		

Test Authoring / User Interface

Step #	Test Action	Expected Results	Pass/ Fail
	reporting measure has been added		

### **Test Execution**

Date/Time	Tester	Test ID	Test Phase	Status
12/09/2013	RM, SM, SK, MR	UI	1	Pass