

Smarter Balanced RFP #11/Test Item Bank

TIB Import Items

Scenario #: 4

Scenario Description: Query Test Item Bank

- The Test Item Bank will provide query API's for use by Test Authoring and Test Packaging

Version Control

Version #	Date	Author	Description
1.0	01/14/2013	Russ Hammond	Initial Draft
1.1	1/26/2013	Russ Hammond	Added URL's for endpoints, added related requirements

Test Scripts

The following scripts will cover this scenario:

- 4.1 Query by item id
- 4.2 Query by item id and version for latest version.
- 4.3 Query by item id and version for old version of item.
- 4.4 Query by item id for non-existent item
- 4.5 Query by searchable metadata for a set of items, single criteria, match found
- 4.6 Query by searchable metadata for a set of items, single criteria, no match found
- 4.7. Query by searchable metadata for a set of items, multiple criteria
- 4.8 Execute a query which fails due to database error

Test Components/Requirements

This test scenario covers the following high-level test requirements (see scripts below for specific requirements covered by each test script):

- Test Item Bank
- Test Item Bank Requirements RADTIB.3.x, RADTIB.4.x

User Groups

- Test Authors
- Test Packager

Smarter Balanced RFP #11/Test Item Bank

TIB Import Items

Script #: 4.1 – Query by Item ID

Script Description

- Query the Test Item Bank for an item using the item id

Testing Requirements

This test script covers the following specific testing requirements:

- RADTIB.4.2
- RADTIB.4.3

Setup

- Test Item Bank must be deployed on CloudFoundry, with MongoDB operational
- QA staff must have Rest Client available to perform test
- Clean all existing data out of database.
- Load all Scenario 4 items

Teardown

- none

Step #	Test Action	Expected Results	Pass/Fail
1	Access the Rest Client	Rest Client viewed in Chrome Browser	
2	Enter the URL for the query in the REST Client http://{server-context}/item/apipitem_SQA400 Search for item SQA400	None	
3	Press "Send"	<ul style="list-style-type: none">Current item metadata will be returned for latest item version, 2.1Query is logged	

Test Execution

Date/Time	Tester	Test ID	Test Phase	Status
1/30/2013	RDH		1	Passed

Smarter Balanced RFP #11/Test Item Bank

TIB Import Items

1/30/2013	RM		1	Passed
-----------	----	--	---	--------

Smarter Balanced RFP #11/Test Item Bank

TIB Import Items

Script #: 4.2 – Query by Item ID and version for latest version

Script Description

- Query the Test Item Bank for an item using the item id and a version which is the latest version

Testing Requirements

This test script covers the following specific testing requirements:

- RADTIB.4.2
- RADTIB.4.3

Setup

- Test Item Bank must be deployed on CloudFoundry, with MongoDB operational
- QA staff must have Rest Client available to perform test
- Multiple versions of an item exist in the Test Item Bank

Teardown

- None –Script Steps

Step #	Test Action	Expected Results	Pass/Fail
1	Access the Rest Client	Rest Client viewed in Chrome Browser	
2	Enter the URL for the query in the REST Client http://{server-context}/itemContent/apipitem_SQA401/?version=2.1 Query for SQA401, version 2.1	None	
3	Press “Send”	<ul style="list-style-type: none">Item content will be returned for SQA401, v 2.1Query is logged	

Smarter Balanced RFP #11/Test Item Bank

TIB Import Items

Test Execution

Date/Time	Tester	Test ID	Test Phase	Status
1/30/2013	RDH		1	Passed
1/30/2013	RM		1	Passed

Smarter Balanced RFP #11/Test Item Bank

TIB Import Items

Script #: 4.3 – Query by Item ID and Version for an Old version

Script Description

- Query the Test Item Bank for an item using the item id and the number of an old version

Testing Requirements

This test script covers the following specific testing requirements:

- List all requirements covered by this script – this ensures traceability across all phases of the project

Setup

- Test Item Bank must be deployed on CloudFoundry, with MongoDB operational
- QA staff must have Rest Client available to perform test
- Multiple versions of an item exist in the Test Item Bank

Teardown

- None –Script Steps

Step #	Test Action	Expected Results	Pass/Fail
1	Access the Rest Client	Rest Client viewed in Chrome Browser	
2	Enter the URL for the query in the REST Client http://{server-context}/item/apipitem_SQA402/?version=1.0 Query for SQA402., v1.0	None	
3	Press “Send”	<ul style="list-style-type: none">Item content will be returned for the old version for SQA402, v1.0Item Keywords should be Vehicles, not “Trucks, Planes”Query is logged	

Smarter Balanced RFP #11/Test Item Bank

TIB Import Items

Test Execution

Date/Time	Tester	Test ID	Test Phase	Status
1/30/2013	RDH		1	Passed
1/30/2013	RM		1	Passed

Smarter Balanced RFP #11/Test Item Bank

TIB Import Items

Script #: 4.4– Query by Item ID for non-existent item

Script Description

- Query the Test Item Bank for an item using the item id and the number of an old version

Testing Requirements

This test script covers the following specific testing requirements:

- RADTIB.4.x

Setup

- Test Item Bank must be deployed on CloudFoundry, with MongoDB operational
- QA staff must have Rest Client available to perform test
- Multiple versions of an item exist in the Test Item Bank

Teardown

- None –Script Steps

Step #	Test Action	Expected Results	Pass/Fail
1	Access the Rest Client	Rest Client viewed in Chrome Browser	
2	Enter the URL for the query in the REST Client http://{server-context}/item/apipitem_ZZZ401 Query for ZZZ401	None	
3	Press “Send”	<ul style="list-style-type: none">Query is successful, with 0 result rowsQuery is logged	

Test Execution

Date/Time	Tester	Test ID	Test Phase	Status
1/30/2013	RDH		1	Passed
1/30/2013	RM		1	Passed

Smarter Balanced RFP #11/Test Item Bank

TIB Import Items

Script #: 4.5– Query by Searchable Metadata, single criteria, match found

Script Description

- Query the Test Item Bank for an item using a single piece of searchable metadata

Testing Requirements

This test script covers the following specific testing requirements:

- RADTIB.4.2
- RADTIB.4.3

Setup

- Test Item Bank must be deployed on CloudFoundry, with MongoDB operational
- QA staff must have Rest Client available to perform test
- Items matching criteria exist in the database

Teardown

- None –Script Steps

Step #	Test Action	Expected Results	Pass/Fail
1	Access the Rest Client	Rest Client viewed in Chrome Browser	
2	Enter the URL for the query in the REST Client http://{server-context}/item/{key}={value(s)} Search for Grade=9	None	
3	Press “Send”	<ul style="list-style-type: none">Return metadata for latest version 2.1 of matching items SQA400-409Query is logged	
4	Search for ItemType =MC	<ul style="list-style-type: none">Return metadata for latest version 1.5 of matching items SQA410-419Query is logged	
5	Search for status=FT	<ul style="list-style-type: none">Return metadata for latest version 1.5 of matching items	

Smarter Balanced RFP #11/Test Item Bank

TIB Import Items

Step #	Test Action	Expected Results	Pass/Fail
		SQA420-429 <ul style="list-style-type: none"> Query is logged 	
6	Search for keyword=Birds	<ul style="list-style-type: none"> Return metadata for latest version 1.5 of matching items SQA430-439 Query is logged 	
7	Search for Grade = 1	<ul style="list-style-type: none"> Return metadata for latest version 1.5 of matching items SQA440-449 Query is logged 	
8	Search for Subject = ART	<ul style="list-style-type: none"> Return metadata for latest version 1.5 of matching items SQA450-459 Query is logged 	
9	Search for Subcategory = RRRR	<ul style="list-style-type: none"> Return metadata for latest version 1.5 of matching items SQA460-469 Query is logged 	
10	Search for Writer=FRED	<ul style="list-style-type: none"> Return metadata for latest version 1.5 of matching items SQA470-479 Query is logged 	
11	Search for Source = DRC	<ul style="list-style-type: none"> Return metadata for latest version 1.0 of matching items SQA480-489 Query is logged 	
12	Search for difficulty=SIMPLE	<ul style="list-style-type: none"> Return metadata for latest version 1.0 of matching items SQA490-499 Query is logged 	

Test Execution

Date/Time	Tester	Test ID	Test Phase	Status
1/30/2013	RDH		1	Passed
1/30/2013	RM		1	Passed

Smarter Balanced RFP #11/Test Item Bank

TIB Import Items

Script #: 4.6a– Query by Searchable Metadata, single criteria, no match found in current metadata

Script Description

- Query the Test Item Bank for an item using a single piece of searchable metadata

Testing Requirements

This test script covers the following specific testing requirements:

- RADTIB.4.2
- RADTIB.4.3

Setup

- Test Item Bank must be deployed on CloudFoundry, with MongoDB operational
- QA staff must have Rest Client available to perform test
- No items matching criteria exist in the database

Teardown

- None –Script Steps

Step #	Test Action	Expected Results	Pass/Fail
1	Access the Rest Client	Rest Client viewed in Chrome Browser	
2	Enter the URL for the query in the REST Client http://{server-context}/item/{key}={value(s)} Search for Grade=14	None	
3	Press “Send”	<ul style="list-style-type: none">Query is successful but returns 0 items.Query is logged	

Test Execution

Date/Time	Tester	Test ID	Test Phase	Status
1/30/2013	RDH		1	Passed

Smarter Balanced RFP #11/Test Item Bank

TIB Import Items

1/30/2013	RM		1	Passed
-----------	----	--	---	--------

Smarter Balanced RFP #11/Test Item Bank

TIB Import Items

Script #: 4.6b– Query by Searchable Metadata, single criteria, match found in old metadata

Script Description

- Query the Test Item Bank for an item using a single piece of searchable metadata

Testing Requirements

This test script covers the following specific testing requirements:

- RADTIB.4.2
- RADTIB.4.3

Setup

- Test Item Bank must be deployed on CloudFoundry, with MongoDB operational
- QA staff must have Rest Client available to perform test
- Old version of an item has matching keyword

Teardown

- None –Script Steps

Step #	Test Action	Expected Results	Pass/Fail
1	Access the Rest Client	Rest Client viewed in Chrome Browser	
2	Enter the URL for the query in the REST Client http://{server-context}/item/{key}={value(s)} Search for Keyword=Vehicles	None	
3	Press “Send”	<ul style="list-style-type: none">Query is successful but returns 0 items. Only CURRENT metadata is to be searched.Query is logged	

Test Execution

Date/Time	Tester	Test ID	Test Phase	Status
1/30/2013	RDH		1	Passed

Smarter Balanced RFP #11/Test Item Bank

TIB Import Items

1/30/2013	RM		1	Passed
-----------	----	--	---	--------

Script #: 4.7– Query by Searchable Metadata, multiple criteria

Script Description

- Query the Test Item Bank for an item using a multiple pieces of searchable metadata

Testing Requirements

This test script covers the following specific testing requirements:

- RADTIB.4.2
- RADTIB.4.3

Setup

- Test Item Bank must be deployed on CloudFoundry, with MongoDB operational
- QA staff must have Rest Client available to perform test
- Items matching criteria exist in the database

Teardown

- None –Script Steps

Step #	Test Action	Expected Results	Pass/Fail
1	Access the Rest Client	Rest Client viewed in Chrome Browser	
2	Enter the URL for the query in the REST Client http://{server-context}/item/{key}={value(s)} Search for Keyword=Trucks, Planes and Grade=9	None	
3	Press “Send”	<ul style="list-style-type: none">Query returns the latest version of the matching items, SQA400-409.Query is logged	
4	Search for Source=DRC and Grade	<ul style="list-style-type: none">Query returns the latest version	

Smarter Balanced RFP #11/Test Item Bank

TIB Import Items

Step #	Test Action	Expected Results	Pass/Fail
	= 8	of the matching items, SQA485 <ul style="list-style-type: none">Query is logged	
5	Search for Subject=ART and Grade=1	<ul style="list-style-type: none">No matching items are foundQuery is logged	

Test Execution

Date/Time	Tester	Test ID	Test Phase	Status
1/30/2013	RDH		1	Passed
1/30/2013	RM		1	Passed

Smarter Balanced RFP #11/Test Item Bank

TIB Import Items

Script #: 4.8– Execute a query which fails

Script Description

- Query the Test Item Bank for an item using a single piece of searchable metadata

Testing Requirements

This test script covers the following specific testing requirements:

- RADTIB.4.4

Setup

- Test Item Bank must be deployed on CloudFoundry, with MongoDB operational
- QA staff must have Rest Client available to perform test
- Database is shut down, or redirected to database without the requested collections

Teardown

- None –Script Steps

Step #	Test Action	Expected Results	Pass/Fail
1	Access the Rest Client	Rest Client viewed in Chrome Browser	
2	Enter the URL for the query in the REST Client http://{server-context}/item/{key}={value(s)}	None	
3	Press “Send”	<ul style="list-style-type: none">An error message is logged	
4	Query MongoDB to verify results		

Test Execution

Date/Time	Tester	Test ID	Test Phase	Status
1/30/2013	RDH		1	Passed
1/30/2013	RM		1	Passed