Software API Documentation

for

SBAC-11 Monitoring and Alerting

Version 1.0

Smarter Balanced Assessment Consortium	Version: 1.0
Software API Documentation	Date: 04/29/13
Monitoring and Alerting	

Revision History

Date	Version	Description	Author
04-29-2013	1.0	Initial Draft	Russ Hammond

Table of Contents

1.	Introduction	3
	1.1 Purpose	3
2.	API	4
	2.1 JMX/API	4
	2.1.1 Example URI: /registration/517ec6b0e4b069dc12b5ae04	4
	2.1.2 Example URI: /registration	5
	2.1.3 Example URI: /registration/517ec6b1e4b069dc12b5ae1a	7
	2.1.4 Example URI: /registration/server/server1	8
	2.1.5 Example URI: /registration/server2/node1	8
	2.1.6 Example URI: /registration/server2/node1/correctput1	9
	2.2 REST API	11
	2.2.1 Logging	11
	2.2.1.1 Example URI: /log	11
	2.2.1.2 Example URI: /log	11
	2.2.2 Metrics	12
	2.2.2.1 Example URI: /metric	12
	2.2.2.2 Example URI: /metric	13
	2.2.3 Alerts	14
	2.2.3.1 Example URI: /alert	14
	2.2.3.2 Example URI: /alert	15
	2.2.4 Notification Groups	16
	2.2.4.1 Example URI: /notificationGroup/517ec63ae4b060e888fd7d72	16
	2.2.4.2 Example URI: /notificationGroup	16
	2.2.4.3 Example URI: /notificationGroup	17
	2.2.4.3 Example URI: /notificationGroup/517ec63ae4b060e888fd7d72	17
	2.2.5 Notification Rules	18
	2.2.5.1 Example URI: /notificationRule	18
	2.2.5.2 Example URI: /notificationRule/517ec63ae4b060e888fd7d75	19
	2.2.5.3 Example URI: /notificationRule	20
	2.2.5.4 Example URI: /notificationRule/517ec63ae4b060e888fd7d75	21
	2.2.5.5 Example URI: /notificationRule/517ec63be4b060e888fd7d76	21
	2.2.6 Help	22
	2.2.6.1 Example URI: /help/log-message	2.2.

Smarter Balanced Assessment Consortium	Version: 1.0
Software API Documentation	Date: 04/29/13
Monitoring and Alerting	

Software API Documentation – Monitoring and Alerting

1. Introduction

1.1 Purpose

The objective of this document is to create SBAC-11 Monitoring and Alerting API documentation. The component is divided into two major pieces: JMX which is used to register metrics and components, and REST endpoints which provide Monitoring and Alerting services to other components. Once the Monitoring and Alerting component is installed and running, the API can be viewed by entering one of the following links:

- Server-context/jmx/api
- o Server-context/rest/api

Smarter Balanced Assessment Consortium	Version: 1.0
Software API Documentation	Date: 04/29/13
Monitoring and Alerting	

2. API

2.1 **JMX/API**

2.1.1 Example URI: /registration/517ec6b0e4b069dc12b5ae04

Request Data

Method:GET

Query String:

Request Data:

Response

Content Type:

```
"id" : "517ec6b0e4b069dc12b5ae04",
"alternateKey" : {
  "server" : "server1",
  "node" : "node1",
  "component" : "correctput2",
  "hypericName" : "correctput2/server1/node1"
},
"description" : "Metrics from test1 component",
"metricInfos" : [ {
  "id": "517ec6b0e4b069dc12b5ae05",
  "regId": "517ec6b0e4b069dc12b5ae04",
  "alternateKey" : {
   "server" : "server1",
    "node" : "node1",
    "component": "correctput2",
    "hypericName" : "correctput2/server1/node1"
  "name" : "invokeCount2",
  "description": "Number of times correctPut2 has been invoked",
  "category" : "UTILIZATION",
  "displayName" : "Invocation Count",
  "intervalPeriodInSeconds" : 0,
  "defaultValue" : null,
  "insertTimestamp": "2013-04-29T14:14:56.029-05:00",
  "errors" : null,
  "hypericAlerts" : null,
  "metricKeyName" : "correctput2/server1/node1/invokeCount2",
  "url" : "/metricInfo/517ec6b0e4b069dc12b5ae05"
  "id" : "517ec6b0e4b069dc12b5ae06",
  "regId": "517ec6b0e4b069dc12b5ae04",
  "alternateKey" : {
```

Smarter Balanced Assessment Consortium	Version: 1.0
Software API Documentation	Date: 04/29/13
Monitoring and Alerting	

```
"server" : "server1",
"node" : "node1",
      "component" : "correctput2",
      "hypericName" : "correctput2/server1/node1"
    "name" : "Availability",
    "description": "Is test1 component up and running?",
    "category" : "AVAILABILITY",
    "displayName" : "Availability of Component correctPut2",
    "intervalPeriodInSeconds" : 0,
    "defaultValue" : null,
    "insertTimestamp": "2013-04-29T14:14:56.029-05:00",
    "errors" : null,
    "hypericAlerts" : null,
    "metricKeyName" : "correctput2/server1/node1/Availability",
    "url": "/metricInfo/517ec6b0e4b069dc12b5ae06"
 }, {
    "id": "517ec6b0e4b069dc12b5ae07",
    "regId": "517ec6b0e4b069dc12b5ae04",
    "alternateKey" : {
      "server" : "server1",
      "node" : "node1",
      "component" : "correctput2",
      "hypericName" : "correctput2/server1/node1"
    },
    "name" : "newMetric1",
    "description" : "Test adding metric",
    "category" : "UTILIZATION",
    "displayName" : "Added new test metric",
    "intervalPeriodInSeconds" : 0,
    "defaultValue" : null,
    "insertTimestamp": "2013-04-29T14:14:56.342-05:00",
    "errors" : null,
    "hypericAlerts" : null,
    "metricKeyName" : "correctput2/server1/node1/newMetric1",
    "url": "/metricInfo/517ec6b0e4b069dc12b5ae07"
 "alertTypes" : null,
 "insertTimestamp": "2013-04-29T14:14:55.943-05:00",
 "errors" : null,
 "jmxObjectName" : "spring.application:application=monitoring-
alerting, type=Metrics, name=correctput2/server1/node1",
  "url" : "/registration/517ec6b0e4b069dc12b5ae04"
```

2.1.2 Example URI: /registration

Request Data

Method:POST

Query String:

Smarter Balanced Assessment Consortium	Version: 1.0
Software API Documentation	Date: 04/29/13
Monitoring and Alerting	

Request Data:

Response

Content Type: application/json **Reponse Content**

```
"id": "517ec6b1e4b069dc12b5ae17",
"alternateKey" : {
  "server" : "server1",
  "node" : "node1",
  "component" : "correctput2",
  "hypericName" : "correctput2/server1/node1"
},
"description" : "Metrics from test1 component",
"metricInfos" : [ {
  "id" : "517ec6b1e4b069dc12b5ae18",
  "regId": "517ec6b1e4b069dc12b5ae17",
  "alternateKey" : {
    "server" : "server1",
    "node" : "node1",
    "component" : "correctput2",
    "hypericName" : "correctput2/server1/node1"
  } ,
  "name" : "invokeCount2",
  "description": "Number of times correctPut2 has been invoked",
  "category" : "UTILIZATION",
  "displayName" : "Invocation Count",
  "intervalPeriodInSeconds" : 0,
  "defaultValue" : null,
  "insertTimestamp" : "2013-04-29T14:14:57.459-05:00",
  "errors" : null,
  "hypericAlerts" : null,
  "metricKeyName" : "correctput2/server1/node1/invokeCount2",
  "url" : "/metricInfo/517ec6b1e4b069dc12b5ae18"
}, {
  "id" : "517ec6b1e4b069dc12b5ae19",
  "regId": "517ec6b1e4b069dc12b5ae17",
  "alternateKey" : {
    "server" : "server1",
    "node" : "node1",
    "component" : "correctput2",
```

Smarter Balanced Assessment Consortium	Version: 1.0
Software API Documentation	Date: 04/29/13
Monitoring and Alerting	

```
"hypericName" : "correctput2/server1/node1"
    "name" : "Availability",
    "description" : "Is test1 component up and running?",
    "category" : "AVAILABILITY",
    "displayName" : "Availability of Component correctPut2",
    "intervalPeriodInSeconds" : 0,
    "defaultValue" : null,
    "insertTimestamp": "2013-04-29T14:14:57.459-05:00",
    "errors" : null,
    "hypericAlerts" : null,
    "metricKeyName" : "correctput2/server1/node1/Availability",
    "url" : "/metricInfo/517ec6b1e4b069dc12b5ae19"
  "alertTypes" : null,
  "insertTimestamp": "2013-04-29T14:14:57.452-05:00",
 "errors" : null,
  "jmxObjectName" : "spring.application:application=monitoring-
alerting, type=Metrics, name=correctput2/server1/node1",
  "url" : "/registration/517ec6b1e4b069dc12b5ae17"
```

2.1.3 Example URI: /registration/517ec6b1e4b069dc12b5ae1a

Request Data

Method:PUT

Query String:

Request Data:

```
{"alternateKey":{"server":"server1","component":"correctPut1","node":"node1"}
,"description":"Metrics from updated
component","metricInfos":[{"name":"invokeCount","description":"Number of
times test1 has been
invoked","category":"UTILIZATION","displayName":"Invocation
Count","alternateKey":{"component":"correctPut1","node":"node1","server":"ser
ver1"}},{"name":"Availability","description":"Is test1 component up and
running?","category":"AVAILABILITY","displayName":"Availability of Component
test1","alternateKey":{"server":"server1","component":"correctPut1","node":"n
ode1"}},{"name":"awesomeCount","description":"Awesome metric for
correctPut1","category":"UTILIZATION","displayName":"Awesomeness of
correctPut1","alternateKey":{"server":"server1","component":"correctPut1","no
de":"node1"}}]}
```

Response

Content Type: application/json

Smarter Balanced Assessment Consortium	Version: 1.0
Software API Documentation	Date: 04/29/13
Monitoring and Alerting	

2.1.4 Example URI: /registration/server/server1

Request Data

Method:DELETE Query String: Request Data:

Response

```
Content Type:
Reponse Content
```

```
"id": "517ec6b1e4b069dc12b5ae11",
 "alternateKey" : {
   "server" : "server1",
   "node" : "node1",
   "component" : "correctput1",
    "hypericName" : "correctput1/server1/node1"
 "description" : "Metrics from test1 component",
 "metricInfos" : null,
 "alertTypes" : null,
 "insertTimestamp": "2013-04-29T14:14:57.145-05:00",
 "errors" : null,
 "jmxObjectName" : "spring.application:application=monitoring-
alerting, type=Metrics, name=correctput1/server1/node1",
 "url" : "/registration/517ec6b1e4b069dc12b5ae11"
 "id" : "517ec6b1e4b069dc12b5ae17",
 "alternateKey" : {
    "server" : "server1",
    "node" : "node1",
    "component" : "correctput2",
    "hypericName" : "correctput2/server1/node1"
 } ,
 "description" : "Metrics from test1 component",
 "metricInfos" : null,
 "alertTypes" : null,
 "insertTimestamp": "2013-04-29T14:14:57.452-05:00",
 "errors" : null,
 "jmxObjectName" : "spring.application:application=monitoring-
alerting, type=Metrics, name=correctput2/server1/node1",
 "url": "/registration/517ec6b1e4b069dc12b5ae17"
} ]
```

2.1.5 Example URI: /registration/server2/node1

Request Data

Smarter Balanced Assessment Consortium	Version: 1.0
Software API Documentation	Date: 04/29/13
Monitoring and Alerting	

Method:DELETE Query String: Request Data:

Response

Content Type:

```
Reponse Content
```

```
[ {
    "id" : "517ec6b2e4b069dc12b5ae23",
    "alternateKey" : {
        "server" : "server2",
        "node" : "node1",
        "component" : "correctput1",
        "hypericName" : "correctput1/server2/node1"
    },
    "description" : "Metrics from test1 component",
    "metricInfos" : null,
    "alertTypes" : null,
    "insertTimestamp" : "2013-04-29T14:14:58.448-05:00",
    "errors" : null,
    "jmxObjectName" : "spring.application:application=monitoring-alerting,type=Metrics,name=correctput1/server2/node1",
    "url" : "/registration/517ec6b2e4b069dc12b5ae23"
} ]
```

2.1.6 Example URI: /registration/server2/node1/correctput1

Request Data

Method:DELETE

Query String:

Request Data:

Response

Content Type:

```
[ {
   "id" : "517ec6b0e4b069dc12b5ae0b",
   "alternateKey" : {
      "server" : "server2",
      "node" : "node1",
      "component" : "correctput1",
      "hypericName" : "correctput1/server2/node1"
   },
```

Smarter Balanced Assessment Consortium	Version: 1.0
Software API Documentation	Date: 04/29/13
Monitoring and Alerting	

```
"description" : "Metrics from test1 component",
   "metricInfos" : null,
   "alertTypes" : null,
   "insertTimestamp" : "2013-04-29T14:14:56.712-05:00",
   "errors" : null,
   "jmxObjectName" : "spring.application:application=monitoring-alerting,type=Metrics,name=correctput1/server2/node1",
   "url" : "/registration/517ec6b0e4b069dc12b5ae0b"
} ]
```

Smarter Balanced Assessment Consortium	Version: 1.0
Software API Documentation	Date: 04/29/13
Monitoring and Alerting	

2.2 REST API

2.2.1 Logging

2.2.1.1 Example URI: /log

Request Data

Method:GET

Query

String: message=fbAwlCFI9S&node=kkkkt2vunw&component=1ovafc4ttc&server=c2uvpmwhgk&severity=JyVckTvGeY

Request Data:

Response

```
Content Type:
Reponse Content
```

```
"searchResults" : [ {
  "alternateKey" : {
   "server" : "c2uvpmwhgk",
    "node" : "kkkkt2vunw",
    "component": "lovafc4ttc",
    "hypericName" : "lovafc4ttc/c2uvpmwhgk/kkkkt2vunw"
  "severity" : "JyVckTvGeY",
  "insertTimestamp" : "2013-04-29T14:12:59.691-05:00",
  "message" : "fbAwlCFI9S",
  "id": "517ec63be4b060e888fd7d79",
  "referenceNumber" : "OpWTxqYo6H",
  "stackTrace" : "xHpXmDxImm",
  "url" : "/log/517ec63be4b060e888fd7d79"
"currentPage" : 0,
"returnCount" : 1,
"pageSize" : 10,
"totalCount" : 1,
"sortKey" : " id",
"sortDirection" : "ASC",
"nextPageUrl" : null,
"prevPageUrl" : null
```

2.2.1.2 Example URI: /log

Smarter Balanced Assessment Consortium	Version: 1.0
Software API Documentation	Date: 04/29/13
Monitoring and Alerting	

Request Data

```
Method:POST
Query String:
Request Data:
```

```
"message" : "NullPointerException",
"alternateKey" : {
   "server" : "servername",
   "node" : "anode",
   "component" : "componenet",
   "hypericName" : "componenet/servername/anode"
},
"severity" : "ERROR",
"stackTrace" : "NPE Found Line 25 of foo.java....."
```

Response

Content Type: application/json

```
Reponse Content
```

```
"alternateKey" : {
    "server" : "servername",
    "node" : "anode",
    "component" : "componenet",
    "hypericName" : "componenet/servername/anode"
},
    "severity" : "ERROR",
    "insertTimestamp" : "2013-04-29T14:13:00.105-05:00",
    "message" : "NullPointerException",
    "id" : "517ec63ce4b060e888fd7d7a",
    "referenceNumber" : null,
    "stackTrace" : "NPE Found Line 25 of foo.java.......",
    "url" : "/log/517ec63ce4b060e888fd7d7a"
}
```

2.2.2 Metrics

2.2.2.1 Example URI: /metric

Request Data

Method:GET

Query

String: message=gaelu67C85&node=32tavh0wvo&metricType=PERFORMANCE& component=5gufcwitpa&server=qzslbmcuiw&severity=vBMRSv2uxA&metricName=piP1grM_tu

Smarter Balanced Assessment Consortium	Version: 1.0
Software API Documentation	Date: 04/29/13
Monitoring and Alerting	

Request Data:

Response

```
Content Type: Reponse Content
```

```
"searchResults" : [ {
  "alternateKey" : {
    "server" : "qzslbmcuiw",
    "node" : "32tavh0wvo",
    "component" : "5gufcwitpa",
"hypericName" : "5gufcwitpa/qzslbmcuiw/32tavh0wvo"
  },
  "severity" : "vBMRSv2uxA",
  "insertTimestamp" : "2013-04-29T14:12:54.997-05:00",
  "message" : "gaelu67C85",
  "id" : "517ec637e4b060e888fd7d6e",
  "metricType" : "PERFORMANCE",
  "metricValue" : null,
  "metricName" : "piPlgrM tu",
  "url" : "/metric/517ec637e4b060e888fd7d6e"
} ],
"currentPage" : 0,
"returnCount" : 1,
"pageSize" : 10,
"totalCount" : 1,
"sortKey" : "_id",
"sortDirection" : "ASC",
"nextPageUrl" : null,
"prevPageUrl" : null
```

2.2.2.2 Example URI: /metric

Request Data

```
Method:POST Query String:
```

Request Data:

```
"metricType" : "AVAILABILITY",
"alternateKey" : {
    "server" : "servername",
    "node" : "anode",
    "component" : "componenet",
    "hypericName" : "componenet/servername/anode"
},
"metricName" : "metric1",
"metricValue" : 105
```

Smarter Balanced Assessment Consortium	Version: 1.0
Software API Documentation	Date: 04/29/13
Monitoring and Alerting	

ļ

Response

Content Type: application/json

```
Reponse Content
```

```
"alternateKey" : {
    "server" : "servername",
    "node" : "anode",
    "component" : "componenet",
    "hypericName" : "componenet/servername/anode"
},
    "severity" : null,
    "insertTimestamp" : "2013-04-29T14:12:56.990-05:00",
    "message" : null,
    "id" : "517ec638e4b060e888fd7d6f",
    "metricType" : "AVAILABILITY",
    "metricValue" : 105,
    "metricName" : "metric1",
    "url" : "/metric/517ec638e4b060e888fd7d6f"
}
```

2.2.3 Alerts

2.2.3.1 Example URI: /alert

Request Data

Method:GET

Ouerv

String: message=K2syZEXWq7&node=em_ocruhpo&component=0q8hxfemgl&alert Type=puVrBqmdin&server=kpfhawygpn&severity=V2WHZ9TDN3

Request Data:

Response

Content Type: Reponse Content

```
{
  "searchResults" : [ {
    "alternateKey" : {
        "server" : "kpfhawygpn",
        "node" : "em_ocruhpo",
        "component" : "0q8hxfemgl",
        "hypericName" : "0q8hxfemgl/kpfhawygpn/em ocruhpo"
```

Smarter Balanced Assessment Consortium	Version: 1.0
Software API Documentation	Date: 04/29/13
Monitoring and Alerting	

```
},
    "severity" : "V2WHZ9TDN3",
    "insertTimestamp" : "2013-04-29T14:12:59.221-05:00",
    "message" : "K2syZEXWq7",
    "id" : "517ec63be4b060e888fd7d77",
    "alertType" : "puVrBqmdin",
    "url" : "/alert/517ec63be4b060e888fd7d77"
} ],
    "currentPage" : 0,
    "returnCount" : 1,
    "pageSize" : 10,
    "totalCount" : 1,
    "sortKey" : "_id",
    "sortDirection" : "ASC",
    "nextPageUrl" : null,
    "prevPageUrl" : null
}
```

2.2.3.2 Example URI: /alert

Request Data

Method:POST

Query String:

Request Data:

```
"message" : "FYI: your task was completed.",
"alertType" : "businessAlert",
"severity" : "ERROR",
"alternateKey" : {
    "server" : "servername",
    "node" : "anode",
    "component" : "componenet",
    "hypericName" : "componenet/servername/anode"
}
```

Response

Content Type: application/json

```
"alternateKey" : {
    "server" : "servername",
    "node" : "anode",
    "component" : "componenet",
    "hypericName" : "componenet/servername/anode"
},
    "severity" : "ERROR",
    "insertTimestamp" : "2013-04-29T14:12:59.444-05:00",
```

Smarter Balanced Assessment Consortium	Version: 1.0
Software API Documentation	Date: 04/29/13
Monitoring and Alerting	

```
"message" : "FYI: your task was completed.",
"id" : "517ec63be4b060e888fd7d78",
"alertType" : "businessAlert",
"url" : "/alert/517ec63be4b060e888fd7d78"
}
```

2.2.4 Notification Groups

2.2.4.1 Example URI: /notificationGroup/517ec63ae4b060e888fd7d72

Request Data

Method:GET

Query String:

Request Data:

Response

```
Content Type:
Reponse Content
```

```
"id": "517ec63ae4b060e888fd7d72",
   "groupName": "Green Bay Packers",
   "active": false,
   "memberNames": [ "arodgers@gbdomain.com", "cwoodson@gbdomain.com",
"jnelson@gbdomain.com", "rcobb@gbdomain.com"],
   "url": "/notificationGroup/517ec63ae4b060e888fd7d72"
}
```

2.2.4.2 Example URI: /notificationGroup

Request Data

Method:GET

Query String: groupName=PgQE8_MBvh

Request Data:

Response

Content Type:

```
Reponse Content
```

```
"searchResults" : [ {
    "id" : "517ec639e4b060e888fd7d71",
    "groupName" : "PgQE8_MBvh",
    "active" : true,
```

Smarter Balanced Assessment Consortium	Version: 1.0
Software API Documentation	Date: 04/29/13
Monitoring and Alerting	

```
"memberNames" : [ "dWKgDETtWT" ],
    "url" : "/notificationGroup/517ec639e4b060e888fd7d71"
} ],
"currentPage" : 0,
"returnCount" : 1,
"pageSize" : 10,
"totalCount" : 1,
"sortKey" : "_id",
"sortDirection" : "ASC",
"nextPageUrl" : null,
"prevPageUrl" : null
```

2.2.4.3 Example URI: /notificationGroup

```
Request Data
```

Method:POST

Query String:

Request Data:

```
"memberNames" : [ "arodgers@gbdomain.com", "cwoodson@gbdomain.com",
"jnelson@gbdomain.com" ],
   "groupName" : "Green Bay Packers"
}
```

Response

Content Type: application/json

Reponse Content

```
"id" : "517ec63ae4b060e888fd7d72",
   "groupName" : "Green Bay Packers",
   "active" : false,
   "memberNames" : [ "arodgers@gbdomain.com", "cwoodson@gbdomain.com",
"jnelson@gbdomain.com" ],
   "url" : "/notificationGroup/517ec63ae4b060e888fd7d72"
}
```

2.2.4.3 Example URI: /notificationGroup/517ec63ae4b060e888fd7d72

Request Data

Method:PUT

Query String:

Smarter Balanced Assessment Consortium	Version: 1.0
Software API Documentation	Date: 04/29/13
Monitoring and Alerting	

Request Data:

```
{
  "memberNames" : [ "arodgers@gbdomain.com", "cwoodson@gbdomain.com",
"jnelson@gbdomain.com", "rcobb@gbdomain.com" ],
  "groupName" : "Green Bay Packers"
}
```

Response

Content Type: application/json

```
Reponse Content
```

```
"id" : "517ec63ae4b060e888fd7d72",
   "groupName" : "Green Bay Packers",
   "active" : false,
   "memberNames" : [ "arodgers@gbdomain.com", "cwoodson@gbdomain.com",
"jnelson@gbdomain.com", "rcobb@gbdomain.com" ],
   "url" : "/notificationGroup/517ec63ae4b060e888fd7d72"
}
```

2.2.4.4 Example URI:

/notificationGroup/517ec63ae4b060e888fd7d73

Request Data

Method:DELETE Query String: Request Data:

Response

Content Type: Reponse Content

2.2.5 Notification Rules

2.2.5.1 Example URI: /notificationRule

Request Data

Method:GET

Query String: ruleType=ALERT&attribute=jYeAXxx8pB

Smarter Balanced Assessment Consortium	Version: 1.0
Software API Documentation	Date: 04/29/13
Monitoring and Alerting	

Request Data:

Response

```
Content Type:
Reponse Content
```

```
"searchResults" : [ {
    "id" : "517ec63ae4b060e888fd7d74",
    "ruleType" : "ALERT",
    "attribute" : "jYeAXxx8pB",
    "regex" : "W5832AfeQ9",
    "active" : true,
   "notificationGroups" : [ null ],
   "url" : "/notificationRule/517ec63ae4b060e888fd7d74"
 } ],
 "currentPage" : 0,
 "returnCount" : 1,
 "pageSize" : 10,
 "totalCount" : 1,
 "sortKey" : " id",
 "sortDirection" : "ASC",
 "nextPageUrl" : null,
 "prevPageUrl" : null
}
```

2.2.5.2 Example URI: /notificationRule/517ec63ae4b060e888fd7d75

Request Data

Method:GET

Query String:

Request Data:

Response

Content Type:

```
Reponse Content
```

```
"id" : "517ec63ae4b060e888fd7d75",
"ruleType" : "ALERT",
"attribute" : "message",
"regex" : ".*items imported.?/\\",
"active" : false,
"notificationGroups" : [ {
    "id" : "G5rXkLcE9D",
    "groupName" : "ZuFGtCAV8P",
```

Smarter Balanced Assessment Consortium	Version: 1.0
Software API Documentation	Date: 04/29/13
Monitoring and Alerting	

```
"active" : true,
   "memberNames" : [ "w_yZuVBVTq" ],
   "url" : "/notificationGroup/G5rXkLcE9D"
} ],
   "url" : "/notificationRule/517ec63ae4b060e888fd7d75"
}
```

2.2.5.3 Example URI: /notificationRule

Request Data

Method:POST Query String: Request Data:

```
"ruleType" : "ALERT",
  "regex" : "ITEM_IMPORTED",
  "attribute" : "alertType",
  "notificationGroups" : [ {
    "id" : "G5rXkLcE9D",
    "groupName" : null,
    "active" : false,
    "memberNames" : null,
    "url" : "/notificationGroup/G5rXkLcE9D"
  } ]
```

Response

Content Type: application/json

```
"id" : "517ec63ae4b060e888fd7d75",
  "ruleType" : "ALERT",
  "attribute" : "alertType",
  "regex" : "ITEM_IMPORTED",
  "active" : false,
  "notificationGroups" : [ {
      "id" : "G5rXkLcE9D",
      "groupName" : null,
      "active" : false,
      "memberNames" : null,
      "url" : "/notificationGroup/G5rXkLcE9D"
      } ],
  "url" : "/notificationRule/517ec63ae4b060e888fd7d75"
}
```

Smarter Balanced Assessment Consortium	Version: 1.0
Software API Documentation	Date: 04/29/13
Monitoring and Alerting	

2.2.5.4 Example URI: /notificationRule/517ec63ae4b060e888fd7d75

Request Data

```
Method: PUT
Query String:
Request Data:
```

```
"ruleType" : "ALERT",
  "regex" : ".*items imported.?/\\",
  "attribute" : "message",
  "notificationGroups" : [ {
    "id" : "G5rXkLcE9D",
    "groupName" : null,
    "active" : false,
    "memberNames" : null,
    "url" : "/notificationGroup/G5rXkLcE9D"
    } ]
```

Response

Content Type: application/json

```
Reponse Content
```

```
"id" : "517ec63ae4b060e888fd7d75",
   "ruleType" : "ALERT",
   "attribute" : "message",
   "regex" : ".*items imported.?/\\",
   "active" : false,
   "notificationGroups" : [ {
      "id" : "G5rXkLcE9D",
      "groupName" : null,
      "active" : false,
      "memberNames" : null,
      "url" : "/notificationGroup/G5rXkLcE9D"
    } ],
   "url" : "/notificationRule/517ec63ae4b060e888fd7d75"
}
```

2.2.5.5 Example URI: /notificationRule/517ec63be4b060e888fd7d76

Request Data

Method:DELETE Query String: Request Data:

Smarter Balanced Assessment Consortium	Version: 1.0
Software API Documentation	Date: 04/29/13
Monitoring and Alerting	

Response

Content Type: Reponse Content

2.2.6 Help

2.2.6.1 Example URI: /help/log-message

Request Data

Method:GET

Query String:

Request Data:

Response

Content Type: Reponse Content

```
"message" : "This is the message from the log statement."
}
```