

# API Documentation

## API Context Roots

- [api/help](#)
- [api/tenants](#)
- [api/assetPool](#)
- [api/tenantchain](#)
- [api/propertyConfig](#)
- [api/component](#)
- [api/tenantTypes](#)
- [api/tenant](#)
- [api/assetGroup](#)
- [api/tenantsBySearchVal](#)
- [api/skinnableAssets](#)

# API Documentation

[Back to API context list](#)

## Example Requests

---

### Example URI: /help/a-help-message

#### Request Data

**Method:**GET

**Query String:**

**Request Data:**

#### Response

**Content Type:**

**Response Code:** 200

**Reponse Content:**

```
{  
    "message" : "Help! I need somebody!"  
}
```

---

# API Documentation

[Back to API context list](#)

## Example Requests

---

### Example URI: /tenants

#### Request Data

**Method:**GET

**Query String:**

**Request Data:**

#### Response

**Content Type:**

**Response Code:** 200

**Reponse Content:**

[ ]

---

### Example URI: /tenants

#### Request Data

**Method:**GET

**Query String:**

**Request Data:**

#### Response

**Content Type:**

**Response Code:** 200

**Reponse Content:**

```
[ {
  "id" : "524c8bf9e4b0ba0bfd388988",
  "name" : "tenant1",
  "description" : null,
  "type" : "STATE",
  "tenantSubscriptions" : null,
  "url" : "/tenant/524c8bf9e4b0ba0bfd388988"
}, {
  "id" : "524c8bf9e4b0ba0bfd388989",
  "name" : "tenant2",
  "description" : null,
  "type" : "STATE",
  "tenantSubscriptions" : null,
  "url" : "/tenant/524c8bf9e4b0ba0bfd388989"
}, {
  "id" : "524c8bf9e4b0ba0bfd38898a",
  "name" : "tenant3",
  "description" : null,
  "type" : "STATE",
  "tenantSubscriptions" : null,
  "url" : "/tenant/524c8bf9e4b0ba0bfd38898a"
} ]
```

---

# API Documentation

[Back to API context list](#)

## Example Requests

---

### Example URI: /assetPool

#### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{  
  "tenantId" : "524c8bf6e4b0ba0bfd38896f",  
  "name" : "testpool"  
}
```

#### Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
  "id" : "524c8bf6e4b0ba0bfd388970",  
  "tenantId" : "524c8bf6e4b0ba0bfd38896f",  
  "name" : "testpool",  
  "assets" : null,  
  "url" : "/assetPool/524c8bf6e4b0ba0bfd388970"  
}
```

---

### Example URI: /assetPool

#### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{  
  "tenantId" : "524c8bf6e4b0ba0bfd388971",  
  "assets" : [ {  
    "name" : null,  
    "type" : null,  
    "property" : null,  
    "assetFileGridId" : "12345",  
    "assetFileName" : "test.jpg",  
    "fileContentType" : null,  
    "basePath" : null,  
    "url" : "nullnull"  
  } ],  
}
```

```
        "name" : "testpool"
    }
```

## Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{
    "id" : "524c8bf6e4b0ba0bfd388972",
    "tenantId" : "524c8bf6e4b0ba0bfd388971",
    "name" : "testpool",
    "assets" : [ {
        "name" : null,
        "type" : null,
        "property" : null,
        "assetFileGridId" : "12345",
        "assetFileName" : "test.jpg",
        "fileContentType" : null,
        "basePath" : null,
        "url" : "nullnull"
    }],
    "url" : "/assetPool/524c8bf6e4b0ba0bfd388972"
}
```

---

## Example URI: /assetPool

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{
    "tenantId" : "524c8bf7e4b0ba0bfd388973",
    "name" : "testpool"
}
```

## Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{
    "id" : "524c8bf7e4b0ba0bfd388974",
    "tenantId" : "524c8bf7e4b0ba0bfd388973",
    "name" : "testpool",
    "assets" : null,
    "url" : "/assetPool/524c8bf7e4b0ba0bfd388974"
}
```

---

## Example URI: /assetPool

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{  
  "tenantId" : "524c8bf7e4b0ba0bfd388976",  
  "assets" : [ {  
    "name" : null,  
    "type" : null,  
    "property" : null,  
    "assetFileGridId" : "12345",  
    "assetFileName" : "test.jpg",  
    "fileContentType" : null,  
    "basePath" : null,  
    "url" : "nullnull"  
  } ],  
  "name" : "testpool"  
}
```

### Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
  "id" : "524c8bf7e4b0ba0bfd388977",  
  "tenantId" : "524c8bf7e4b0ba0bfd388976",  
  "name" : "testpool",  
  "assets" : [ {  
    "name" : null,  
    "type" : null,  
    "property" : null,  
    "assetFileGridId" : "12345",  
    "assetFileName" : "test.jpg",  
    "fileContentType" : null,  
    "basePath" : null,  
    "url" : "nullnull"  
  } ],  
  "url" : "/assetPool/524c8bf7e4b0ba0bfd388977"  
}
```

---

## Example URI: /assetPool

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{  
  "tenantId" : "524c8bf7e4b0ba0bfd388978",  
  "name" : "testpool"  
}
```

## Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
  "id" : "524c8bf7e4b0ba0bfd388979",  
  "tenantId" : "524c8bf7e4b0ba0bfd388978",  
  "name" : "testpool",  
  "assets" : null,  
  "url" : "/assetPool/524c8bf7e4b0ba0bfd388979"  
}
```

---

## Example URI: /assetPool/524c8bf7e4b0ba0bfd388979/assetFile

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

## Response

**Content Type:** multipart/form-data

**Response Code:** 201

**Reponse Content:**

```
{  
  "name" : null,  
  "type" : "IMAGE",  
  "property" : "/assetPool/assetFile/524c8bf7e4b0ba0bfd38897a/Desktop.jpg",  
  "assetFileGridId" : "524c8bf7e4b0ba0bfd38897a",  
  "assetFileName" : "Desktop.jpg",  
  "fileContentType" : "image/jpeg",  
  "basePath" : "http://localhost:8089/prog-mgmt.rest",  
  "url" : "http://localhost:8089/prog-mgmt.rest/assetPool/assetFile/524c8bf7e4b0ba0bfd38897a/Desktop.jpg"  
}
```

---

## Example URI: /assetPool

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{  
  "tenantId" : "524c8bf7e4b0ba0bfd38897c",  
  "name" : "testpool"  
}
```

## Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
  "id" : "524c8bf7e4b0ba0bfd38897d",  
  "tenantId" : "524c8bf7e4b0ba0bfd38897c",  
  "name" : "testpool",  
  "assets" : null,  
  "url" : "/assetPool/524c8bf7e4b0ba0bfd38897d"  
}
```

---

## Example URI: /assetPool

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{  
  "tenantId" : "524c8bf7e4b0ba0bfd38897e",  
  "name" : "testpool"  
}
```

## Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
  "id" : "524c8bf7e4b0ba0bfd38897f",  
  "tenantId" : "524c8bf7e4b0ba0bfd38897e",  
  "name" : "testpool",  
  "assets" : null,  
  "url" : "/assetPool/524c8bf7e4b0ba0bfd38897f"  
}
```

---

## Example URI: /assetPool/524c8bf7e4b0ba0bfd38897f/assetFile

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

## Response

**Content Type:** multipart/form-data

**Response Code:** 201

**Reponse Content:**

```
{  
    "name" : null,  
    "type" : "IMAGE",  
    "property" : "/assetPool/assetFile/524c8bf8e4b0ba0bfd388980/Desktop.jpg",  
    "assetFileGridId" : "524c8bf8e4b0ba0bfd388980",  
    "assetFileName" : "Desktop.jpg",  
    "fileContentType" : "image/jpeg",  
    "basePath" : "http://localhost:8089/prog-mgmt.rest",  
    "url" : "http://localhost:8089/prog-mgmt.rest/assetPool/assetFile/524c8bf8e4b0ba0bfd388980/Desktop.jpg"  
}
```

---

## Example URI: /assetPool

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{  
    "tenantId" : "524c8bf8e4b0ba0bfd388982",  
    "name" : "testpool"  
}
```

### Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
    "id" : "524c8bf8e4b0ba0bfd388983",  
    "tenantId" : "524c8bf8e4b0ba0bfd388982",  
    "name" : "testpool",  
    "assets" : null,  
    "url" : "/assetPool/524c8bf8e4b0ba0bfd388983"  
}
```

---

## Example URI: /assetPool/524c8bf8e4b0ba0bfd388983/assetFile

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

### Response

**Content Type:** multipart/form-data

**Response Code:** 201

**Reponse Content:**

```
{  
  "messages" : {  
    "applicationErrors" : [ "Error Code: 18050 - upload.type.not.supported" ]  
  }  
}
```

---

## Example URI: /assetPool

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{  
  "tenantId" : "524c8bf8e4b0ba0bfd388984",  
  "name" : "testpool"  
}
```

### Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
  "id" : "524c8bf8e4b0ba0bfd388985",  
  "tenantId" : "524c8bf8e4b0ba0bfd388984",  
  "name" : "testpool",  
  "assets" : null,  
  "url" : "/assetPool/524c8bf8e4b0ba0bfd388985"  
}
```

---

## Example URI: /assetPool

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{  
  "id" : "524c8bf6e4b0ba0bfd388970",  
  "tenantId" : "524c8bf6e4b0ba0bfd38896f",  
  "name" : "testpool"  
}
```

## Response

**Content Type:** application/json

**Response Code:** 400

**Reponse Content:**

```
{  
  "messages" : {  
    "applicationErrors" : [ "Error Code: 25355 - assetPool.exists" ]  
  }  
}
```

---

## Example URI: /assetPool

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
null
```

## Response

**Content Type:** application/json

**Response Code:** 400

**Reponse Content:**

```
{  
  "messages" : {  
    "applicationErrors" : [ "Error Code: 99123 - unexpected.error" ]  
  }  
}
```

---

## Example URI: /assetPool/524c8bf6e4b0ba0bfd388972

### Request Data

**Method:**PUT

**Query String:**

**Request Data:**

```
{  
  "id" : "524c8bf6e4b0ba0bfd388972",  
  "tenantId" : "524c8bf6e4b0ba0bfd388971",  
  "assets" : [ {  
    "name" : null,  
    "type" : null,  
    "property" : null,  
    "assetFileGridId" : "12345",  
    "assetFileName" : "updatetest.jpg",  
    "fileContentType" : null,  
    "basePath" : null,  
  }]
```

```
        "url" : "nullnull"
    } ],
    "name" : "testpool"
}
```

## Response

**Content Type:** application/json

**Response Code:** 200

**Reponse Content:**

```
{
  "id" : "524c8bf6e4b0ba0bfd388972",
  "tenantId" : "524c8bf6e4b0ba0bfd388971",
  "name" : "testpool",
  "assets" : [ {
    "name" : null,
    "type" : null,
    "property" : null,
    "assetFileGridId" : "12345",
    "assetFileName" : "updatetest.jpg",
    "fileContentType" : null,
    "basePath" : null,
    "url" : "nullnull"
  }],
  "url" : "/assetPool/524c8bf6e4b0ba0bfd388972"
}
```

---

## Example URI: /assetPool/524c8bf7e4b0ba0bfd388977

### Request Data

**Method:**PUT

**Query String:**

**Request Data:**

null

## Response

**Content Type:** application/json

**Response Code:** 400

**Reponse Content:**

```
{
  "messages" : {
    "applicationErrors" : [ "Error Code: 23353 - assetPool.invalid.id" ]
  }
}
```

---

## Example URI: /assetPool/524c8bf7e4b0ba0bfd388977

## Request Data

**Method:**PUT

**Query String:**

**Request Data:**

```
{  
  "tenantId" : "524c8bf7e4b0ba0bfd388976",  
  "assets" : [ {  
    "name" : null,  
    "type" : null,  
    "property" : null,  
    "assetFileGridId" : "12345",  
    "assetFileName" : "updatetest.jpg",  
    "fileContentType" : null,  
    "basePath" : null,  
    "url" : "nullnull"  
  } ],  
  "name" : "testpool"  
}
```

## Response

**Content Type:** application/json

**Response Code:** 400

**Reponse Content:**

```
{  
  "messages" : {  
    "applicationErrors" : [ "Error Code: 61049 - assetPool.invalid.id" ]  
  }  
}
```

---

## Example URI: /assetPool/524c8bf7e4b0ba0bfd388977

## Request Data

**Method:**PUT

**Query String:**

**Request Data:**

```
{  
  "id" : "invalid-id",  
  "tenantId" : "524c8bf7e4b0ba0bfd388976",  
  "assets" : [ {  
    "name" : null,  
    "type" : null,  
    "property" : null,  
    "assetFileGridId" : "12345",  
    "assetFileName" : "updatetest.jpg",  
    "fileContentType" : null,  
    "basePath" : null,  
    "url" : "nullnull"  
  } ],  
  "name" : "testpool"  
}
```

## Response

**Content Type:** application/json

**Response Code:** 400

**Reponse Content:**

```
{  
  "messages" : {  
    "applicationErrors" : [ "Error Code: 49093 - assetPool.invalid.id" ]  
  }  
}
```

---

## Example URI: /assetPool/524c8bf7e4b0ba0bfd388979

### Request Data

**Method:**GET

**Query String:**

**Request Data:**

### Response

**Content Type:**

**Response Code:** 200

**Reponse Content:**

```
{  
  "id" : "524c8bf7e4b0ba0bfd388979",  
  "tenantId" : "524c8bf7e4b0ba0bfd388978",  
  "name" : "testpool",  
  "assets" : [ {  
    "name" : null,  
    "type" : "IMAGE",  
    "property" : "/assetPool/assetFile/524c8bf7e4b0ba0bfd38897a/Desktop.jpg",  
    "assetFileGridId" : "524c8bf7e4b0ba0bfd38897a",  
    "assetFileName" : "Desktop.jpg",  
    "fileContentType" : "image/jpeg",  
    "basePath" : "http://localhost:8089/prog-mgmt.rest",  
    "url" : "http://localhost:8089/prog-mgmt.rest/assetPool/assetFile/524c8bf7e4b0ba0bfd38897a/Desktop.jpg"  
  } ],  
  "url" : "/assetPool/524c8bf7e4b0ba0bfd388979"  
}
```

---

## Example URI: /assetPool/524c8bf7e4b0ba0bfd38897d

### Request Data

**Method:**GET

**Query String:**

**Request Data:**

### Response

**Content Type:**

**Response Code:** 200

**Reponse Content:**

```
{  
  "id" : "524c8bf7e4b0ba0bfd38897d",  
  "tenantId" : "524c8bf7e4b0ba0bfd38897c",  
  "name" : "testpool",  
  "assets" : null,  
  "url" : "/assetPool/524c8bf7e4b0ba0bfd38897d"  
}
```

---

## Example URI: /assetPool/524c8bf7e4b0ba0bfd38897f

### Request Data

**Method:**GET

**Query String:**

**Request Data:**

### Response

**Content Type:**

**Response Code:** 200

**Reponse Content:**

```
{  
  "id" : "524c8bf7e4b0ba0bfd38897f",  
  "tenantId" : "524c8bf7e4b0ba0bfd38897e",  
  "name" : "testpool",  
  "assets" : [ {  
    "name" : null,  
    "type" : "IMAGE",  
    "property" : "/assetPool/assetFile/524c8bf8e4b0ba0bfd388980/Desert.jpg",  
    "assetFileGridId" : "524c8bf8e4b0ba0bfd388980",  
    "assetFileName" : "Desert.jpg",  
    "fileContentType" : "image/jpeg",  
    "basePath" : "http://localhost:8089/prog-mgmt.rest",  
    "url" : "http://localhost:8089/prog-mgmt.rest/assetPool/assetFile/524c8bf8e4b0ba0bfd388980/Desert.jpg"  
  },  
  "url" : "/assetPool/524c8bf7e4b0ba0bfd38897f"  
}
```

---

## Example URI: /assetPool/524c8bf8e4b0ba0bfd388983

### Request Data

**Method:**GET

**Query String:**

**Request Data:**

## Response

**Content Type:**  
**Response Code:** 200  
**Reponse Content:**

```
{  
  "id" : "524c8bf8e4b0ba0bfd388983",  
  "tenantId" : "524c8bf8e4b0ba0bfd388982",  
  "name" : "testpool",  
  "assets" : null,  
  "url" : "/assetPool/524c8bf8e4b0ba0bfd388983"  
}
```

---

## Example URI: /assetPool/tenant/**524c8bf8e4b0ba0bfd388984**

### Request Data

**Method:**GET  
**Query String:**  
**Request Data:**

## Response

**Content Type:**  
**Response Code:** 200  
**Reponse Content:**

```
{  
  "id" : "524c8bf8e4b0ba0bfd388985",  
  "tenantId" : "524c8bf8e4b0ba0bfd388984",  
  "name" : "testpool",  
  "assets" : null,  
  "url" : "/assetPool/524c8bf8e4b0ba0bfd388985"  
}
```

---

## Example URI: **/assetPool/524c8bf7e4b0ba0bfd38897f/assetFile/524c8bf8e4b0ba0bfd388980**

### Request Data

**Method:**DELETE  
**Query String:**  
**Request Data:**

## Response

**Content Type:**

**Response Code:** 204

**Reponse Content:**

---

# API Documentation

[Back to API context list](#)

## Example Requests

---

### Example URI: /tenantchain/

#### Request Data

**Method:**GET

**Query String:** STATE\_GROUP=Smarter Balanced

**Request Data:**

#### Response

**Content Type:**

**Response Code:** 200

**Reponse Content:**

```
{
  "searchInput" : {
    "typeAndValues" : {
      "STATE_GROUP" : "Smarter Balanced"
    }
  },
  "tenants" : [ {
    "id" : "524c8bfae4b0ba0bfd388997",
    "name" : "Smarter Balanced",
    "description" : null,
    "type" : "STATE_GROUP",
    "tenantSubscriptions" : null,
    "url" : "/tenant/524c8bfae4b0ba0bfd388997"
  } ]
}
```

---

### Example URI: /tenantchain/

#### Request Data

**Method:**GET

**Query String:** DISTRICT=Middle Upper Valley&INSTITUTION=Foo Elementary

**Request Data:**

## Response

**Content Type:**

**Response Code:** 200

**Reponse Content:**

```
{  
  "searchInput" : {  
    "typeAndValues" : {  
      "INSTITUTION" : "Foo Elementary",  
      "DISTRICT" : "Middle Upper Valley"  
    }  
  },  
  "tenants" : [ {  
    "id" : "524c8bfae4b0ba0bfd38899d",  
    "name" : "Foo Elementary",  
    "description" : null,  
    "type" : "INSTITUTION",  
    "tenantSubscriptions" : null,  
    "url" : "/tenant/524c8bfae4b0ba0bfd38899d"  
  }, {  
    "id" : "524c8bfae4b0ba0bfd38899c",  
    "name" : "Middle Upper Valley",  
    "description" : null,  
    "type" : "DISTRICT",  
    "tenantSubscriptions" : null,  
    "url" : "/tenant/524c8bfae4b0ba0bfd38899c"  
  } ]  
}
```

---

## Example URI: /tenantchain/

### Request Data

**Method:**GET

**Query String:** DISTRICT=Middle Upper Valley&STATE=CA&INSTITUTION=Foo Elementary&STATE\_GROUP=Smarter Balanced

**Request Data:**

## Response

**Content Type:**  
**Response Code:** 200  
**Reponse Content:**

```
{  
  "searchInput" : {  
    "typeAndValues" : {  
      "INSTITUTION" : "Foo Elementary",  
      "DISTRICT" : "Middle Upper Valley",  
      "STATE_GROUP" : "Smarter Balanced",  
      "STATE" : "CA"  
    }  
  },  
  "tenants" : [ {  
    "id" : "524c8bfae4b0ba0bfd38899e",  
    "name" : "CA",  
    "description" : null,  
    "type" : "STATE",  
    "tenantSubscriptions" : null,  
    "url" : "/tenant/524c8bfae4b0ba0bfd38899e"  
  } ]  
}
```

---

## Example URI: /tenantchain/

### Request Data

**Method:**GET  
**Query String:** DISTRICT=Middle Upper Valley&STATE=CA&INSTITUTION=Foo Elementary&STATE\_GROUP=Smarter Balanced  
**Request Data:**

### Response

**Content Type:**  
**Response Code:** 200  
**Reponse Content:**

```
{  
  "searchInput" : {  
    "typeAndValues" : {  
      "INSTITUTION" : "Foo Elementary",  
      "DISTRICT" : "Middle Upper Valley",  
      "STATE_GROUP" : "Smarter Balanced",  
      "STATE" : "CA"  
    }  
  },  
}
```

```
"tenants" : [ {
    "id" : "524c8bfae4b0ba0bfd3889a6",
    "name" : "Foo Elementary",
    "description" : null,
    "type" : "INSTITUTION",
    "tenantSubscriptions" : null,
    "url" : "/tenant/524c8bfae4b0ba0bfd3889a6"
}, {
    "id" : "524c8bfae4b0ba0bfd3889a5",
    "name" : "Middle Upper Valley",
    "description" : null,
    "type" : "DISTRICT",
    "tenantSubscriptions" : null,
    "url" : "/tenant/524c8bfae4b0ba0bfd3889a5"
}, {
    "id" : "524c8bfae4b0ba0bfd3889a1",
    "name" : "CA",
    "description" : null,
    "type" : "STATE",
    "tenantSubscriptions" : null,
    "url" : "/tenant/524c8bfae4b0ba0bfd3889a1"
}, {
    "id" : "524c8bfae4b0ba0bfd3889a4",
    "name" : "Smarter Balanced",
    "description" : null,
    "type" : "STATE_GROUP",
    "tenantSubscriptions" : null,
    "url" : "/tenant/524c8bfae4b0ba0bfd3889a4"
} ]  
}
```

---

# API Documentation

[Back to API context list](#)

## Example Requests

---

### Example URI: /propertyConfig

#### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{
  "envName" : "DEV",
  "name" : "tib_config",
  "properties" : [ {
    "propertyKey" : "foo.bar.prop",
    "propertyValue" : "true",
    "encrypt" : false
  }, {
    "propertyKey" : "foo.bob.prop",
    "propertyValue" : "yippe",
    "encrypt" : false
  }, {
    "propertyKey" : "tib.stfp.site",
    "propertyValue" : "sftp.mydomain.com",
    "encrypt" : false
  }, {
    "propertyKey" : "tib.stfp.port",
    "propertyValue" : "9999",
    "encrypt" : false
  } ]
}
```

#### Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{
  "id" : "524c8bfae4b0ba0bfd3889a7",
  "name" : "tib_config",
  "envName" : "DEV",
  "properties" : [ {
    "propertyKey" : "foo.bar.prop",
    "propertyValue" : "true",
    "encrypt" : false
  }, {
    "propertyKey" : "foo.bob.prop",
    "propertyValue" : "yippe",
    "encrypt" : false
  }, {
    "propertyKey" : "tib.stfp.site",
    "propertyValue" : "sftp.mydomain.com",
    "encrypt" : false
  }, {
    "propertyKey" : "tib.stfp.port",
    "propertyValue" : "9999",
    "encrypt" : false
  } ]
}
```

```
    "propertyValue" : "true",
    "encrypt" : false
}, {
    "propertyKey" : "foo.bob.prop",
    "propertyValue" : "yippe",
    "encrypt" : false
}, {
    "propertyKey" : "tib.stfp.site",
    "propertyValue" : "sftp.mydomain.com",
    "encrypt" : false
}, {
    "propertyKey" : "tib.stfp.port",
    "propertyValue" : "9999",
    "encrypt" : false
} ],
"url" : "/propertyConfig/524c8bfae4b0ba0bfd3889a7"
}
```

---

## Example URI: /propertyConfig

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{
  "envName" : "DEV",
  "name" : "tib_config",
  "properties" : [ {
    "propertyKey" : "foo.bar.prop",
    "propertyValue" : "true",
    "encrypt" : false
}, {
    "propertyKey" : "foo.bob.prop",
    "propertyValue" : "yippe",
    "encrypt" : false
}, {
    "propertyKey" : "tib.stfp.site",
    "propertyValue" : "sftp.mydomain.com",
    "encrypt" : false
}, {
    "propertyKey" : "tib.stfp.port",
    "propertyValue" : "9999",
    "encrypt" : false
} ]
}
```

### Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
  "id" : "524c8bfbe4b0ba0bfd3889a9",  
  "name" : "tib_config",  
  "envName" : "DEV",  
  "properties" : [ {  
    "propertyKey" : "foo.bar.prop",  
    "propertyValue" : "true",  
    "encrypt" : false  
  }, {  
    "propertyKey" : "foo.bob.prop",  
    "propertyValue" : "yippe",  
    "encrypt" : false  
  }, {  
    "propertyKey" : "tib.stfp.site",  
    "propertyValue" : "sftp.mydomain.com",  
    "encrypt" : false  
  }, {  
    "propertyKey" : "tib.stfp.port",  
    "propertyValue" : "9999",  
    "encrypt" : false  
  } ],  
  "url" : "/propertyConfig/524c8bfbe4b0ba0bfd3889a9"  
}
```

---

## Example URI: /propertyConfig

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{  
  "envName" : "local",  
  "name" : "mna_config",  
  "properties" : [ {  
    "propertyKey" : "prop2",  
    "propertyValue" : "yo",  
    "encrypt" : false  
  }, {  
    "propertyKey" : "prop2.1",  
    "propertyValue" : "dude",  
    "encrypt" : false  
  }, {  
    "propertyKey" : "mna.mongo.url",  
    "propertyValue" : "a.b.c",  
    "encrypt" : false  
  } ]
```

```
 } ]  
}
```

## Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
  "id" : "524c8bfbe4b0ba0bfd3889ab",  
  "name" : "mna_config",  
  "envName" : "local",  
  "properties" : [ {  
    "propertyKey" : "prop2",  
    "propertyValue" : "yo",  
    "encrypt" : false  
  }, {  
    "propertyKey" : "prop2.1",  
    "propertyValue" : "dude",  
    "encrypt" : false  
  }, {  
    "propertyKey" : "mna.mongo.url",  
    "propertyValue" : "a.b.c",  
    "encrypt" : false  
  } ],  
  "url" : "/propertyConfig/524c8bfbe4b0ba0bfd3889ab"  
}
```

---

## Example URI: /propertyConfig

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{  
  "envName" : "DEV",  
  "name" : "tib_config",  
  "properties" : [ {  
    "propertyKey" : "foo.bar.prop",  
    "propertyValue" : "true",  
    "encrypt" : false  
  }, {  
    "propertyKey" : "foo.bob.prop",  
    "propertyValue" : "yippe",  
    "encrypt" : false  
  } ]
```

```

}, {
  "propertyKey" : "tib.stfp.site",
  "propertyValue" : "sftp.mydomain.com",
  "encrypt" : false
}, {
  "propertyKey" : "tib.stfp.port",
  "propertyValue" : "9999",
  "encrypt" : false
} ]
}

```

## Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{
  "id" : "524c8bfbe4b0ba0bfd3889ad",
  "name" : "tib_config",
  "envName" : "DEV",
  "properties" : [ {
    "propertyKey" : "foo.bar.prop",
    "propertyValue" : "true",
    "encrypt" : false
  }, {
    "propertyKey" : "foo.bob.prop",
    "propertyValue" : "yippe",
    "encrypt" : false
  }, {
    "propertyKey" : "tib.stfp.site",
    "propertyValue" : "sftp.mydomain.com",
    "encrypt" : false
  }, {
    "propertyKey" : "tib.stfp.port",
    "propertyValue" : "9999",
    "encrypt" : false
  } ],
  "url" : "/propertyConfig/524c8bfbe4b0ba0bfd3889ad"
}
```

---

## Example URI: /propertyConfig

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{
  "envName" : "local",
  "name" : "mna_config",
  "properties" : [ {
    "propertyKey" : "prop2",
    "propertyValue" : "yo",
    "encrypt" : false
  }, {
    "propertyKey" : "prop2.1",
    "propertyValue" : "dude",
    "encrypt" : false
  }, {
    "propertyKey" : "mna.mongo.url",
    "propertyValue" : "a.b.c",
    "encrypt" : false
  } ]
}
```

## Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{
  "id" : "524c8bfbe4b0ba0bfd3889af",
  "name" : "mna_config",
  "envName" : "local",
  "properties" : [ {
    "propertyKey" : "prop2",
    "propertyValue" : "yo",
    "encrypt" : false
  }, {
    "propertyKey" : "prop2.1",
    "propertyValue" : "dude",
    "encrypt" : false
  }, {
    "propertyKey" : "mna.mongo.url",
    "propertyValue" : "a.b.c",
    "encrypt" : false
  } ],
  "url" : "/propertyConfig/524c8bfbe4b0ba0bfd3889af"
}
```

---

## Example URI: /propertyConfig

### Request Data

**Method:**POST

## **Query String:**

## **Request Data:**

```
{
  "envName" : "local",
  "name" : "mna_config",
  "properties" : [ {
    "propertyKey" : "prop2",
    "propertyValue" : "yo",
    "encrypt" : false
  }, {
    "propertyKey" : "prop2.1",
    "propertyValue" : "dude",
    "encrypt" : false
  }, {
    "propertyKey" : "mna.mongo.url",
    "propertyValue" : "a.b.c",
    "encrypt" : false
  } ]
}
```

## **Response**

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{
  "id" : "524c8bfbe4b0ba0bfd3889b1",
  "name" : "mna_config",
  "envName" : "local",
  "properties" : [ {
    "propertyKey" : "prop2",
    "propertyValue" : "yo",
    "encrypt" : false
  }, {
    "propertyKey" : "prop2.1",
    "propertyValue" : "dude",
    "encrypt" : false
  }, {
    "propertyKey" : "mna.mongo.url",
    "propertyValue" : "a.b.c",
    "encrypt" : false
  } ],
  "url" : "/propertyConfig/524c8bfbe4b0ba0bfd3889b1"
}
```

---

**Example URI: /propertyConfig**

## **Request Data**

**Method:**POST

**Query String:**

**Request Data:**

```
{  
  "envName" : "local",  
  "name" : "overlay_mna_config",  
  "properties" : [ {  
    "propertyKey" : "prop2",  
    "propertyValue" : "yippee",  
    "encrypt" : false  
  }, {  
    "propertyKey" : "new.custom.prop",  
    "propertyValue" : "fizz",  
    "encrypt" : false  
  } ]  
}
```

## **Response**

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
  "id" : "524c8bfbe4b0ba0bfd3889b3",  
  "name" : "overlay_mna_config",  
  "envName" : "local",  
  "properties" : [ {  
    "propertyKey" : "prop2",  
    "propertyValue" : "yippee",  
    "encrypt" : false  
  }, {  
    "propertyKey" : "new.custom.prop",  
    "propertyValue" : "fizz",  
    "encrypt" : false  
  } ],  
  "url" : "/propertyConfig/524c8bfbe4b0ba0bfd3889b3"  
}
```

---

## **Example URI: /propertyConfig**

### **Request Data**

**Method:**POST

## Query String:

## Request Data:

```
{  
  "envName" : "DEV",  
  "name" : "tib_config",  
  "properties" : [ {  
    "propertyKey" : "foo.bar.prop",  
    "propertyValue" : "true",  
    "encrypt" : false  
  }, {  
    "propertyKey" : "foo.bob.prop",  
    "propertyValue" : "yippe",  
    "encrypt" : false  
  }, {  
    "propertyKey" : "tib.stfp.site",  
    "propertyValue" : "sftp.mydomain.com",  
    "encrypt" : false  
  }, {  
    "propertyKey" : "tib.stfp.port",  
    "propertyValue" : "9999",  
    "encrypt" : false  
  } ]  
}
```

## Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
  "id" : "524c8bfbe4b0ba0bfd3889b5",  
  "name" : "tib_config",  
  "envName" : "DEV",  
  "properties" : [ {  
    "propertyKey" : "foo.bar.prop",  
    "propertyValue" : "true",  
    "encrypt" : false  
  }, {  
    "propertyKey" : "foo.bob.prop",  
    "propertyValue" : "yippe",  
    "encrypt" : false  
  }, {  
    "propertyKey" : "tib.stfp.site",  
    "propertyValue" : "sftp.mydomain.com",  
    "encrypt" : false  
  }, {  
    "propertyKey" : "tib.stfp.port",  
    "propertyValue" : "9999",  
    "encrypt" : false  
  } ],  
  "url" : "/propertyConfig/524c8bfbe4b0ba0bfd3889b5"  
}
```

---

# Example URI: /propertyConfig

## Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{  
  "envName" : "local",  
  "name" : "mna_config",  
  "properties" : [ {  
    "propertyKey" : "prop2",  
    "propertyValue" : "yo",  
    "encrypt" : false  
  }, {  
    "propertyKey" : "prop2.1",  
    "propertyValue" : "dude",  
    "encrypt" : false  
  }, {  
    "propertyKey" : "mna.mongo.url",  
    "propertyValue" : "a.b.c",  
    "encrypt" : false  
  } ]  
}
```

## Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
  "id" : "524c8bfbe4b0ba0bfd3889b7",  
  "name" : "mna_config",  
  "envName" : "local",  
  "properties" : [ {  
    "propertyKey" : "prop2",  
    "propertyValue" : "yo",  
    "encrypt" : false  
  }, {  
    "propertyKey" : "prop2.1",  
    "propertyValue" : "dude",  
    "encrypt" : false  
  }, {  
    "propertyKey" : "mna.mongo.url",  
    "propertyValue" : "a.b.c",  
    "encrypt" : false  
  } ],  
  "url" : "/propertyConfig/524c8bfbe4b0ba0bfd3889b7"
```

}

---

## Example URI: /propertyConfig

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{  
  "envName" : "DEV",  
  "name" : "tib_config",  
  "properties" : [ {  
    "propertyKey" : "foo.bar.prop",  
    "propertyValue" : "true",  
    "encrypt" : false  
  }, {  
    "propertyKey" : "foo.bob.prop",  
    "propertyValue" : "yippe",  
    "encrypt" : false  
  }, {  
    "propertyKey" : "tib.stfp.site",  
    "propertyValue" : "sftp.mydomain.com",  
    "encrypt" : false  
  }, {  
    "propertyKey" : "tib.stfp.port",  
    "propertyValue" : "9999",  
    "encrypt" : false  
  } ]  
}
```

### Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
  "id" : "524c8bfbe4b0ba0bfd3889b9",  
  "name" : "tib_config",  
  "envName" : "DEV",  
  "properties" : [ {  
    "propertyKey" : "foo.bar.prop",  
    "propertyValue" : "true",  
    "encrypt" : false  
  }, {  
    "propertyKey" : "foo.bob.prop",  
    "propertyValue" : "yippe",  
    "encrypt" : false  
  } ]  
}
```

```
        "propertyValue" : "yippe",
        "encrypt" : false
    }, {
        "propertyKey" : "tib.stfp.site",
        "propertyValue" : "sftp.mydomain.com",
        "encrypt" : false
    }, {
        "propertyKey" : "tib.stfp.port",
        "propertyValue" : "9999",
        "encrypt" : false
    }],
    "url" : "/propertyConfig/524c8bfbe4b0ba0bfd3889b9"
}
```

---

## Example URI: /propertyConfig

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{
    "envName" : "DEV",
    "name" : "tib_config",
    "properties" : [ {
        "propertyKey" : "foo.bar.prop",
        "propertyValue" : "true",
        "encrypt" : false
    }, {
        "propertyKey" : "foo.bob.prop",
        "propertyValue" : "yippe",
        "encrypt" : false
    }, {
        "propertyKey" : "tib.stfp.site",
        "propertyValue" : "sftp.mydomain.com",
        "encrypt" : false
    }, {
        "propertyKey" : "tib.stfp.port",
        "propertyValue" : "9999",
        "encrypt" : false
    }]
}
```

### Response

**Content Type:** application/json

**Response Code:** 201

## Reponse Content:

```
{  
  "id" : "524c8bfce4b0ba0bfd3889bc",  
  "name" : "tib_config",  
  "envName" : "DEV",  
  "properties" : [ {  
    "propertyKey" : "foo.bar.prop",  
    "propertyValue" : "true",  
    "encrypt" : false  
  }, {  
    "propertyKey" : "foo.bob.prop",  
    "propertyValue" : "yippe",  
    "encrypt" : false  
  }, {  
    "propertyKey" : "tib.stfp.site",  
    "propertyValue" : "sftp.mydomain.com",  
    "encrypt" : false  
  }, {  
    "propertyKey" : "tib.stfp.port",  
    "propertyValue" : "9999",  
    "encrypt" : false  
  } ],  
  "url" : "/propertyConfig/524c8bfbe4b0ba0bfd3889b9"  
}
```

---

## Example URI: /propertyConfig/524c8bfbe4b0ba0bfd3889b9

### Request Data

Method:PUT

Query String:

Request Data:

```
{  
  "id" : "524c8bfbe4b0ba0bfd3889b9",  
  "envName" : "DEV",  
  "name" : "config name",  
  "properties" : [ {  
    "propertyKey" : "foo.bar.prop",  
    "propertyValue" : "true",  
    "encrypt" : false  
  }, {  
    "propertyKey" : "foo.bob.prop",  
    "propertyValue" : "yippe",  
    "encrypt" : false  
  }, {  
    "propertyKey" : "tib.stfp.site",  
    "propertyValue" : "sftp.mydomain.com",  
    "encrypt" : false  
  }, {  
    "propertyKey" : "tib.stfp.port",  
    "propertyValue" : "9999",  
    "encrypt" : false  
  } ]  
}
```

```
    "propertyValue" : "9999",
    "encrypt" : false
  } ]
}
```

## Response

**Content Type:** application/json

**Response Code:** 200

**Reponse Content:**

```
{
  "id" : "524c8bfbe4b0ba0bfd3889b9",
  "name" : "config name",
  "envName" : "DEV",
  "properties" : [ {
    "propertyKey" : "foo.bar.prop",
    "propertyValue" : "true",
    "encrypt" : false
  }, {
    "propertyKey" : "foo.bob.prop",
    "propertyValue" : "yippe",
    "encrypt" : false
  }, {
    "propertyKey" : "tib.stfp.site",
    "propertyValue" : "sftp.mydomain.com",
    "encrypt" : false
  }, {
    "propertyKey" : "tib.stfp.port",
    "propertyValue" : "9999",
    "encrypt" : false
  }],
  "url" : "/propertyConfig/524c8bfbe4b0ba0bfd3889b9"
}
```

---

**Example URI:** /propertyConfig/524c8bfbe4b0ba0bfd3889a7/audits

## Request Data

**Method:**GET

**Query String:**

**Request Data:**

## Response

**Content Type:**

**Response Code:** 200

**Reponse Content:**

```
{  
  "searchResults" : [ {  
    "id" : "524c8bfbe4b0ba0bfd3889a8",  
    "propertyConfig" : {  
      "id" : "524c8bfae4b0ba0bfd3889a7",  
      "name" : "tib_config",  
      "envName" : "DEV",  
      "properties" : [ {  
        "propertyKey" : "foo.bar.prop",  
        "propertyValue" : "true",  
        "encrypt" : false  
      }, {  
        "propertyKey" : "foo.bob.prop",  
        "propertyValue" : "yippe",  
        "encrypt" : false  
      }, {  
        "propertyKey" : "tib.stfp.site",  
        "propertyValue" : "sftp.mydomain.com",  
        "encrypt" : false  
      }, {  
        "propertyKey" : "tib.stfp.port",  
        "propertyValue" : "9999",  
        "encrypt" : false  
      } ],  
      "url" : "/propertyConfig/524c8bfae4b0ba0bfd3889a7"  
    },  
    "auditTimestamp" : "2013-10-02T16:11:22.990-05:00",  
    "auditUser" : null,  
    "auditType" : "UPDATE",  
    "historyDiff" : [ {  
      "valueChanged" : false,  
      "encryptChanged" : false,  
      "oldPropertyKey" : null,  
      "propertyKey" : "tib.stfp.port",  
      "oldPropertyValue" : null,  
      "propertyValue" : "9999",  
      "encrypt" : false,  
      "entryDiffOper" : "ADD",  
      "readableEncrypted" : "not encrypted",  
      "readableOldEncrypted" : "not encrypted"  
    }, {  
      "valueChanged" : false,  
      "encryptChanged" : false,  
      "oldPropertyKey" : null,  
      "propertyKey" : "foo.bob.prop",  
      "oldPropertyValue" : null,  
      "propertyValue" : "yippe",  
      "encrypt" : false,  
      "entryDiffOper" : "ADD",  
      "readableEncrypted" : "not encrypted",  
      "readableOldEncrypted" : "not encrypted"  
    }, {  
      "valueChanged" : false,  
      "encryptChanged" : false,  
      "oldPropertyKey" : null,  
      "propertyKey" : "tib.stfp.site",  
      "oldPropertyValue" : null,  
      "propertyValue" : "sftp.mydomain.com",  
      "encrypt" : false  
    } ]  
  } ]  
}
```

```

    "oldPropertyValue" : null,
    "propertyValue" : "sftp.mydomain.com",
    "encrypt" : false,
    "entryDiffOper" : "ADD",
    "readableEncrypted" : "not encrypted",
    "readableOldEncrypted" : "not encrypted"
}, {
    "valueChanged" : false,
    "encryptChanged" : false,
    "oldPropertyKey" : null,
    "propertyKey" : "foo.bar.prop",
    "oldPropertyValue" : null,
    "propertyValue" : "true",
    "encrypt" : false,
    "entryDiffOper" : "ADD",
    "readableEncrypted" : "not encrypted",
    "readableOldEncrypted" : "not encrypted"
} ]
},
"currentPage" : 0,
"returnCount" : 1,
"pageSize" : 10,
"totalCount" : 1,
"sortKey" : "_id",
"sortDirection" : "ASC",
"nextPageUrl" : null,
"prevPageUrl" : null
}

```

---

## Example URI: /propertyConfig

### Request Data

**Method:**GET

**Query String:** name=tib\_config

**Request Data:**

### Response

**Content Type:**

**Response Code:** 200

**Reponse Content:**

```
{
  "searchResults" : [ {
    "id" : "524c8bfbe4b0ba0bfd3889a9",
    "name" : "tib_config",
    "envName" : "DEV",
    "value" : "sftp.mydomain.com"
  }
]
}
```

```

"properties" : [ {
  "propertyKey" : "foo.bar.prop",
  "propertyValue" : "true",
  "encrypt" : false
}, {
  "propertyKey" : "foo.bob.prop",
  "propertyValue" : "yippe",
  "encrypt" : false
}, {
  "propertyKey" : "tib.stfp.site",
  "propertyValue" : "sftp.mydomain.com",
  "encrypt" : false
}, {
  "propertyKey" : "tib.stfp.port",
  "propertyValue" : "9999",
  "encrypt" : false
} ],
"url" : "/propertyConfig/524c8bfbe4b0ba0bfd3889a9"
} ],
"currentPage" : 0,
"returnCount" : 1,
"pageSize" : 10,
"totalCount" : 1,
"sortKey" : "_id",
"sortDirection" : "ASC",
"nextPageUrl" : null,
"prevPageUrl" : null
}

```

---

## Example URI: /propertyConfig

### Request Data

**Method:**GET

**Query String:** envName=DEV

**Request Data:**

### Response

**Content Type:**

**Response Code:** 200

**Reponse Content:**

```
{
  "searchResults" : [ {
    "id" : "524c8bfbe4b0ba0bfd3889a9",
    "name" : "tib_config",
    "envName" : "DEV",
    "properties" : [ {
      "propertyKey" : "tib_config.propertyKey",
      "propertyValue" : "tib_config.propertyValue",
      "encrypt" : false
    } ]
  } ]
}
```

```

"properties" : [ {
  "propertyKey" : "foo.bar.prop",
  "propertyValue" : "true",
  "encrypt" : false
}, {
  "propertyKey" : "foo.bob.prop",
  "propertyValue" : "yippe",
  "encrypt" : false
}, {
  "propertyKey" : "tib.stfp.site",
  "propertyValue" : "sftp.mydomain.com",
  "encrypt" : false
}, {
  "propertyKey" : "tib.stfp.port",
  "propertyValue" : "9999",
  "encrypt" : false
} ],
"url" : "/propertyConfig/524c8bfbe4b0ba0bfd3889a9"
},
"currentPage" : 0,
"returnCount" : 1,
"pageSize" : 10,
"totalCount" : 1,
"sortKey" : "_id",
"sortDirection" : "ASC",
"nextPageUrl" : null,
"prevPageUrl" : null
}

```

---

## Example URI: /propertyConfig

### Request Data

**Method:**GET

**Query String:** nameContains=ib\_co

**Request Data:**

### Response

**Content Type:**

**Response Code:** 200

**Reponse Content:**

```
{
  "searchResults" : [ {
    "id" : "524c8bfbe4b0ba0bfd3889a9",
    "name" : "tib_config",
    "envName" : "DEV",
    "value" : "true"
  } ]
}
```

```

"properties" : [ {
  "propertyKey" : "foo.bar.prop",
  "propertyValue" : "true",
  "encrypt" : false
}, {
  "propertyKey" : "foo.bob.prop",
  "propertyValue" : "yippe",
  "encrypt" : false
}, {
  "propertyKey" : "tib.stfp.site",
  "propertyValue" : "sftp.mydomain.com",
  "encrypt" : false
}, {
  "propertyKey" : "tib.stfp.port",
  "propertyValue" : "9999",
  "encrypt" : false
} ],
"url" : "/propertyConfig/524c8bfbe4b0ba0bfd3889a9"
} ],
"currentPage" : 0,
"returnCount" : 1,
"pageSize" : 10,
"totalCount" : 1,
"sortKey" : "_id",
"sortDirection" : "ASC",
"nextPageUrl" : null,
"prevPageUrl" : null
}

```

---

## Example URI: /propertyConfig

### Request Data

**Method:**GET

**Query String:** envNameContains=oca

**Request Data:**

### Response

**Content Type:**

**Response Code:** 200

**Reponse Content:**

```
{
  "searchResults" : [ {
    "id" : "524c8bfbe4b0ba0bfd3889ab",
    "name" : "mna_config",
    "envName" : "local",
    "value" : "true"
  } ]
}
```

```

"properties" : [ {
  "propertyKey" : "prop2",
  "propertyValue" : "yo",
  "encrypt" : false
}, {
  "propertyKey" : "prop2.1",
  "propertyValue" : "dude",
  "encrypt" : false
}, {
  "propertyKey" : "mna.mongo.url",
  "propertyValue" : "a.b.c",
  "encrypt" : false
} ],
"url" : "/propertyConfig/524c8bfbe4b0ba0bfd3889ab"
} ],
"currentPage" : 0,
"returnCount" : 1,
"pageSize" : 10,
"totalCount" : 1,
"sortKey" : "_id",
"sortDirection" : "ASC",
"nextPageUrl" : null,
"prevPageUrl" : null
}

```

---

## Example URI: /propertyConfig

### Request Data

**Method:**GET

**Query String:** nameContains=GOO

**Request Data:**

### Response

**Content Type:**

**Response Code:** 200

**Reponse Content:**

```
{
  "searchResults" : [ ],
  "currentPage" : 0,
  "returnCount" : 0,
  "pageSize" : 10,
  "totalCount" : 0,
  "sortKey" : "_id",
  "sortDirection" : "ASC",
  "nextPageUrl" : null,
  "prevPageUrl" : null
}
```

```
        "prevPageUrl" : null  
    }

---


```

## Example URI: /propertyConfig

### Request Data

**Method:**GET

**Query String:** envNameContains=GOO

**Request Data:**

### Response

**Content Type:**

**Response Code:** 200

**Reponse Content:**

```
{  
    "searchResults" : [ ],  
    "currentPage" : 0,  
    "returnCount" : 0,  
    "pageSize" : 10,  
    "totalCount" : 0,  
    "sortKey" : "_id",  
    "sortDirection" : "ASC",  
    "nextPageUrl" : null,  
    "prevPageUrl" : null  
}

---


```

## Example URI: /propertyConfig/524c8bfbe4b0ba0bfd3889ad

### Request Data

**Method:**GET

**Query String:**

**Request Data:**

## Response

**Content Type:**

**Response Code:** 200

**Reponse Content:**

```
{  
  "id" : "524c8bfbe4b0ba0bfd3889ad",  
  "name" : "tib_config",  
  "envName" : "DEV",  
  "properties" : [ {  
    "propertyKey" : "foo.bar.prop",  
    "propertyValue" : "true",  
    "encrypt" : false  
  }, {  
    "propertyKey" : "foo.bob.prop",  
    "propertyValue" : "yippe",  
    "encrypt" : false  
  }, {  
    "propertyKey" : "tib.stfp.site",  
    "propertyValue" : "sftp.mydomain.com",  
    "encrypt" : false  
  }, {  
    "propertyKey" : "tib.stfp.port",  
    "propertyValue" : "9999",  
    "encrypt" : false  
  } ],  
  "url" : "/propertyConfig/524c8bfbe4b0ba0bfd3889ad"  
}
```

---

**Example URI:** /propertyConfig/name/mna\_config/envName/local

## Request Data

**Method:**GET

**Query String:** overlay=overlay\_mna\_config

**Request Data:**

## Response

**Content Type:**

**Response Code:** 200

**Reponse Content:**

```
{  
  "id" : null,  
  "name" : "overlay_mna_config extends mna_config",  
  "envName" : "DEV",  
  "properties" : [ {  
    "propertyKey" : "foo.bar.prop",  
    "propertyValue" : "true",  
    "encrypt" : false  
  }, {  
    "propertyKey" : "foo.bob.prop",  
    "propertyValue" : "yippe",  
    "encrypt" : false  
  }, {  
    "propertyKey" : "tib.stfp.site",  
    "propertyValue" : "sftp.mydomain.com",  
    "encrypt" : false  
  }, {  
    "propertyKey" : "tib.stfp.port",  
    "propertyValue" : "9999",  
    "encrypt" : false  
  } ],  
  "url" : "/propertyConfig/524c8bfbe4b0ba0bfd3889ad"  
}
```

```

"envName" : "local",
"properties" : [ {
  "propertyKey" : "new.custom.prop",
  "propertyValue" : "fizz",
  "encrypt" : false
}, {
  "propertyKey" : "prop2",
  "propertyValue" : "yippee",
  "encrypt" : false
}, {
  "propertyKey" : "prop2.1",
  "propertyValue" : "dude",
  "encrypt" : false
}, {
  "propertyKey" : "mna.mongo.url",
  "propertyValue" : "a.b.c",
  "encrypt" : false
} ],
"url" : "/propertyConfig/null"
}

```

---

## Example URI: /propertyConfig/name/tib\_config/envName/DEV

### Request Data

**Method:**GET

**Query String:**

**Request Data:**

### Response

**Content Type:**

**Response Code:** 200

**Reponse Content:**

```
{
  "id" : "524c8bfbe4b0ba0bfd3889b5",
  "name" : "tib_config",
  "envName" : "DEV",
  "properties" : [ {
    "propertyKey" : "foo.bar.prop",
    "propertyValue" : "true",
    "encrypt" : false
  }, {
    "propertyKey" : "foo.bob.prop",
    "propertyValue" : "yippe",
    "encrypt" : false
  }, {
    "propertyKey" : "foo.bob.prop",
    "propertyValue" : "yippe",
    "encrypt" : false
  }
}
```

```
        "propertyKey" : "tib.stfp.site",
        "propertyValue" : "sftp.mydomain.com",
        "encrypt" : false
    }, {
        "propertyKey" : "tib.stfp.port",
        "propertyValue" : "9999",
        "encrypt" : false
    }],
    "url" : "/propertyConfig/524c8bfbe4b0ba0bfd3889b5"
}
```

---

## Example URI: /propertyConfig/name/ib\_con/envName/DEV

### Request Data

Method:GET

Query String:

Request Data:

### Response

Content Type:

Response Code: 200

Reponse Content:

## Example URI: /propertyConfig/524c8bfce4b0ba0bfd3889bc/audits

### Request Data

Method:GET

Query String:

Request Data:

### Response

Content Type:

## Response Code: 200

### Reponse Content:

```
{  
  "searchResults" : [ {  
    "id" : "524c8bfce4b0ba0bfd3889bd",  
    "propertyConfig" : {  
      "id" : "524c8bfce4b0ba0bfd3889bc",  
      "name" : "tib_config",  
      "envName" : "DEV",  
      "properties" : [ {  
        "propertyKey" : "foo.bar.prop",  
        "propertyValue" : "true",  
        "encrypt" : false  
      }, {  
        "propertyKey" : "foo.bob.prop",  
        "propertyValue" : "yippe",  
        "encrypt" : false  
      }, {  
        "propertyKey" : "tib.stfp.site",  
        "propertyValue" : "sftp.mydomain.com",  
        "encrypt" : false  
      }, {  
        "propertyKey" : "tib.stfp.port",  
        "propertyValue" : "9999",  
        "encrypt" : false  
      } ],  
      "url" : "/propertyConfig/524c8bfce4b0ba0bfd3889bc"  
    },  
    "auditTimestamp" : "2013-10-02T16:11:24.024-05:00",  
    "auditUser" : null,  
    "auditType" : "UPDATE",  
    "historyDiff" : [ {  
      "valueChanged" : false,  
      "encryptChanged" : false,  
      "oldPropertyKey" : null,  
      "propertyKey" : "tib.stfp.port",  
      "oldPropertyValue" : null,  
      "propertyValue" : "9999",  
      "encrypt" : false,  
      "entryDiffOper" : "ADD",  
      "readableEncrypted" : "not encrypted",  
      "readableOldEncrypted" : "not encrypted"  
    }, {  
      "valueChanged" : false,  
      "encryptChanged" : false,  
      "oldPropertyKey" : null,  
      "propertyKey" : "foo.bob.prop",  
      "oldPropertyValue" : null,  
      "propertyValue" : "yippe",  
      "encrypt" : false,  
      "entryDiffOper" : "ADD",  
      "readableEncrypted" : "not encrypted",  
      "readableOldEncrypted" : "not encrypted"  
    }, {  
      "valueChanged" : false,  
      "encryptChanged" : false,  
      "oldPropertyKey" : null,  
      "propertyKey" : "tib.stfp.site",  
      "oldPropertyValue" : null,  
      "propertyValue" : "sftp.mydomain.com",  
      "encrypt" : false  
    } ]  
  } ]  
}
```

```

    "encrypt" : false,
    "entryDiffOper" : "ADD",
    "readableEncrypted" : "not encrypted",
    "readableOldEncrypted" : "not encrypted"
}, {
    "valueChanged" : false,
    "encryptChanged" : false,
    "oldPropertyKey" : null,
    "propertyKey" : "foo.bar.prop",
    "oldPropertyValue" : null,
    "propertyValue" : "true",
    "encrypt" : false,
    "entryDiffOper" : "ADD",
    "readableEncrypted" : "not encrypted",
    "readableOldEncrypted" : "not encrypted"
} ]
},
{
    "id" : "524c8bfce4b0ba0bfd3889be",
    "propertyConfig" : [
        {
            "id" : "524c8bfce4b0ba0bfd3889bc",
            "name" : "tib_config",
            "envName" : "DEV",
            "properties" : [ {
                "propertyKey" : "foo.bar.prop",
                "propertyValue" : "true",
                "encrypt" : false
            }, {
                "propertyKey" : "foo.bob.prop",
                "propertyValue" : "yippe",
                "encrypt" : false
            }, {
                "propertyKey" : "tib.stfp.site",
                "propertyValue" : "sftp.mydomain.com",
                "encrypt" : false
            }, {
                "propertyKey" : "tib.stfp.port",
                "propertyValue" : "9999",
                "encrypt" : false
            } ],
            "url" : "/propertyConfig/524c8bfce4b0ba0bfd3889bc"
        },
        "auditTimestamp" : "2013-10-02T16:11:24.054-05:00",
        "auditUser" : null,
        "auditType" : "DELETE",
        "historyDiff" : [ {
            "valueChanged" : false,
            "encryptChanged" : false,
            "oldPropertyKey" : "foo.bar.prop",
            "propertyKey" : "foo.bar.prop",
            "oldPropertyValue" : "true",
            "propertyValue" : "true",
            "encrypt" : false,
            "entryDiffOper" : "EQ",
            "readableEncrypted" : "not encrypted",
            "readableOldEncrypted" : "not encrypted"
        }, {
            "valueChanged" : false,
            "encryptChanged" : false,
            "oldPropertyKey" : "foo.bob.prop",
            "propertyKey" : "foo.bob.prop",
            "oldPropertyValue" : "yippe",
            "propertyValue" :

```

```

    "propertyValue" : "yippe",
    "encrypt" : false,
    "entryDiffOper" : "EQ",
    "readableEncrypted" : "not encrypted",
    "readableOldEncrypted" : "not encrypted"
}, {
    "valueChanged" : false,
    "encryptChanged" : false,
    "oldPropertyKey" : "tib.stfp.site",
    "propertyKey" : "tib.stfp.site",
    "oldPropertyValue" : "sftp.mydomain.com",
    "propertyValue" : "sftp.mydomain.com",
    "encrypt" : false,
    "entryDiffOper" : "EQ",
    "readableEncrypted" : "not encrypted",
    "readableOldEncrypted" : "not encrypted"
}, {
    "valueChanged" : false,
    "encryptChanged" : false,
    "oldPropertyKey" : "tib.stfp.port",
    "propertyKey" : "tib.stfp.port",
    "oldPropertyValue" : "9999",
    "propertyValue" : "9999",
    "encrypt" : false,
    "entryDiffOper" : "EQ",
    "readableEncrypted" : "not encrypted",
    "readableOldEncrypted" : "not encrypted"
} ]
} ],
"currentPage" : 0,
"returnCount" : 2,
"pageSize" : 10,
"totalCount" : 2,
"sortKey" : "_id",
"sortDirection" : "ASC",
"nextPageUrl" : null,
"prevPageUrl" : null
}

```

---

## Example URI: /propertyConfig/524c8bfce4b0ba0bfd3889bc

### Request Data

**Method:**DELETE

**Query String:**

**Request Data:**

### Response

**Content Type:**

**Response Code:** 204

**Reponse Content:**

---

# API Documentation

[Back to API context list](#)

## Example Requests

---

### Example URI: /component

#### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{  
  "name" : "Component Name"  
}
```

#### Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
  "id" : "524c8bf5e4b0ba0bfd388967",  
  "name" : "Component Name",  
  "url" : "/component/524c8bf5e4b0ba0bfd388967"  
}
```

---

### Example URI: /component

#### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{
```

```
        "name" : "Component Name"  
    }
```

## Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
    "id" : "524c8bf5e4b0ba0bfd388968",  
    "name" : "Component Name",  
    "url" : "/component/524c8bf5e4b0ba0bfd388968"  
}
```

---

## Example URI: /component

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{  
    "name" : "Component Name"  
}
```

## Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
    "id" : "524c8bf5e4b0ba0bfd388969",  
    "name" : "Component Name",  
    "url" : "/component/524c8bf5e4b0ba0bfd388969"  
}
```

---

## **Example URI: /component**

### **Request Data**

**Method:**POST

**Query String:**

**Request Data:**

```
{  
  "name" : "Component Name"  
}
```

### **Response**

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
  "id" : "524c8bf5e4b0ba0bfd38896a",  
  "name" : "Component Name",  
  "url" : "/component/524c8bf5e4b0ba0bfd38896a"  
}
```

---

## **Example URI: /component**

### **Request Data**

**Method:**POST

**Query String:**

**Request Data:**

```
{  
  "name" : "component1"  
}
```

### **Response**

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
  "id" : "524c8bf6e4b0ba0bfd38896b",  
  "name" : "component1",  
  "url" : "/component/524c8bf6e4b0ba0bfd38896b"  
}
```

---

## Example URI: /component

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{  
  "name" : "component2"  
}
```

### Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
  "id" : "524c8bf6e4b0ba0bfd38896c",  
  "name" : "component2",  
  "url" : "/component/524c8bf6e4b0ba0bfd38896c"  
}
```

---

## Example URI: /component

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{
```

```
    "name" : "Component Name"  
}
```

## Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
    "id" : "524c8bf6e4b0ba0bfd38896d",  
    "name" : "Component Name",  
    "url" : "/component/524c8bf6e4b0ba0bfd38896d"  
}
```

---

## Example URI: /component

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{  
    "name" : "Component Name"  
}
```

## Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
    "id" : "524c8bf6e4b0ba0bfd38896e",  
    "name" : "Component Name",  
    "url" : "/component/524c8bf6e4b0ba0bfd38896e"  
}
```

---

## **Example URI: /component/524c8bf5e4b0ba0bfd388969**

### **Request Data**

**Method:**PUT

**Query String:**

**Request Data:**

```
{  
  "id" : "524c8bf5e4b0ba0bfd388969",  
  "name" : "Component Name"  
}
```

### **Response**

**Content Type:** application/json

**Response Code:** 200

**Reponse Content:**

```
{  
  "id" : "524c8bf5e4b0ba0bfd388969",  
  "name" : "Component Name",  
  "url" : "/component/524c8bf5e4b0ba0bfd388969"  
}
```

---

## **Example URI: /component/524c8bf5e4b0ba0bfd38896a**

### **Request Data**

**Method:**PUT

**Query String:**

**Request Data:**

null

### **Response**

**Content Type:** application/json

**Response Code:** 400

**Reponse Content:**

```
{
```

```
"messages" : {  
    "applicationErrors" : [ "Error Code: 75433 - component.invalid.id" ]  
}  
}
```

---

## Example URI: /component/524c8bf5e4b0ba0bfd38896a

### Request Data

**Method:**PUT

**Query String:**

**Request Data:**

```
{  
    "name" : "Component Name"  
}
```

### Response

**Content Type:** application/json

**Response Code:** 400

**Reponse Content:**

```
{  
    "messages" : {  
        "applicationErrors" : [ "Error Code: 64230 - component.invalid.id" ]  
    }  
}
```

---

## Example URI: /component/524c8bf5e4b0ba0bfd38896a

### Request Data

**Method:**PUT

**Query String:**

**Request Data:**

```
{  
    "id" : "invalid-id",
```

```
    "name" : "Component Name"
}
```

## Response

**Content Type:** application/json

**Response Code:** 400

**Reponse Content:**

```
{
  "messages" : {
    "applicationErrors" : [ "Error Code: 93103 - component.invalid.id" ]
  }
}
```

---

## Example URI: /component/524c8bf5e4b0ba0bfd388967

### Request Data

**Method:**GET

**Query String:**

**Request Data:**

## Response

**Content Type:**

**Response Code:** 200

**Reponse Content:**

```
{
  "id" : "524c8bf5e4b0ba0bfd388967",
  "name" : "Component Name",
  "url" : "/component/524c8bf5e4b0ba0bfd388967"
}
```

---

## Example URI: /component/name/Component%20Name

## **Request Data**

**Method:**GET

**Query String:**

**Request Data:**

## **Response**

**Content Type:**

**Response Code:** 200

**Reponse Content:**

```
{  
  "id" : "524c8bf5e4b0ba0bfd388968",  
  "name" : "Component Name",  
  "url" : "/component/524c8bf5e4b0ba0bfd388968"  
}
```

---

## **Example URI: /component/name/notthere**

## **Request Data**

**Method:**GET

**Query String:**

**Request Data:**

## **Response**

**Content Type:**

**Response Code:** 200

**Reponse Content:**

## **Example URI: /component**

## **Request Data**

**Method:**GET

**Query String:** name=component1

**Request Data:**

## Response

**Content Type:**

**Response Code:** 200

**Reponse Content:**

```
{  
  "searchResults" : [ {  
    "id" : "524c8bf6e4b0ba0bfd38896b",  
    "name" : "component1",  
    "url" : "/component/524c8bf6e4b0ba0bfd38896b"  
  } ],  
  "currentPage" : 0,  
  "returnCount" : 1,  
  "pageSize" : 10,  
  "totalCount" : 1,  
  "sortKey" : "_id",  
  "sortDirection" : "ASC",  
  "nextPageUrl" : null,  
  "prevPageUrl" : null  
}
```

---

## Example URI: /component

### Request Data

**Method:**GET

**Query String:** name=component2

**Request Data:**

## Response

**Content Type:**

**Response Code:** 200

**Reponse Content:**

```
{  
  "searchResults" : [ {  
    "id" : "524c8bf6e4b0ba0bfd38896c",  
    "name" : "component2",  
  } ],  
  "currentPage" : 0,  
  "returnCount" : 1,  
  "pageSize" : 10,  
  "totalCount" : 1,  
  "sortKey" : "_id",  
  "sortDirection" : "ASC",  
  "nextPageUrl" : null,  
  "prevPageUrl" : null  
}
```

```
        "url" : "/component/524c8bf6e4b0ba0bfd38896c"
    } ],
"currentPage" : 0,
"returnCount" : 1,
"pageSize" : 10,
"totalCount" : 1,
"sortKey" : "_id",
"sortDirection" : "ASC",
"nextPageUrl" : null,
"prevPageUrl" : null
}
```

---

## Example URI: /component

### Request Data

**Method:**GET

**Query String:** name=invalid

**Request Data:**

### Response

**Content Type:**

**Response Code:** 200

**Reponse Content:**

```
{
  "searchResults" : [ ],
  "currentPage" : 0,
  "returnCount" : 0,
  "pageSize" : 10,
  "totalCount" : 0,
  "sortKey" : "_id",
  "sortDirection" : "ASC",
  "nextPageUrl" : null,
  "prevPageUrl" : null
}
```

---

## Example URI: /component

## Request Data

**Method:**GET

**Query String:** name=component

**Request Data:**

## Response

**Content Type:**

**Response Code:** 200

**Reponse Content:**

```
{  
  "searchResults" : [ {  
    "id" : "524c8bf6e4b0ba0bfd38896b",  
    "name" : "component1",  
    "url" : "/component/524c8bf6e4b0ba0bfd38896b"  
  }, {  
    "id" : "524c8bf6e4b0ba0bfd38896c",  
    "name" : "component2",  
    "url" : "/component/524c8bf6e4b0ba0bfd38896c"  
  } ],  
  "currentPage" : 0,  
  "returnCount" : 2,  
  "pageSize" : 10,  
  "totalCount" : 2,  
  "sortKey" : "_id",  
  "sortDirection" : "ASC",  
  "nextPageUrl" : null,  
  "prevPageUrl" : null  
}
```

---

**Example URI:** /component/524c8bf6e4b0ba0bfd38896d

## Request Data

**Method:**GET

**Query String:**

**Request Data:**

## Response

**Content Type:**

**Response Code:** 200

**Reponse Content:**

---

**Example URI:** /component/524c8bf6e4b0ba0bfd38896d

## **Request Data**

**Method:**DELETE

**Query String:**

**Request Data:**

## **Response**

**Content Type:**

**Response Code:** 204

**Reponse Content:**

---

# API Documentation

[Back to API context list](#)

## Example Requests

---

### Example URI: /tenantTypes

#### Request Data

**Method:**GET

**Query String:**

**Request Data:**

#### Response

**Content Type:**

**Response Code:** 200

**Reponse Content:**

```
[ "CLIENT", "STATE_GROUP", "STATE", "DISTRICT_GROUP", "DISTRICT", "INSTITUTION_GROUP", "INSTITUTION" ]
```

---

# API Documentation

[Back to API context list](#)

## Example Requests

---

### Example URI: /tenant

#### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{  
  "tenantSubscriptions" : [ {  
    "inGoodStanding" : true,  
    "component" : {  
      "componentId" : "MnA003271362388032383"  
    }  
  },  
  "name" : "WISCONSIN",  
  "type" : "STATE"  
}
```

#### Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
  "id" : "524c8bf2e4b0ba0bfd388952",  
  "name" : "WISCONSIN",  
  "description" : null,  
  "type" : "STATE",  
  "tenantSubscriptions" : [ {  
    "component" : {  
      "id" : null,  
      "name" : null,  
      "url" : "/component/null"  
    },  
    "inGoodStanding" : true,  
    "renewalDate" : null  
  },  
  "url" : "/tenant/524c8bf2e4b0ba0bfd388952"  
}
```

# **Example URI: /tenant**

## **Request Data**

**Method:**POST

**Query String:**

**Request Data:**

```
{  
  "tenantSubscriptions" : [ {  
    "inGoodStanding" : true,  
    "component" : {  
      "componentId" : "MnA0009753625748208605"  
    }  
  } ],  
  "name" : "WISCONSIN",  
  "type" : "STATE"  
}
```

## **Response**

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
  "id" : "524c8bf3e4b0ba0bfd388955",  
  "name" : "WISCONSIN",  
  "description" : null,  
  "type" : "STATE",  
  "tenantSubscriptions" : [ {  
    "component" : {  
      "id" : null,  
      "name" : null,  
      "url" : "/component/null"  
    },  
    "inGoodStanding" : true,  
    "renewalDate" : null  
  } ],  
  "url" : "/tenant/524c8bf3e4b0ba0bfd388955"  
}
```

---

## Example URI: /tenant

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{  
  "tenantSubscriptions" : [ {  
    "inGoodStanding" : true,  
    "component" : {  
      "componentId" : "MnA007691562139108971"  
    }  
  } ],  
  "name" : "WISCONSIN",  
  "type" : "STATE"  
}
```

### Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
  "id" : "524c8bf3e4b0ba0bfd388957",  
  "name" : "WISCONSIN",  
  "description" : null,  
  "type" : "STATE",  
  "tenantSubscriptions" : [ {  
    "component" : {  
      "id" : null,  
      "name" : null,  
      "url" : "/component/null"  
    },  
    "inGoodStanding" : true,  
    "renewalDate" : null  
  } ],  
  "url" : "/tenant/524c8bf3e4b0ba0bfd388957"  
}
```

---

## Example URI: /tenant

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{  
  "tenantSubscriptions" : [ {  
    "inGoodStanding" : true,  
    "component" : {  
      "componentId" : "MnA0018309978563890805"  
    }  
  } ],  
  "name" : "WISCONSIN",  
  "type" : "STATE"  
}
```

## Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
  "id" : "524c8bf3e4b0ba0bfd388958",  
  "name" : "WISCONSIN",  
  "description" : null,  
  "type" : "STATE",  
  "tenantSubscriptions" : [ {  
    "component" : {  
      "id" : null,  
      "name" : null,  
      "url" : "/component/null"  
    },  
    "inGoodStanding" : true,  
    "renewalDate" : null  
  } ],  
  "url" : "/tenant/524c8bf3e4b0ba0bfd388958"  
}
```

---

## Example URI: /tenant

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{  
  "tenantSubscriptions" : [ {
```

```
        "inGoodStanding" : true,
        "component" : {
          "componentId" : "MnA007297120534932758"
        }
      } ],
      "name" : "WISCONSIN",
      "type" : "STATE"
    }
}
```

## Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{
  "id" : "524c8bf3e4b0ba0bfd38895b",
  "name" : "WISCONSIN",
  "description" : null,
  "type" : "STATE",
  "tenantSubscriptions" : [ {
    "component" : {
      "id" : null,
      "name" : null,
      "url" : "/component/null"
    },
    "inGoodStanding" : true,
    "renewalDate" : null
  }],
  "url" : "/tenant/524c8bf3e4b0ba0bfd38895b"
}
```

---

## Example URI: /tenant

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{
  "tenantSubscriptions" : [ {
    "inGoodStanding" : true,
    "component" : {
      "componentId" : "MnA006138579512787857"
    }
  }],
  "name" : "WISCONSIN",
  "type" : "STATE"
}
```

```
"type" : "STATE"  
}
```

## Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
  "id" : "524c8bf4e4b0ba0bfd38895c",  
  "name" : "WISCONSIN",  
  "description" : null,  
  "type" : "STATE",  
  "tenantSubscriptions" : [ {  
    "component" : {  
      "id" : null,  
      "name" : null,  
      "url" : "/component/null"  
    },  
    "inGoodStanding" : true,  
    "renewalDate" : null  
  } ],  
  "url" : "/tenant/524c8bf4e4b0ba0bfd38895c"  
}
```

---

## Example URI: /tenant

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{  
  "tenantSubscriptions" : [ {  
    "inGoodStanding" : true,  
    "component" : {  
      "componentId" : "MnA008358140037305172"  
    }  
  } ],  
  "name" : "WISCONSIN",  
  "type" : "STATE"  
}
```

## Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
  "id" : "524c8bf4e4b0ba0bfd38895e",  
  "name" : "WISCONSIN",  
  "description" : null,  
  "type" : "STATE",  
  "tenantSubscriptions" : [ {  
    "component" : {  
      "id" : null,  
      "name" : null,  
      "url" : "/component/null"  
    },  
    "inGoodStanding" : true,  
    "renewalDate" : null  
  } ],  
  "url" : "/tenant/524c8bf4e4b0ba0bfd38895e"  
}
```

---

## Example URI: /tenant

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{  
  "tenantSubscriptions" : [ {  
    "inGoodStanding" : true,  
    "component" : {  
      "componentId" : "MnA004455970246226274"  
    }  
  } ],  
  "name" : "WISCONSIN",  
  "type" : "STATE"  
}
```

### Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
  "id" : "524c8bf4e4b0ba0bfd388960",  
  "name" : "WISCONSIN",  
  "description" : null,  
  "type" : "STATE",  
  "tenantSubscriptions" : [ {  
    "component" : {  
      "id" : null,  
      "name" : null,  
      "url" : "/component/null"  
    },  
    "inGoodStanding" : true,  
    "renewalDate" : null  
  } ],  
  "url" : "/tenant/524c8bf4e4b0ba0bfd388960"  
}
```

```
"name" : "WISCONSIN",
"description" : null,
"type" : "STATE",
"tenantSubscriptions" : [ {
  "component" : {
    "id" : null,
    "name" : null,
    "url" : "/component/null"
  },
  "inGoodStanding" : true,
  "renewalDate" : null
} ],
"url" : "/tenant/524c8bf4e4b0ba0bfd388960"
}
```

---

## Example URI: /tenant

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{
  "tenantSubscriptions" : [ {
    "inGoodStanding" : true,
    "component" : {
      "componentId" : "MnA005819747461010908"
    }
  }],
  "name" : "WISCONSIN",
  "type" : "STATE"
}
```

### Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{
  "id" : "524c8bf4e4b0ba0bfd388962",
  "name" : "WISCONSIN",
  "description" : null,
  "type" : "STATE",
  "tenantSubscriptions" : [ {
    "component" : {
      "id" : null,
      "name" : null,
      "url" : "/component/null"
    }
  }]
}
```

```
        "name" : null,
        "url" : "/component/null"
    },
    "inGoodStanding" : true,
    "renewalDate" : null
} ],
"url" : "/tenant/524c8bf4e4b0ba0bfd388962"
}
```

---

## Example URI: /tenant

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{
  "tenantSubscriptions" : [ {
    "inGoodStanding" : true,
    "component" : {
      "componentId" : "MnA003841197504451668"
    }
  }],
  "name" : "WISCONSIN",
  "type" : "STATE"
}
```

### Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{
  "id" : "524c8bf4e4b0ba0bfd388963",
  "name" : "WISCONSIN",
  "description" : null,
  "type" : "STATE",
  "tenantSubscriptions" : [ {
    "component" : {
      "id" : null,
      "name" : null,
      "url" : "/component/null"
    },
    "inGoodStanding" : true,
    "renewalDate" : null
  }],
  "url" : "/tenant/524c8bf4e4b0ba0bfd388962"
}
```

```
        "url" : "/tenant/524c8bf4e4b0ba0bfd388963"  
    }

---


```

## Example URI: /tenant

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{  
    "tenantSubscriptions" : [ {  
        "inGoodStanding" : true,  
        "component" : {  
            "componentId" : "MnA00001936632998995158"  
        }  
    } ],  
    "name" : "WISCONSIN",  
    "type" : "STATE"  
}
```

### Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
    "id" : "524c8bf5e4b0ba0bfd388965",  
    "name" : "WISCONSIN",  
    "description" : null,  
    "type" : "STATE",  
    "tenantSubscriptions" : [ {  
        "component" : {  
            "id" : null,  
            "name" : null,  
            "url" : "/component/null"  
        },  
        "inGoodStanding" : true,  
        "renewalDate" : null  
    } ],  
    "url" : "/tenant/524c8bf5e4b0ba0bfd388965"  
}
```

---

## Example URI: /tenant

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{  
  "name" : "WISCONSIN",  
  "type" : "STATE"  
}
```

### Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
  "id" : "524c8bf6e4b0ba0bfd38896f",  
  "name" : "WISCONSIN",  
  "description" : null,  
  "type" : "STATE",  
  "tenantSubscriptions" : null,  
  "url" : "/tenant/524c8bf6e4b0ba0bfd38896f"  
}
```

---

## Example URI: /tenant

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{  
  "name" : "WISCONSIN",  
  "type" : "STATE"  
}
```

## Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
  "id" : "524c8bf6e4b0ba0bfd388971",  
  "name" : "WISCONSIN",  
  "description" : null,  
  "type" : "STATE",  
  "tenantSubscriptions" : null,  
  "url" : "/tenant/524c8bf6e4b0ba0bfd388971"  
}
```

---

## Example URI: /tenant

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{  
  "name" : "WISCONSIN",  
  "type" : "STATE"  
}
```

## Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
  "id" : "524c8bf7e4b0ba0bfd388973",  
  "name" : "WISCONSIN",  
  "description" : null,  
  "type" : "STATE",  
  "tenantSubscriptions" : null,  
  "url" : "/tenant/524c8bf7e4b0ba0bfd388973"  
}
```

---

## Example URI: /tenant

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{  
  "name" : "WISCONSIN",  
  "type" : "STATE"  
}
```

### Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
  "id" : "524c8bf7e4b0ba0bfd388975",  
  "name" : "WISCONSIN",  
  "description" : null,  
  "type" : "STATE",  
  "tenantSubscriptions" : null,  
  "url" : "/tenant/524c8bf7e4b0ba0bfd388975"  
}
```

---

## Example URI: /tenant

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{  
  "name" : "WISCONSIN",  
  "type" : "STATE"  
}
```

## Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
  "id" : "524c8bf7e4b0ba0bfd388976",  
  "name" : "WISCONSIN",  
  "description" : null,  
  "type" : "STATE",  
  "tenantSubscriptions" : null,  
  "url" : "/tenant/524c8bf7e4b0ba0bfd388976"  
}
```

---

## Example URI: /tenant

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{  
  "name" : "WISCONSIN",  
  "type" : "STATE"  
}
```

## Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
  "id" : "524c8bf7e4b0ba0bfd388978",  
  "name" : "WISCONSIN",  
  "description" : null,  
  "type" : "STATE",  
  "tenantSubscriptions" : null,  
  "url" : "/tenant/524c8bf7e4b0ba0bfd388978"  
}
```

---

## Example URI: /tenant

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{  
  "name" : "WISCONSIN",  
  "type" : "STATE"  
}
```

### Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
  "id" : "524c8bf7e4b0ba0bfd38897c",  
  "name" : "WISCONSIN",  
  "description" : null,  
  "type" : "STATE",  
  "tenantSubscriptions" : null,  
  "url" : "/tenant/524c8bf7e4b0ba0bfd38897c"  
}
```

---

## Example URI: /tenant

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{  
  "name" : "WISCONSIN",  
  "type" : "STATE"  
}
```

## Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
  "id" : "524c8bf7e4b0ba0bfd38897e",  
  "name" : "WISCONSIN",  
  "description" : null,  
  "type" : "STATE",  
  "tenantSubscriptions" : null,  
  "url" : "/tenant/524c8bf7e4b0ba0bfd38897e"  
}
```

---

## Example URI: /tenant

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{  
  "name" : "WISCONSIN",  
  "type" : "STATE"  
}
```

## Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
  "id" : "524c8bf8e4b0ba0bfd388982",  
  "name" : "WISCONSIN",  
  "description" : null,  
  "type" : "STATE",  
  "tenantSubscriptions" : null,  
  "url" : "/tenant/524c8bf8e4b0ba0bfd388982"  
}
```

---

## Example URI: /tenant

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{  
  "name" : "WISCONSIN",  
  "type" : "STATE"  
}
```

### Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
  "id" : "524c8bf8e4b0ba0bfd388984",  
  "name" : "WISCONSIN",  
  "description" : null,  
  "type" : "STATE",  
  "tenantSubscriptions" : null,  
  "url" : "/tenant/524c8bf8e4b0ba0bfd388984"  
}
```

---

## Example URI: /tenant

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{  
  "name" : "Wisconsin",  
  "type" : "STATE"  
}
```

## Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
  "id" : "524c8bf8e4b0ba0bfd388986",  
  "name" : "Wisconsin",  
  "description" : null,  
  "type" : "STATE",  
  "tenantSubscriptions" : null,  
  "url" : "/tenant/524c8bf8e4b0ba0bfd388986"  
}
```

---

## Example URI: /tenant

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{  
  "name" : "Wisconsin",  
  "type" : "STATE"  
}
```

## Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
  "id" : "524c8bf8e4b0ba0bfd388987",  
  "name" : "Wisconsin",  
  "description" : null,  
  "type" : "STATE",  
  "tenantSubscriptions" : null,  
  "url" : "/tenant/524c8bf8e4b0ba0bfd388987"  
}
```

---

## Example URI: /tenant

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{  
  "name" : "tenant1",  
  "type" : "STATE"  
}
```

### Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
  "id" : "524c8bf9e4b0ba0bfd388988",  
  "name" : "tenant1",  
  "description" : null,  
  "type" : "STATE",  
  "tenantSubscriptions" : null,  
  "url" : "/tenant/524c8bf9e4b0ba0bfd388988"  
}
```

---

## Example URI: /tenant

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{  
  "name" : "tenant2",  
  "type" : "STATE"  
}
```

## Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
  "id" : "524c8bf9e4b0ba0bfd388989",  
  "name" : "tenant2",  
  "description" : null,  
  "type" : "STATE",  
  "tenantSubscriptions" : null,  
  "url" : "/tenant/524c8bf9e4b0ba0bfd388989"  
}
```

---

## Example URI: /tenant

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{  
  "name" : "tenant3",  
  "type" : "STATE"  
}
```

## Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
  "id" : "524c8bf9e4b0ba0bfd38898a",  
  "name" : "tenant3",  
  "description" : null,  
  "type" : "STATE",  
  "tenantSubscriptions" : null,  
  "url" : "/tenant/524c8bf9e4b0ba0bfd38898a"  
}
```

---

## Example URI: /tenant

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{  
  "name" : "Wisconsin",  
  "type" : "STATE"  
}
```

### Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
  "id" : "524c8bf9e4b0ba0bfd38898b",  
  "name" : "Wisconsin",  
  "description" : null,  
  "type" : "STATE",  
  "tenantSubscriptions" : null,  
  "url" : "/tenant/524c8bf9e4b0ba0bfd38898b"  
}
```

---

## Example URI: /tenant

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{  
  "name" : "tenant1",  
  "type" : "STATE"  
}
```

## Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
  "id" : "524c8bf9e4b0ba0bfd38898c",  
  "name" : "tenant1",  
  "description" : null,  
  "type" : "STATE",  
  "tenantSubscriptions" : null,  
  "url" : "/tenant/524c8bf9e4b0ba0bfd38898c"  
}
```

---

## Example URI: /tenant

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{  
  "name" : "tenant2",  
  "type" : "STATE"  
}
```

## Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
  "id" : "524c8bf9e4b0ba0bfd38898d",  
  "name" : "tenant2",  
  "description" : null,  
  "type" : "STATE",  
  "tenantSubscriptions" : null,  
  "url" : "/tenant/524c8bf9e4b0ba0bfd38898d"  
}
```

---

## Example URI: /tenant

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{  
  "name" : "tenant3",  
  "type" : "DISTRICT"  
}
```

### Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
  "id" : "524c8bf9e4b0ba0bfd38898e",  
  "name" : "tenant3",  
  "description" : null,  
  "type" : "DISTRICT",  
  "tenantSubscriptions" : null,  
  "url" : "/tenant/524c8bf9e4b0ba0bfd38898e"  
}
```

---

## Example URI: /tenant

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{  
  "name" : "tenant4",  
  "type" : "DISTRICT"  
}
```

## Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
  "id" : "524c8bf9e4b0ba0bfd38898f",  
  "name" : "tenant4",  
  "description" : null,  
  "type" : "DISTRICT",  
  "tenantSubscriptions" : null,  
  "url" : "/tenant/524c8bf9e4b0ba0bfd38898f"  
}
```

---

## Example URI: /tenant

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{  
  "name" : "Wisconsin",  
  "type" : "STATE"  
}
```

## Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
  "id" : "524c8bf9e4b0ba0bfd388990",  
  "name" : "Wisconsin",  
  "description" : null,  
  "type" : "STATE",  
  "tenantSubscriptions" : null,  
  "url" : "/tenant/524c8bf9e4b0ba0bfd388990"  
}
```

---

## Example URI: /tenant

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{  
  "name" : "tenant1",  
  "type" : "STATE"  
}
```

### Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
  "id" : "524c8bf9e4b0ba0bfd388991",  
  "name" : "tenant1",  
  "description" : null,  
  "type" : "STATE",  
  "tenantSubscriptions" : null,  
  "url" : "/tenant/524c8bf9e4b0ba0bfd388991"  
}
```

---

## Example URI: /tenant

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{  
  "name" : "tenant2",  
  "type" : "STATE"  
}
```

## Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
  "id" : "524c8bf9e4b0ba0bfd388992",  
  "name" : "tenant2",  
  "description" : null,  
  "type" : "STATE",  
  "tenantSubscriptions" : null,  
  "url" : "/tenant/524c8bf9e4b0ba0bfd388992"  
}
```

---

## Example URI: /tenant

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{  
  "name" : "tenant3",  
  "type" : "DISTRICT"  
}
```

## Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
  "id" : "524c8bf9e4b0ba0bfd388993",  
  "name" : "tenant3",  
  "description" : null,  
  "type" : "DISTRICT",  
  "tenantSubscriptions" : null,  
  "url" : "/tenant/524c8bf9e4b0ba0bfd388993"  
}
```

---

## Example URI: /tenant

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{  
  "name" : "tenant4",  
  "type" : "DISTRICT"  
}
```

### Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
  "id" : "524c8bf9e4b0ba0bfd388994",  
  "name" : "tenant4",  
  "description" : null,  
  "type" : "DISTRICT",  
  "tenantSubscriptions" : null,  
  "url" : "/tenant/524c8bf9e4b0ba0bfd388994"  
}
```

---

## Example URI: /tenant

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{  
  "name" : "Wisconsin",  
  "type" : "STATE"  
}
```

## Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
  "id" : "524c8bfae4b0ba0bfd388995",  
  "name" : "Wisconsin",  
  "description" : null,  
  "type" : "STATE",  
  "tenantSubscriptions" : null,  
  "url" : "/tenant/524c8bfae4b0ba0bfd388995"  
}
```

---

## Example URI: /tenant

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{  
  "name" : "Wisconsin",  
  "type" : "STATE"  
}
```

## Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
  "id" : "524c8bfae4b0ba0bfd388996",  
  "name" : "Wisconsin",  
  "description" : null,  
  "type" : "STATE",  
  "tenantSubscriptions" : null,  
  "url" : "/tenant/524c8bfae4b0ba0bfd388996"  
}
```

---

## **Example URI: /tenant/524c8bf8e4b0ba0bfd388986**

### **Request Data**

**Method:**PUT

**Query String:**

**Request Data:**

```
{  
  "id" : "524c8bf8e4b0ba0bfd388986",  
  "name" : "Dane",  
  "type" : "STATE"  
}
```

### **Response**

**Content Type:** application/json

**Response Code:** 200

**Reponse Content:**

```
{  
  "id" : "524c8bf8e4b0ba0bfd388986",  
  "name" : "Dane",  
  "description" : null,  
  "type" : "STATE",  
  "tenantSubscriptions" : null,  
  "url" : "/tenant/524c8bf8e4b0ba0bfd388986"  
}
```

---

## **Example URI: /tenant/524c8bf9e4b0ba0bfd388990**

### **Request Data**

**Method:**PUT

**Query String:**

**Request Data:**

null

### **Response**

**Content Type:** application/json

**Response Code:** 400

**Reponse Content:**

```
{  
  "messages" : {  
    "applicationErrors" : [ "Error Code: 18473 - tenant.invalid.id" ]  
  }  
}
```

---

## Example URI: /tenant/524c8bf9e4b0ba0bfd388990

### Request Data

**Method:**PUT

**Query String:**

**Request Data:**

```
{  
  "name" : "Wisconsin",  
  "type" : "STATE"  
}
```

### Response

**Content Type:** application/json

**Response Code:** 400

**Reponse Content:**

```
{  
  "messages" : {  
    "applicationErrors" : [ "Error Code: 41034 - tenant.invalid.id" ]  
  }  
}
```

---

## Example URI: /tenant/524c8bf9e4b0ba0bfd388990

### Request Data

**Method:**PUT

**Query String:**

**Request Data:**

```
{  
  "id" : "invalid-id",  
  "name" : "Wisconsin",  
  "type" : "STATE"  
}
```

## Response

**Content Type:** application/json

**Response Code:** 400

**Reponse Content:**

```
{  
  "messages" : {  
    "applicationErrors" : [ "Error Code: 27889 - tenant.invalid.id" ]  
  }  
}
```

---

## Example URI: /tenant/524c8bf8e4b0ba0bfd388987

### Request Data

**Method:**GET

**Query String:**

**Request Data:**

## Response

**Content Type:**

**Response Code:** 200

**Reponse Content:**

---

## Example URI: /tenant/524c8bf9e4b0ba0bfd38898b

## **Request Data**

**Method:**GET

**Query String:**

**Request Data:**

## **Response**

**Content Type:**

**Response Code:** 200

**Reponse Content:**

```
{  
  "id" : "524c8bf9e4b0ba0bfd38898b",  
  "name" : "Wisconsin",  
  "description" : null,  
  "type" : "STATE",  
  "tenantSubscriptions" : null,  
  "url" : "/tenant/524c8bf9e4b0ba0bfd38898b"  
}
```

---

## **Example URI: /tenant**

## **Request Data**

**Method:**GET

**Query String:** name=tenant1

**Request Data:**

## **Response**

**Content Type:**

**Response Code:** 200

**Reponse Content:**

```
{  
  "searchResults" : [ {  
    "id" : "524c8bf9e4b0ba0bfd38898c",  
    "name" : "tenant1",  
    "description" : null,  
    "type" : "STATE",  
    "tenantSubscriptions" : null,  
    "url" : "/tenant/524c8bf9e4b0ba0bfd38898c"  
  }]
```

```
    },
    "currentPage" : 0,
    "returnCount" : 1,
    "pageSize" : 10,
    "totalCount" : 1,
    "sortKey" : "_id",
    "sortDirection" : "ASC",
    "nextPageUrl" : null,
    "prevPageUrl" : null
}
```

---

## Example URI: /tenant

### Request Data

**Method:**GET

**Query String:** name=tenant2

**Request Data:**

### Response

**Content Type:**

**Response Code:** 200

**Reponse Content:**

```
{
  "searchResults" : [ {
    "id" : "524c8bf9e4b0ba0bfd38898d",
    "name" : "tenant2",
    "description" : null,
    "type" : "STATE",
    "tenantSubscriptions" : null,
    "url" : "/tenant/524c8bf9e4b0ba0bfd38898d"
  }],
  "currentPage" : 0,
  "returnCount" : 1,
  "pageSize" : 10,
  "totalCount" : 1,
  "sortKey" : "_id",
  "sortDirection" : "ASC",
  "nextPageUrl" : null,
  "prevPageUrl" : null
}
```

---

## Example URI: /tenant

### Request Data

**Method:**GET

**Query String:** name=invalid

**Request Data:**

### Response

**Content Type:**

**Response Code:** 200

**Reponse Content:**

```
{  
  "searchResults" : [ ],  
  "currentPage" : 0,  
  "returnCount" : 0,  
  "pageSize" : 10,  
  "totalCount" : 0,  
  "sortKey" : "_id",  
  "sortDirection" : "ASC",  
  "nextPageUrl" : null,  
  "prevPageUrl" : null  
}
```

---

## Example URI: /tenant

### Request Data

**Method:**GET

**Query String:** name=tenant

**Request Data:**

### Response

**Content Type:**

**Response Code:** 200

**Reponse Content:**

```
{
  "searchResults" : [ {
    "id" : "524c8bf9e4b0ba0bfd38898c",
    "name" : "tenant1",
    "description" : null,
    "type" : "STATE",
    "tenantSubscriptions" : null,
    "url" : "/tenant/524c8bf9e4b0ba0bfd38898c"
  }, {
    "id" : "524c8bf9e4b0ba0bfd38898d",
    "name" : "tenant2",
    "description" : null,
    "type" : "STATE",
    "tenantSubscriptions" : null,
    "url" : "/tenant/524c8bf9e4b0ba0bfd38898d"
  }, {
    "id" : "524c8bf9e4b0ba0bfd38898e",
    "name" : "tenant3",
    "description" : null,
    "type" : "DISTRICT",
    "tenantSubscriptions" : null,
    "url" : "/tenant/524c8bf9e4b0ba0bfd38898e"
  }, {
    "id" : "524c8bf9e4b0ba0bfd38898f",
    "name" : "tenant4",
    "description" : null,
    "type" : "DISTRICT",
    "tenantSubscriptions" : null,
    "url" : "/tenant/524c8bf9e4b0ba0bfd38898f"
  } ],
  "currentPage" : 0,
  "returnCount" : 4,
  "pageSize" : 10,
  "totalCount" : 4,
  "sortKey" : "_id",
  "sortDirection" : "ASC",
  "nextPageUrl" : null,
  "prevPageUrl" : null
}
```

---

## Example URI: /tenant

### Request Data

**Method:**GET

**Query String:** type=STATE

**Request Data:**

### Response

**Content Type:**

**Response Code:** 200

**Reponse Content:**

```
{  
  "searchResults" : [ {  
    "id" : "524c8bf9e4b0ba0bfd38898c",  
    "name" : "tenant1",  
    "description" : null,  
    "type" : "STATE",  
    "tenantSubscriptions" : null,  
    "url" : "/tenant/524c8bf9e4b0ba0bfd38898c"  
  }, {  
    "id" : "524c8bf9e4b0ba0bfd38898d",  
    "name" : "tenant2",  
    "description" : null,  
    "type" : "STATE",  
    "tenantSubscriptions" : null,  
    "url" : "/tenant/524c8bf9e4b0ba0bfd38898d"  
  } ],  
  "currentPage" : 0,  
  "returnCount" : 2,  
  "pageSize" : 10,  
  "totalCount" : 2,  
  "sortKey" : "_id",  
  "sortDirection" : "ASC",  
  "nextPageUrl" : null,  
  "prevPageUrl" : null  
}
```

---

## Example URI: /tenant/name/Wisconsin

### Request Data

**Method:**GET

**Query String:**

**Request Data:**

### Response

**Content Type:**

**Response Code:** 200

**Reponse Content:**

```
{  
  "id" : "524c8bfae4b0ba0bfd388996",  
  "name" : "Wisconsin",  
  "description" : null,
```

```
"type" : "STATE",
"tenantSubscriptions" : null,
"url" : "/tenant/524c8bf8e4b0ba0bfd388996"
}
```

---

## Example URI: /tenant/name/notthere

### Request Data

**Method:**GET

**Query String:**

**Request Data:**

---

### Response

**Content Type:**

**Response Code:** 200

**Reponse Content:**

---

## Example URI: /tenant/524c8bf8e4b0ba0bfd388987

### Request Data

**Method:**DELETE

**Query String:**

**Request Data:**

---

### Response

**Content Type:**

**Response Code:** 204

**Reponse Content:**

---

# API Documentation

[Back to API context list](#)

## Example Requests

---

### Example URI: /assetGroup

#### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{
  "tenant" : {
    "id" : "524c8bf2e4b0ba0bfd388952"
  },
  "component" : {
    "id" : "MnA003271362388032383",
    "name" : "overseer"
  }
}
```

#### Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{
  "id" : "524c8bf3e4b0ba0bfd388953",
  "tenant" : {
    "id" : "524c8bf2e4b0ba0bfd388952",
    "name" : null,
    "description" : null,
    "type" : null,
    "tenantSubscriptions" : null,
    "url" : "/tenant/524c8bf2e4b0ba0bfd388952"
  },
  "component" : {
    "id" : "MnA003271362388032383",
    "name" : "overseer",
    "url" : "/component/MnA003271362388032383"
  },
  "assets" : null,
  "url" : "/assetGroup/524c8bf3e4b0ba0bfd388953"
}
```

---

## Example URI: /assetGroup

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{  
  "tenant" : {  
    "id" : "524c8bf2e4b0ba0bfd388952"  
  },  
  "component" : {  
    "id" : "MnA009859063353202534",  
    "name" : "overseer"  
  }  
}
```

### Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
  "id" : "524c8bf3e4b0ba0bfd388954",  
  "tenant" : {  
    "id" : "524c8bf2e4b0ba0bfd388952",  
    "name" : null,  
    "description" : null,  
    "type" : null,  
    "tenantSubscriptions" : null,  
    "url" : "/tenant/524c8bf2e4b0ba0bfd388952"  
  },  
  "component" : {  
    "id" : "MnA009859063353202534",  
    "name" : "overseer",  
    "url" : "/component/MnA009859063353202534"  
  },  
  "assets" : null,  
  "url" : "/assetGroup/524c8bf3e4b0ba0bfd388954"  
}
```

---

## Example URI: /assetGroup

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{  
  "tenant" : {  
    "id" : "524c8bf3e4b0ba0bfd388955"  
  },  
  "component" : {  
    "id" : "MnA0009753625748208605",  
    "name" : "overseer"  
  }  
}
```

### Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
  "id" : "524c8bf3e4b0ba0bfd388956",  
  "tenant" : {  
    "id" : "524c8bf3e4b0ba0bfd388955",  
    "name" : null,  
    "description" : null,  
    "type" : null,  
    "tenantSubscriptions" : null,  
    "url" : "/tenant/524c8bf3e4b0ba0bfd388955"  
  },  
  "component" : {  
    "id" : "MnA0009753625748208605",  
    "name" : "overseer",  
    "url" : "/component/MnA0009753625748208605"  
  },  
  "assets" : null,  
  "url" : "/assetGroup/524c8bf3e4b0ba0bfd388956"  
}
```

---

## Example URI: /assetGroup

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{  
  "tenant" : {  
    "id" : "524c8bf3e4b0ba0bfd388958"  
  },  
  "component" : {  
    "id" : "MnA0018309978563890805",  
    "name" : "overseer"  
  }  
}
```

## Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
  "id" : "524c8bf3e4b0ba0bfd388959",  
  "tenant" : {  
    "id" : "524c8bf3e4b0ba0bfd388958",  
    "name" : null,  
    "description" : null,  
    "type" : null,  
    "tenantSubscriptions" : null,  
    "url" : "/tenant/524c8bf3e4b0ba0bfd388958"  
  },  
  "component" : {  
    "id" : "MnA0018309978563890805",  
    "name" : "overseer",  
    "url" : "/component/MnA0018309978563890805"  
  },  
  "assets" : null,  
  "url" : "/assetGroup/524c8bf3e4b0ba0bfd388959"  
}
```

---

## Example URI: /assetGroup

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{
```

```

  "tenant" : {
    "id" : "524c8bf3e4b0ba0bfd388958"
  },
  "component" : {
    "id" : "MnA0012758669714416226",
    "name" : "overseer"
  }
}

```

## Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{
  "id" : "524c8bf3e4b0ba0bfd38895a",
  "tenant" : {
    "id" : "524c8bf3e4b0ba0bfd388958",
    "name" : null,
    "description" : null,
    "type" : null,
    "tenantSubscriptions" : null,
    "url" : "/tenant/524c8bf3e4b0ba0bfd388958"
  },
  "component" : {
    "id" : "MnA0012758669714416226",
    "name" : "overseer",
    "url" : "/component/MnA0012758669714416226"
  },
  "assets" : null,
  "url" : "/assetGroup/524c8bf3e4b0ba0bfd38895a"
}
```

---

## Example URI: /assetGroup

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{
  "tenant" : {
    "id" : "524c8bf4e4b0ba0bfd38895c"
  },
  "component" : {
    "id" : "MnA006138579512787857",
    "name" : "overseer"
  }
}
```

```
        "name" : "overseer"
    }
}
```

## Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{
  "id" : "524c8bf4e4b0ba0bfd38895d",
  "tenant" : {
    "id" : "524c8bf4e4b0ba0bfd38895c",
    "name" : null,
    "description" : null,
    "type" : null,
    "tenantSubscriptions" : null,
    "url" : "/tenant/524c8bf4e4b0ba0bfd38895c"
  },
  "component" : {
    "id" : "MnA006138579512787857",
    "name" : "overseer",
    "url" : "/component/MnA006138579512787857"
  },
  "assets" : null,
  "url" : "/assetGroup/524c8bf4e4b0ba0bfd38895d"
}
```

---

## Example URI: /assetGroup

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{
  "assets" : [ {
    "name" : "prop1",
    "assetFileName" : "test.txt",
    "type" : "FILE"
  }],
  "tenant" : {
    "id" : "524c8bf4e4b0ba0bfd38895e"
  },
  "component" : {
    "id" : "MnA008358140037305172",
    "name" : "overseer"
  }
}
```

```
        "name" : "overseer"
    }
}
```

## Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{
  "id" : "524c8bf4e4b0ba0bfd38895f",
  "tenant" : {
    "id" : "524c8bf4e4b0ba0bfd38895e",
    "name" : null,
    "description" : null,
    "type" : null,
    "tenantSubscriptions" : null,
    "url" : "/tenant/524c8bf4e4b0ba0bfd38895e"
  },
  "component" : {
    "id" : "MnA008358140037305172",
    "name" : "overseer",
    "url" : "/component/MnA008358140037305172"
  },
  "assets" : [ {
    "name" : "prop1",
    "type" : "FILE",
    "property" : null,
    "assetFileGridId" : null,
    "assetFileName" : "test.txt",
    "fileContentType" : null,
    "basePath" : null,
    "url" : "nullnull"
  }],
  "url" : "/assetGroup/524c8bf4e4b0ba0bfd38895f"
}
```

---

## Example URI: /assetGroup

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{
  "assets" : [ {
```

```

    "name" : "prop1",
    "assetFileName" : "test.txt",
    "type" : "FILE"
  ],
  "tenant" : {
    "id" : "524c8bf4e4b0ba0bfd388960"
  },
  "component" : {
    "id" : "MnA004455970246226274",
    "name" : "overseer"
  }
}

```

## Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{
  "id" : "524c8bf4e4b0ba0bfd388961",
  "tenant" : {
    "id" : "524c8bf4e4b0ba0bfd388960",
    "name" : null,
    "description" : null,
    "type" : null,
    "tenantSubscriptions" : null,
    "url" : "/tenant/524c8bf4e4b0ba0bfd388960"
  },
  "component" : {
    "id" : "MnA004455970246226274",
    "name" : "overseer",
    "url" : "/component/MnA004455970246226274"
  },
  "assets" : [ {
    "name" : "prop1",
    "type" : "FILE",
    "property" : null,
    "assetFileGridId" : null,
    "assetFileName" : "test.txt",
    "fileContentType" : null,
    "basePath" : null,
    "url" : "nullnull"
  }],
  "url" : "/assetGroup/524c8bf4e4b0ba0bfd388961"
}
```

---

## Example URI: /assetGroup

## Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{  
  "assets" : [ {  
    "name" : "prop1",  
    "assetFileName" : "test.txt",  
    "type" : "FILE"  
  } ],  
  "tenant" : {  
    "id" : "524c8bf4e4b0ba0bfd388963"  
  },  
  "component" : {  
    "id" : "MnA003841197504451668",  
    "name" : "overseer"  
  }  
}
```

## Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
  "id" : "524c8bf4e4b0ba0bfd388964",  
  "tenant" : {  
    "id" : "524c8bf4e4b0ba0bfd388963",  
    "name" : null,  
    "description" : null,  
    "type" : null,  
    "tenantSubscriptions" : null,  
    "url" : "/tenant/524c8bf4e4b0ba0bfd388963"  
  },  
  "component" : {  
    "id" : "MnA003841197504451668",  
    "name" : "overseer",  
    "url" : "/component/MnA003841197504451668"  
  },  
  "assets" : [ {  
    "name" : "prop1",  
    "type" : "FILE",  
    "property" : null,  
    "assetFileGridId" : null,  
    "assetFileName" : "test.txt",  
    "fileContentType" : null,  
    "basePath" : null,  
    "url" : "nullnull"  
  } ],  
  "url" : "/assetGroup/524c8bf4e4b0ba0bfd388964"  
}
```

---

# Example URI: /assetGroup

## Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{  
  "tenant" : {  
    "id" : "524c8bf5e4b0ba0bfd388965"  
  },  
  "component" : {  
    "id" : "MnA00001936632998995158",  
    "name" : "overseer"  
  }  
}
```

## Response

**Content Type:** application/json

**Response Code:** 201

**Reponse Content:**

```
{  
  "id" : "524c8bf5e4b0ba0bfd388966",  
  "tenant" : {  
    "id" : "524c8bf5e4b0ba0bfd388965",  
    "name" : null,  
    "description" : null,  
    "type" : null,  
    "tenantSubscriptions" : null,  
    "url" : "/tenant/524c8bf5e4b0ba0bfd388965"  
  },  
  "component" : {  
    "id" : "MnA00001936632998995158",  
    "name" : "overseer",  
    "url" : "/component/MnA00001936632998995158"  
  },  
  "assets" : null,  
  "url" : "/assetGroup/524c8bf5e4b0ba0bfd388966"  
}
```

---

## Example URI: /assetGroup

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
null
```

### Response

**Content Type:** application/json

**Response Code:** 400

**Reponse Content:**

```
{
  "messages" : {
    "applicationErrors" : [ "Error Code: 41441 - unexpected.error" ]
  }
}
```

---

## Example URI: /assetGroup

### Request Data

**Method:**POST

**Query String:**

**Request Data:**

```
{
  "id" : "524c8bf5e4b0ba0bfd388966",
  "tenant" : {
    "id" : "524c8bf5e4b0ba0bfd388965"
  },
  "component" : {
    "id" : "MnA00001936632998995158",
    "name" : "overseer"
  }
}
```

### Response

**Content Type:** application/json

**Response Code:** 400

**Reponse Content:**

```
{  
  "messages" : {  
    "applicationErrors" : [ "Error Code: 14709 - assetGroup.exists" ]  
  }  
}
```

---

## Example URI: /assetGroup/524c8bf4e4b0ba0bfd388961

### Request Data

**Method:**PUT

**Query String:**

**Request Data:**

```
{  
  "id" : "524c8bf4e4b0ba0bfd388961",  
  "assets" : [ {  
    "name" : "updatedName",  
    "assetFileName" : "test.txt",  
    "type" : "FILE"  
  } ],  
  "componentName" : "updatedComponentName",  
  "tenant" : {  
    "id" : "524c8bf4e4b0ba0bfd388960"  
  },  
  "component" : {  
    "id" : "MnA004455970246226274",  
    "name" : "overseer"  
  }  
}
```

### Response

**Content Type:** application/json

**Response Code:** 200

**Reponse Content:**

```
{  
  "id" : "524c8bf4e4b0ba0bfd388961",  
  "tenant" : {  
    "id" : "524c8bf4e4b0ba0bfd388960",  
    "name" : null,  
    "description" : null,  
    "type" : null,  
  }  
}
```

```
    "tenantSubscriptions" : null,
    "url" : "/tenant/524c8bf4e4b0ba0bfd388960"
},
"component" : {
    "id" : "MnA004455970246226274",
    "name" : "overseer",
    "url" : "/component/MnA004455970246226274"
},
"assets" : [ {
    "name" : "updatedName",
    "type" : "FILE",
    "property" : null,
    "assetFileGridId" : null,
    "assetFileName" : "test.txt",
    "fileContentType" : null,
    "basePath" : null,
    "url" : "nullnull"
} ],
"url" : "/assetGroup/524c8bf4e4b0ba0bfd388961"
}
```

---

## Example URI: /assetGroup/524c8bf4e4b0ba0bfd38895f

### Request Data

**Method:**PUT

**Query String:**

**Request Data:**

null

### Response

**Content Type:** application/json

**Response Code:** 400

**Reponse Content:**

```
{
  "messages" : {
    "applicationErrors" : [ "Error Code: 33969 - assetGroup.invalid.id" ]
  }
}
```

---

## Example URI: /assetGroup/524c8bf4e4b0ba0bfd38895f

### Request Data

**Method:**PUT

**Query String:**

**Request Data:**

```
{  
  "tenant" : {  
    "id" : "524c8bf4e4b0ba0bfd38895e"  
  },  
  "component" : {  
    "id" : "MnA008358140037305172",  
    "name" : "overseer"  
  }  
}
```

### Response

**Content Type:** application/json

**Response Code:** 400

**Reponse Content:**

```
{  
  "messages" : {  
    "applicationErrors" : [ "Error Code: 57661 - assetGroup.invalid.id" ]  
  }  
}
```

---

## Example URI: /assetGroup/524c8bf4e4b0ba0bfd38895f

### Request Data

**Method:**PUT

**Query String:**

**Request Data:**

```
{  
  "id" : "invalid-id",  
  "tenant" : {  
    "id" : "524c8bf4e4b0ba0bfd38895e"  
  },  
  "component" : {  
    "id" : "MnA008358140037305172",  
    "name" : "overseer"  
  }  
}
```

```
    }
}
```

## Response

**Content Type:** application/json

**Response Code:** 400

**Reponse Content:**

```
{
  "messages" : {
    "applicationErrors" : [ "Error Code: 35356 - assetGroup.invalid.id" ]
  }
}
```

---

## Example URI: /assetGroup/524c8bf3e4b0ba0bfd388954

### Request Data

**Method:**GET

**Query String:**

**Request Data:**

## Response

**Content Type:**

**Response Code:** 200

**Reponse Content:**

```
{
  "id" : "524c8bf3e4b0ba0bfd388954",
  "tenant" : {
    "id" : "524c8bf2e4b0ba0bfd388952",
    "name" : null,
    "description" : null,
    "type" : null,
    "tenantSubscriptions" : null,
    "url" : "/tenant/524c8bf2e4b0ba0bfd388952"
  },
  "component" : {
    "id" : "MnA009859063353202534",
    "name" : "overseer",
    "url" : "/component/MnA009859063353202534"
  },
  "assets" : null,
```

```
        "url" : "/assetGroup/524c8bf3e4b0ba0bfd388954"  
    }

---


```

## Example URI: /assetGroup

### Request Data

**Method:**GET

**Query String:** componentName=overseer

**Request Data:**

### Response

**Content Type:**

**Response Code:** 200

**Reponse Content:**

```
{  
    "searchResults" : [ {  
        "id" : "524c8bf3e4b0ba0bfd388959",  
        "tenant" : {  
            "id" : "524c8bf3e4b0ba0bfd388958",  
            "name" : null,  
            "description" : null,  
            "type" : null,  
            "tenantSubscriptions" : null,  
            "url" : "/tenant/524c8bf3e4b0ba0bfd388958"  
        },  
        "component" : {  
            "id" : "MnA0018309978563890805",  
            "name" : "overseer",  
            "url" : "/component/MnA0018309978563890805"  
        },  
        "assets" : null,  
        "url" : "/assetGroup/524c8bf3e4b0ba0bfd388959"  
    }, {  
        "id" : "524c8bf3e4b0ba0bfd38895a",  
        "tenant" : {  
            "id" : "524c8bf3e4b0ba0bfd388958",  
            "name" : null,  
            "description" : null,  
            "type" : null,  
            "tenantSubscriptions" : null,  
            "url" : "/tenant/524c8bf3e4b0ba0bfd388958"  
        },  
        "component" : {  
            "id" : "MnA0012758669714416226",  
            "name" : "overseer",  
            "url" : "/component/MnA0012758669714416226"  
        },  
        "assets" : null,  
        "url" : "/assetGroup/524c8bf3e4b0ba0bfd38895a"  
    }]

---


```

```

        "url" : "/component/MnA0012758669714416226"
    },
    "assets" : null,
    "url" : "/assetGroup/524c8bf3e4b0ba0bfd38895a"
} ],
"currentPage" : 0,
"returnCount" : 2,
"pageSize" : 10,
"totalCount" : 2,
"sortKey" : "_id",
"sortDirection" : "ASC",
"nextPageUrl" : null,
"prevPageUrl" : null
}

```

---

## Example URI: /assetGroup

### Request Data

**Method:**GET

**Query String:** tenantId=524c8bf3e4b0ba0bfd388958

**Request Data:**

### Response

**Content Type:**

**Response Code:** 200

**Reponse Content:**

```
{
  "searchResults" : [ {
    "id" : "524c8bf3e4b0ba0bfd388959",
    "tenant" : {
      "id" : "524c8bf3e4b0ba0bfd388958",
      "name" : null,
      "description" : null,
      "type" : null,
      "tenantSubscriptions" : null,
      "url" : "/tenant/524c8bf3e4b0ba0bfd388958"
    },
    "component" : {
      "id" : "MnA0018309978563890805",
      "name" : "overseer",
      "url" : "/component/MnA0018309978563890805"
    },
    "assets" : null,
    "url" : "/assetGroup/524c8bf3e4b0ba0bfd388959"
  }, {
    "id" : "524c8bf3e4b0ba0bfd388959",
    "tenant" : {
      "id" : "524c8bf3e4b0ba0bfd388958",
      "name" : null,
      "description" : null,
      "type" : null,
      "tenantSubscriptions" : null,
      "url" : "/tenant/524c8bf3e4b0ba0bfd388958"
    },
    "component" : {
      "id" : "MnA0018309978563890805",
      "name" : "overseer",
      "url" : "/component/MnA0018309978563890805"
    },
    "assets" : null,
    "url" : "/assetGroup/524c8bf3e4b0ba0bfd388959"
  }, {
    "id" : "524c8bf3e4b0ba0bfd388959",
    "tenant" : {
      "id" : "524c8bf3e4b0ba0bfd388958",
      "name" : null,
      "description" : null,
      "type" : null,
      "tenantSubscriptions" : null,
      "url" : "/tenant/524c8bf3e4b0ba0bfd388958"
    },
    "component" : {
      "id" : "MnA0018309978563890805",
      "name" : "overseer",
      "url" : "/component/MnA0018309978563890805"
    },
    "assets" : null,
    "url" : "/assetGroup/524c8bf3e4b0ba0bfd388959"
  }
]
```

```

    "id" : "524c8bf3e4b0ba0bfd38895a",
    "tenant" : {
        "id" : "524c8bf3e4b0ba0bfd388958",
        "name" : null,
        "description" : null,
        "type" : null,
        "tenantSubscriptions" : null,
        "url" : "/tenant/524c8bf3e4b0ba0bfd388958"
    },
    "component" : {
        "id" : "MnA0012758669714416226",
        "name" : "overseer",
        "url" : "/component/MnA0012758669714416226"
    },
    "assets" : null,
    "url" : "/assetGroup/524c8bf3e4b0ba0bfd38895a"
} ],
"currentPage" : 0,
"returnCount" : 2,
"pageSize" : 10,
"totalCount" : 2,
"sortKey" : "_id",
"sortDirection" : "ASC",
"nextPageUrl" : null,
"prevPageUrl" : null
}

```

---

## Example URI: /assetGroup

### Request Data

**Method:**GET

**Query String:** tenantId=wrong

**Request Data:**

### Response

**Content Type:**

**Response Code:** 200

**Reponse Content:**

```
{
    "searchResults" : [ ],
    "currentPage" : 0,
    "returnCount" : 0,
    "pageSize" : 10,
    "totalCount" : 0,
    "sortKey" : "_id",
}
```

```
"sortDirection" : "ASC",
"nextPageUrl" : null,
"prevPageUrl" : null
}
```

---

## Example URI: /assetGroup

### Request Data

**Method:**GET

**Query String:** componentName=wrong

**Request Data:**

### Response

**Content Type:**

**Response Code:** 200

**Reponse Content:**

```
{
  "searchResults" : [ ],
  "currentPage" : 0,
  "returnCount" : 0,
  "pageSize" : 10,
  "totalCount" : 0,
  "sortKey" : "_id",
  "sortDirection" : "ASC",
  "nextPageUrl" : null,
  "prevPageUrl" : null
}
```

---

## Example URI: /assetGroup

### Request Data

**Method:**GET

**Query String:** componentNameContains=over

**Request Data:**

## Response

**Content Type:**

**Response Code:** 200

**Reponse Content:**

```
{  
  "searchResults" : [ {  
    "id" : "524c8bf3e4b0ba0bfd388959",  
    "tenant" : {  
      "id" : "524c8bf3e4b0ba0bfd388958",  
      "name" : null,  
      "description" : null,  
      "type" : null,  
      "tenantSubscriptions" : null,  
      "url" : "/tenant/524c8bf3e4b0ba0bfd388958"  
    },  
    "component" : {  
      "id" : "MnA0018309978563890805",  
      "name" : "overseer",  
      "url" : "/component/MnA0018309978563890805"  
    },  
    "assets" : null,  
    "url" : "/assetGroup/524c8bf3e4b0ba0bfd388959"  
  }, {  
    "id" : "524c8bf3e4b0ba0bfd38895a",  
    "tenant" : {  
      "id" : "524c8bf3e4b0ba0bfd388958",  
      "name" : null,  
      "description" : null,  
      "type" : null,  
      "tenantSubscriptions" : null,  
      "url" : "/tenant/524c8bf3e4b0ba0bfd388958"  
    },  
    "component" : {  
      "id" : "MnA0012758669714416226",  
      "name" : "overseer",  
      "url" : "/component/MnA0012758669714416226"  
    },  
    "assets" : null,  
    "url" : "/assetGroup/524c8bf3e4b0ba0bfd38895a"  
  } ],  
  "currentPage" : 0,  
  "returnCount" : 2,  
  "pageSize" : 10,  
  "totalCount" : 2,  
  "sortKey" : "_id",  
  "sortDirection" : "ASC",  
  "nextPageUrl" : null,  
  "prevPageUrl" : null  
}
```

---

## **Example URI: /assetGroup**

### **Request Data**

**Method:**GET

**Query String:** componentNameContains=def

**Request Data:**

---

### **Response**

**Content Type:**

**Response Code:** 200

**Reponse Content:**

```
{  
  "searchResults" : [ ],  
  "currentPage" : 0,  
  "returnCount" : 0,  
  "pageSize" : 10,  
  "totalCount" : 0,  
  "sortKey" : "_id",  
  "sortDirection" : "ASC",  
  "nextPageUrl" : null,  
  "prevPageUrl" : null  
}
```

---

## **Example URI: /assetGroup/524c8bf4e4b0ba0bfd38895d**

### **Request Data**

**Method:**GET

**Query String:**

**Request Data:**

---

### **Response**

**Content Type:**

**Response Code:** 200

**Reponse Content:**

---

**Example URI:** /assetGroup/remove/524c8bf4e4b0ba0bfd38895d

## **Request Data**

**Method:**DELETE

**Query String:**

**Request Data:**

## **Response**

**Content Type:**

**Response Code:** 204

**Reponse Content:**

---

# API Documentation

[Back to API context list](#)

## Example Requests

---

### Example URI: /tenantsBySearchVal

#### Request Data

**Method:**GET

**Query String:** searchVal=tenant1

**Request Data:**

#### Response

**Content Type:**

**Response Code:** 200

**Reponse Content:**

```
[ {  
    "id" : "524c8bf9e4b0ba0bfd388991",  
    "name" : "tenant1",  
    "description" : null,  
    "type" : "STATE",  
    "tenantSubscriptions" : null,  
    "url" : "/tenant/524c8bf9e4b0ba0bfd388991"  
} ]
```

---

### Example URI: /tenantsBySearchVal

#### Request Data

**Method:**GET

**Query String:** searchVal=tenant2

**Request Data:**

## **Response**

**Content Type:**

**Response Code:** 200

**Reponse Content:**

```
[ {  
  "id" : "524c8bf9e4b0ba0bfd388992",  
  "name" : "tenant2",  
  "description" : null,  
  "type" : "STATE",  
  "tenantSubscriptions" : null,  
  "url" : "/tenant/524c8bf9e4b0ba0bfd388992"  
} ]
```

---

## **Example URI: /tenantsBySearchVal**

### **Request Data**

**Method:**GET

**Query String:** searchVal=invalid

**Request Data:**

## **Response**

**Content Type:**

**Response Code:** 200

**Reponse Content:**

```
[ ]
```

---

## **Example URI: /tenantsBySearchVal**

### **Request Data**

**Method:**GET

**Query String:** searchVal=tenant

**Request Data:**

## Response

**Content Type:**

**Response Code:** 200

**Reponse Content:**

```
[ {  
    "id" : "524c8bf9e4b0ba0bfd388991",  
    "name" : "tenant1",  
    "description" : null,  
    "type" : "STATE",  
    "tenantSubscriptions" : null,  
    "url" : "/tenant/524c8bf9e4b0ba0bfd388991"  
, {  
    "id" : "524c8bf9e4b0ba0bfd388992",  
    "name" : "tenant2",  
    "description" : null,  
    "type" : "STATE",  
    "tenantSubscriptions" : null,  
    "url" : "/tenant/524c8bf9e4b0ba0bfd388992"  
, {  
    "id" : "524c8bf9e4b0ba0bfd388993",  
    "name" : "tenant3",  
    "description" : null,  
    "type" : "DISTRICT",  
    "tenantSubscriptions" : null,  
    "url" : "/tenant/524c8bf9e4b0ba0bfd388993"  
, {  
    "id" : "524c8bf9e4b0ba0bfd388994",  
    "name" : "tenant4",  
    "description" : null,  
    "type" : "DISTRICT",  
    "tenantSubscriptions" : null,  
    "url" : "/tenant/524c8bf9e4b0ba0bfd388994"  
} ]
```

---

## Example URI: /tenantsBySearchVal

### Request Data

**Method:**GET

**Query String:** tenantType=STATE

**Request Data:**

## Response

**Content Type:**  
**Response Code:** 200  
**Reponse Content:**

[ ]

---

## Example URI: /tenantsBySearchVal

### Request Data

**Method:**GET  
**Query String:** searchVal=tenant1&tenantType=STATE  
**Request Data:**

### Response

**Content Type:**  
**Response Code:** 200  
**Reponse Content:**

```
[ {  
  "id" : "524c8bf9e4b0ba0bfd388991",  
  "name" : "tenant1",  
  "description" : null,  
  "type" : "STATE",  
  "tenantSubscriptions" : null,  
  "url" : "/tenant/524c8bf9e4b0ba0bfd388991"  
} ]
```

---

## Example URI: /tenantsBySearchVal

### Request Data

**Method:**GET  
**Query String:** searchVal=tenant&tenantType=STATE  
**Request Data:**

## Response

**Content Type:**

**Response Code:** 200

**Reponse Content:**

```
[ {  
  "id" : "524c8bf9e4b0ba0bfd388991",  
  "name" : "tenant1",  
  "description" : null,  
  "type" : "STATE",  
  "tenantSubscriptions" : null,  
  "url" : "/tenant/524c8bf9e4b0ba0bfd388991"  
, {  
  "id" : "524c8bf9e4b0ba0bfd388992",  
  "name" : "tenant2",  
  "description" : null,  
  "type" : "STATE",  
  "tenantSubscriptions" : null,  
  "url" : "/tenant/524c8bf9e4b0ba0bfd388992"  
} ]
```

---

## Example URI: /tenantsBySearchVal

### Request Data

**Method:**GET

**Query String:** searchVal=invalid&tenantType=STATE

**Request Data:**

## Response

**Content Type:**

**Response Code:** 200

**Reponse Content:**

```
[ ]
```

---

# API Documentation

[Back to API context list](#)

## Example Requests

---

### Example URI: /skinnableAssets/foo

#### Request Data

**Method:**GET

**Query String:**

**Request Data:**

#### Response

**Content Type:**

**Response Code:** 200

**Reponse Content:**

---

### Example URI: /skinnableAssets/overseer

#### Request Data

**Method:**GET

**Query String:** STATE=WISCONSIN

**Request Data:**

#### Response

**Content Type:**

**Response Code:** 200

**Reponse Content:**

---

## Example URI: /skinnableAssets/overseer

### Request Data

**Method:**GET

**Query String:** STATE=WISCONSIN

**Request Data:**

### Response

**Content Type:**

**Response Code:** 200

**Reponse Content:**

```
{
  "id" : "524c8bf4e4b0ba0bfd388964",
  "tenant" : {
    "id" : "524c8bf4e4b0ba0bfd388963",
    "name" : null,
    "description" : null,
    "type" : null,
    "tenantSubscriptions" : null,
    "url" : "/tenant/524c8bf4e4b0ba0bfd388963"
  },
  "component" : {
    "id" : "MnA003841197504451668",
    "name" : "overseer",
    "url" : "/component/MnA003841197504451668"
  },
  "assets" : [ {
    "name" : "prop1",
    "type" : "FILE",
    "property" : null,
    "assetFileGridId" : null,
    "assetFileName" : "test.txt",
    "fileContentType" : null,
    "basePath" : null,
    "url" : "nullnull"
  }],
  "url" : "/assetGroup/524c8bf4e4b0ba0bfd388964"
}
```

---