

API Documentation

[Back to API context list](#)

Example Requests

Example URI: /assetPool

Request Data

Method:POST

Query String:

Request Data:

```
{
  "tenantId" : "524c8bf6e4b0ba0bfd38896f",
  "name" : "testpool"
}
```

Response

Content Type: application/json

Response Code: 201

Reponse Content:

```
{
  "id" : "524c8bf6e4b0ba0bfd388970",
  "tenantId" : "524c8bf6e4b0ba0bfd38896f",
  "name" : "testpool",
  "assets" : null,
  "url" : "/assetPool/524c8bf6e4b0ba0bfd388970"
}
```

Example URI: /assetPool

Request Data

Method:POST

Query String:

Request Data:

```
{
  "tenantId" : "524c8bf6e4b0ba0bfd388971",
  "assets" : [ {
    "name" : null,
    "type" : null,
    "property" : null,
    "assetFileGridId" : "12345",
    "assetFileName" : "test.jpg",
    "fileContentType" : null,
    "basePath" : null,
    "url" : "nullnull"
  } ],
}
```

```
"name" : "testpool"
}
```

Response

Content Type: application/json

Response Code: 201

Reponse Content:

```
{
  "id" : "524c8bf6e4b0ba0bfd388972",
  "tenantId" : "524c8bf6e4b0ba0bfd388971",
  "name" : "testpool",
  "assets" : [ {
    "name" : null,
    "type" : null,
    "property" : null,
    "assetFileGridId" : "12345",
    "assetFileName" : "test.jpg",
    "fileContentType" : null,
    "basePath" : null,
    "url" : "nullnull"
  } ],
  "url" : "/assetPool/524c8bf6e4b0ba0bfd388972"
}
```

Example URI: /assetPool

Request Data

Method:POST

Query String:

Request Data:

```
{
  "tenantId" : "524c8bf7e4b0ba0bfd388973",
  "name" : "testpool"
}
```

Response

Content Type: application/json

Response Code: 201

Reponse Content:

```
{
  "id" : "524c8bf7e4b0ba0bfd388974",
  "tenantId" : "524c8bf7e4b0ba0bfd388973",
  "name" : "testpool",
  "assets" : null,
  "url" : "/assetPool/524c8bf7e4b0ba0bfd388974"
}
```

Example URI: /assetPool

Request Data

Method:POST

Query String:

Request Data:

```
{
  "tenantId" : "524c8bf7e4b0ba0bfd388976",
  "assets" : [ {
    "name" : null,
    "type" : null,
    "property" : null,
    "assetFileGridId" : "12345",
    "assetFileName" : "test.jpg",
    "fileContentType" : null,
    "basePath" : null,
    "url" : "nullnull"
  } ],
  "name" : "testpool"
}
```

Response

Content Type: application/json

Response Code: 201

Reponse Content:

```
{
  "id" : "524c8bf7e4b0ba0bfd388977",
  "tenantId" : "524c8bf7e4b0ba0bfd388976",
  "name" : "testpool",
  "assets" : [ {
    "name" : null,
    "type" : null,
    "property" : null,
    "assetFileGridId" : "12345",
    "assetFileName" : "test.jpg",
    "fileContentType" : null,
    "basePath" : null,
    "url" : "nullnull"
  } ],
  "url" : "/assetPool/524c8bf7e4b0ba0bfd388977"
}
```

Example URI: /assetPool

Request Data

Method:POST

Query String:

Request Data:

```
{
  "tenantId" : "524c8bf7e4b0ba0bfd388978",
  "name" : "testpool"
}
```

Response

Content Type: application/json

Response Code: 201

Reponse Content:

```
{
  "id" : "524c8bf7e4b0ba0bfd388979",
  "tenantId" : "524c8bf7e4b0ba0bfd388978",
  "name" : "testpool",
  "assets" : null,
  "url" : "/assetPool/524c8bf7e4b0ba0bfd388979"
}
```

Example URI: /assetPool/524c8bf7e4b0ba0bfd388979/assetFile

Request Data

Method:POST

Query String:

Request Data:

Response

Content Type: multipart/form-data

Response Code: 201

Reponse Content:

```
{
  "name" : null,
  "type" : "IMAGE",
  "property" : "/assetPool/assetFile/524c8bf7e4b0ba0bfd38897a/Desert.jpg",
  "assetFileGridId" : "524c8bf7e4b0ba0bfd38897a",
  "assetFileName" : "Desert.jpg",
  "fileContentType" : "image/jpeg",
  "basePath" : "http://localhost:8089/prog-mgmnt.rest",
  "url" : "http://localhost:8089/prog-mgmnt.rest/assetPool/assetFile/524c8bf7e4b0ba0bfd38897a/Desert.jpg"
}
```

Example URI: /assetPool

Request Data

Method:POST

Query String:

Request Data:

```
{
  "tenantId" : "524c8bf7e4b0ba0bfd38897c",
  "name" : "testpool"
}
```

Response

Content Type: application/json

Response Code: 201

Reponse Content:

```
{
  "id" : "524c8bf7e4b0ba0bfd38897d",
  "tenantId" : "524c8bf7e4b0ba0bfd38897c",
  "name" : "testpool",
  "assets" : null,
  "url" : "/assetPool/524c8bf7e4b0ba0bfd38897d"
}
```

Example URI: /assetPool

Request Data

Method:POST

Query String:

Request Data:

```
{
  "tenantId" : "524c8bf7e4b0ba0bfd38897e",
  "name" : "testpool"
}
```

Response

Content Type: application/json

Response Code: 201

Reponse Content:

```
{
  "id" : "524c8bf7e4b0ba0bfd38897f",
  "tenantId" : "524c8bf7e4b0ba0bfd38897e",
  "name" : "testpool",
  "assets" : null,
  "url" : "/assetPool/524c8bf7e4b0ba0bfd38897f"
}
```

Example URI: /assetPool/524c8bf7e4b0ba0bfd38897f/assetFile

Request Data

Method:POST

Query String:

Request Data:

Response

Content Type: multipart/form-data

Response Code: 201

Reponse Content:

```
{
  "name" : null,
  "type" : "IMAGE",
  "property" : "/assetPool/assetFile/524c8bf8e4b0ba0bfd388980/Desert.jpg",
  "assetFileGridId" : "524c8bf8e4b0ba0bfd388980",
  "assetFileName" : "Desert.jpg",
  "fileContentType" : "image/jpeg",
  "basePath" : "http://localhost:8089/program-mgmt.rest",
  "url" : "http://localhost:8089/program-mgmt.rest/assetPool/assetFile/524c8bf8e4b0ba0bfd388980/Desert.jpg"
}
```

Example URI: /assetPool

Request Data

Method:POST

Query String:

Request Data:

```
{
  "tenantId" : "524c8bf8e4b0ba0bfd388982",
  "name" : "testpool"
}
```

Response

Content Type: application/json

Response Code: 201

Reponse Content:

```
{
  "id" : "524c8bf8e4b0ba0bfd388983",
  "tenantId" : "524c8bf8e4b0ba0bfd388982",
  "name" : "testpool",
  "assets" : null,
  "url" : "/assetPool/524c8bf8e4b0ba0bfd388983"
}
```

Example URI: /assetPool/524c8bf8e4b0ba0bfd388983/assetFile

Request Data

Method:POST

Query String:

Request Data:

Response

Content Type: multipart/form-data

Response Code: 201

Reponse Content:

```
{
  "messages" : {
    "applicationErrors" : [ "Error Code: 18050 - upload.type.not.supported" ]
  }
}
```

Example URI: /assetPool

Request Data

Method:POST

Query String:

Request Data:

```
{
  "tenantId" : "524c8bf8e4b0ba0bfd388984",
  "name" : "testpool"
}
```

Response

Content Type: application/json

Response Code: 201

Reponse Content:

```
{
  "id" : "524c8bf8e4b0ba0bfd388985",
  "tenantId" : "524c8bf8e4b0ba0bfd388984",
  "name" : "testpool",
  "assets" : null,
  "url" : "/assetPool/524c8bf8e4b0ba0bfd388985"
}
```

Example URI: /assetPool

Request Data

Method:POST

Query String:

Request Data:

```
{
  "id" : "524c8bf6e4b0ba0bfd388970",
  "tenantId" : "524c8bf6e4b0ba0bfd38896f",
  "name" : "testpool"
}
```

Response

Content Type: application/json

Response Code: 400

Reponse Content:

```
{
  "messages" : {
    "applicationErrors" : [ "Error Code: 25355 - assetPool.exists" ]
  }
}
```

Example URI: /assetPool

Request Data

Method:POST

Query String:

Request Data:

null

Response

Content Type: application/json

Response Code: 400

Reponse Content:

```
{
  "messages" : {
    "applicationErrors" : [ "Error Code: 99123 - unexpected.error" ]
  }
}
```

Example URI: /assetPool/524c8bf6e4b0ba0bfd388972

Request Data

Method:PUT

Query String:

Request Data:

```
{
  "id" : "524c8bf6e4b0ba0bfd388972",
  "tenantId" : "524c8bf6e4b0ba0bfd388971",
  "assets" : [ {
    "name" : null,
    "type" : null,
    "property" : null,
    "assetFileGridId" : "12345",
    "assetFileName" : "updatetest.jpg",
    "fileContentType" : null,
    "basePath" : null,
  }
]
```



```
    "url" : "nullnull"
  } ],
  "name" : "testpool"
}
```

Response

Content Type: application/json

Response Code: 200

Reponse Content:

```
{
  "id" : "524c8bf6e4b0ba0bfd388972",
  "tenantId" : "524c8bf6e4b0ba0bfd388971",
  "name" : "testpool",
  "assets" : [ {
    "name" : null,
    "type" : null,
    "property" : null,
    "assetFileGridId" : "12345",
    "assetFileName" : "updatetest.jpg",
    "fileContentType" : null,
    "basePath" : null,
    "url" : "nullnull"
  } ],
  "url" : "/assetPool/524c8bf6e4b0ba0bfd388972"
}
```

Example URI: /assetPool/524c8bf7e4b0ba0bfd388977

Request Data

Method:PUT

Query String:

Request Data:

null

Response

Content Type: application/json

Response Code: 400

Reponse Content:

```
{
  "messages" : {
    "applicationErrors" : [ "Error Code: 23353 - assetPool.invalid.id" ]
  }
}
```

Example URI: /assetPool/524c8bf7e4b0ba0bfd388977

Request Data

Method:PUT

Query String:

Request Data:

```
{
  "tenantId" : "524c8bf7e4b0ba0bfd388976",
  "assets" : [ {
    "name" : null,
    "type" : null,
    "property" : null,
    "assetFileGridId" : "12345",
    "assetFileName" : "updatetest.jpg",
    "fileContentType" : null,
    "basePath" : null,
    "url" : "nullnull"
  } ],
  "name" : "testpool"
}
```

Response

Content Type: application/json

Response Code: 400

Reponse Content:

```
{
  "messages" : {
    "applicationErrors" : [ "Error Code: 61049 - assetPool.invalid.id" ]
  }
}
```

Example URI: /assetPool/524c8bf7e4b0ba0bfd388977

Request Data

Method:PUT

Query String:

Request Data:

```
{
  "id" : "invalid-id",
  "tenantId" : "524c8bf7e4b0ba0bfd388976",
  "assets" : [ {
    "name" : null,
    "type" : null,
    "property" : null,
    "assetFileGridId" : "12345",
    "assetFileName" : "updatetest.jpg",
    "fileContentType" : null,
    "basePath" : null,
    "url" : "nullnull"
  } ],
  "name" : "testpool"
}
```

Response

Content Type: application/json

Response Code: 400

Reponse Content:

```
{
  "messages" : {
    "applicationErrors" : [ "Error Code: 49093 - assetPool.invalid.id" ]
  }
}
```

Example URI: /assetPool/524c8bf7e4b0ba0bfd388979

Request Data

Method:GET

Query String:

Request Data:

Response

Content Type:

Response Code: 200

Reponse Content:

```
{
  "id" : "524c8bf7e4b0ba0bfd388979",
  "tenantId" : "524c8bf7e4b0ba0bfd388978",
  "name" : "testpool",
  "assets" : [ {
    "name" : null,
    "type" : "IMAGE",
    "property" : "/assetPool/assetFile/524c8bf7e4b0ba0bfd38897a/Desert.jpg",
    "assetFileGridId" : "524c8bf7e4b0ba0bfd38897a",
    "assetFileName" : "Desert.jpg",
    "fileContentType" : "image/jpeg",
    "basePath" : "http://localhost:8089/prog-mgmnt.rest",
    "url" : "http://localhost:8089/prog-mgmnt.rest/assetPool/assetFile/524c8bf7e4b0ba0bfd38897a/Desert.jpg"
  } ],
  "url" : "/assetPool/524c8bf7e4b0ba0bfd388979"
}
```

Example URI: /assetPool/524c8bf7e4b0ba0bfd38897d

Request Data

Method:GET

Query String:

Request Data:

Response

Content Type:

Response Code: 200

Reponse Content:

```
{
  "id" : "524c8bf7e4b0ba0bfd38897d",
  "tenantId" : "524c8bf7e4b0ba0bfd38897c",
  "name" : "testpool",
  "assets" : null,
  "url" : "/assetPool/524c8bf7e4b0ba0bfd38897d"
}
```

Example URI: /assetPool/524c8bf7e4b0ba0bfd38897f

Request Data

Method:GET

Query String:

Request Data:

Response

Content Type:

Response Code: 200

Reponse Content:

```
{
  "id" : "524c8bf7e4b0ba0bfd38897f",
  "tenantId" : "524c8bf7e4b0ba0bfd38897e",
  "name" : "testpool",
  "assets" : [ {
    "name" : null,
    "type" : "IMAGE",
    "property" : "/assetPool/assetFile/524c8bf8e4b0ba0bfd388980/Desert.jpg",
    "assetFileGridId" : "524c8bf8e4b0ba0bfd388980",
    "assetFileName" : "Desert.jpg",
    "fileContentType" : "image/jpeg",
    "basePath" : "http://localhost:8089/prog-mgmt.rest",
    "url" : "http://localhost:8089/prog-mgmt.rest/assetPool/assetFile/524c8bf8e4b0ba0bfd388980/Desert.jpg"
  } ],
  "url" : "/assetPool/524c8bf7e4b0ba0bfd38897f"
}
```

Example URI: /assetPool/524c8bf8e4b0ba0bfd388983

Request Data

Method:GET

Query String:

Request Data:

Response

Content Type:

Response Code: 200

Reponse Content:

```
{
  "id" : "524c8bf8e4b0ba0bfd388983",
  "tenantId" : "524c8bf8e4b0ba0bfd388982",
  "name" : "testpool",
  "assets" : null,
  "url" : "/assetPool/524c8bf8e4b0ba0bfd388983"
}
```

Example URI: /assetPool/tenant/524c8bf8e4b0ba0bfd388984

Request Data

Method:GET

Query String:

Request Data:

Response

Content Type:

Response Code: 200

Reponse Content:

```
{
  "id" : "524c8bf8e4b0ba0bfd388985",
  "tenantId" : "524c8bf8e4b0ba0bfd388984",
  "name" : "testpool",
  "assets" : null,
  "url" : "/assetPool/524c8bf8e4b0ba0bfd388985"
}
```

Example URI:

/assetPool/524c8bf7e4b0ba0bfd38897f/assetFile/524c8bf8e4b0ba0bfd388980

Request Data

Method:DELETE

Query String:

Request Data:

Response

Content Type:

Response Code: 204
Reponse Content:
