

API Documentation

[Back to API context list](#)

Example Requests

Example URI: /assetGroup

Request Data

Method:POST

Query String:

Request Data:

```
{
  "tenant" : {
    "id" : "524c8bf2e4b0ba0bfd388952"
  },
  "component" : {
    "id" : "MnA003271362388032383",
    "name" : "overseer"
  }
}
```

Response

Content Type: application/json

Response Code: 201

Response Content:

```
{
  "id" : "524c8bf3e4b0ba0bfd388953",
  "tenant" : {
    "id" : "524c8bf2e4b0ba0bfd388952",
    "name" : null,
    "description" : null,
    "type" : null,
    "tenantSubscriptions" : null,
    "url" : "/tenant/524c8bf2e4b0ba0bfd388952"
  },
  "component" : {
    "id" : "MnA003271362388032383",
    "name" : "overseer",
    "url" : "/component/MnA003271362388032383"
  },
  "assets" : null,
  "url" : "/assetGroup/524c8bf3e4b0ba0bfd388953"
}
```

Example URI: /assetGroup

Request Data

Method:POST

Query String:

Request Data:

```
{
  "tenant" : {
    "id" : "524c8bf2e4b0ba0bfd388952"
  },
  "component" : {
    "id" : "MnA009859063353202534",
    "name" : "overseer"
  }
}
```

Response

Content Type: application/json

Response Code: 201

Reponse Content:

```
{
  "id" : "524c8bf3e4b0ba0bfd388954",
  "tenant" : {
    "id" : "524c8bf2e4b0ba0bfd388952",
    "name" : null,
    "description" : null,
    "type" : null,
    "tenantSubscriptions" : null,
    "url" : "/tenant/524c8bf2e4b0ba0bfd388952"
  },
  "component" : {
    "id" : "MnA009859063353202534",
    "name" : "overseer",
    "url" : "/component/MnA009859063353202534"
  },
  "assets" : null,
  "url" : "/assetGroup/524c8bf3e4b0ba0bfd388954"
}
```

Example URI: /assetGroup

Request Data

Method:POST

Query String:

Request Data:

```
{
  "tenant" : {
    "id" : "524c8bf3e4b0ba0bfd388955"
  },
  "component" : {
    "id" : "MnA0009753625748208605",
    "name" : "overseer"
  }
}
```

Response

Content Type: application/json

Response Code: 201

Reponse Content:

```
{
  "id" : "524c8bf3e4b0ba0bfd388956",
  "tenant" : {
    "id" : "524c8bf3e4b0ba0bfd388955",
    "name" : null,
    "description" : null,
    "type" : null,
    "tenantSubscriptions" : null,
    "url" : "/tenant/524c8bf3e4b0ba0bfd388955"
  },
  "component" : {
    "id" : "MnA0009753625748208605",
    "name" : "overseer",
    "url" : "/component/MnA0009753625748208605"
  },
  "assets" : null,
  "url" : "/assetGroup/524c8bf3e4b0ba0bfd388956"
}
```

Example URI: /assetGroup

Request Data

Method:POST

Query String:

Request Data:

```
{
  "tenant" : {
    "id" : "524c8bf3e4b0ba0bfd388958"
  },
  "component" : {
    "id" : "MnA0018309978563890805",
    "name" : "overseer"
  }
}
```

Response

Content Type: application/json

Response Code: 201

Reponse Content:

```
{
  "id" : "524c8bf3e4b0ba0bfd388959",
  "tenant" : {
    "id" : "524c8bf3e4b0ba0bfd388958",
    "name" : null,
    "description" : null,
    "type" : null,
    "tenantSubscriptions" : null,
    "url" : "/tenant/524c8bf3e4b0ba0bfd388958"
  },
  "component" : {
    "id" : "MnA0018309978563890805",
    "name" : "overseer",
    "url" : "/component/MnA0018309978563890805"
  },
  "assets" : null,
  "url" : "/assetGroup/524c8bf3e4b0ba0bfd388959"
}
```

Example URI: /assetGroup

Request Data

Method:POST

Query String:

Request Data:

```
{
```

```
"tenant" : {
  "id" : "524c8bf3e4b0ba0bfd388958"
},
"component" : {
  "id" : "MnA0012758669714416226",
  "name" : "overseer"
}
}
```

Response

Content Type: application/json

Response Code: 201

Reponse Content:

```
{
  "id" : "524c8bf3e4b0ba0bfd38895a",
  "tenant" : {
    "id" : "524c8bf3e4b0ba0bfd388958",
    "name" : null,
    "description" : null,
    "type" : null,
    "tenantSubscriptions" : null,
    "url" : "/tenant/524c8bf3e4b0ba0bfd388958"
  },
  "component" : {
    "id" : "MnA0012758669714416226",
    "name" : "overseer",
    "url" : "/component/MnA0012758669714416226"
  },
  "assets" : null,
  "url" : "/assetGroup/524c8bf3e4b0ba0bfd38895a"
}
```

Example URI: /assetGroup

Request Data

Method:POST

Query String:

Request Data:

```
{
  "tenant" : {
    "id" : "524c8bf4e4b0ba0bfd38895c"
  },
  "component" : {
    "id" : "MnA006138579512787857",
```

```
    "name" : "overseer"
  }
}
```

Response

Content Type: application/json

Response Code: 201

Reponse Content:

```
{
  "id" : "524c8bf4e4b0ba0bfd38895d",
  "tenant" : {
    "id" : "524c8bf4e4b0ba0bfd38895c",
    "name" : null,
    "description" : null,
    "type" : null,
    "tenantSubscriptions" : null,
    "url" : "/tenant/524c8bf4e4b0ba0bfd38895c"
  },
  "component" : {
    "id" : "MnA006138579512787857",
    "name" : "overseer",
    "url" : "/component/MnA006138579512787857"
  },
  "assets" : null,
  "url" : "/assetGroup/524c8bf4e4b0ba0bfd38895d"
}
```

Example URI: /assetGroup

Request Data

Method:POST

Query String:

Request Data:

```
{
  "assets" : [ {
    "name" : "prop1",
    "assetFileName" : "test.txt",
    "type" : "FILE"
  } ],
  "tenant" : {
    "id" : "524c8bf4e4b0ba0bfd38895e"
  },
  "component" : {
    "id" : "MnA008358140037305172",
```

```
    "name" : "overseer"
  }
}
```

Response

Content Type: application/json

Response Code: 201

Reponse Content:

```
{
  "id" : "524c8bf4e4b0ba0bfd38895f",
  "tenant" : {
    "id" : "524c8bf4e4b0ba0bfd38895e",
    "name" : null,
    "description" : null,
    "type" : null,
    "tenantSubscriptions" : null,
    "url" : "/tenant/524c8bf4e4b0ba0bfd38895e"
  },
  "component" : {
    "id" : "MnA008358140037305172",
    "name" : "overseer",
    "url" : "/component/MnA008358140037305172"
  },
  "assets" : [ {
    "name" : "prop1",
    "type" : "FILE",
    "property" : null,
    "assetFileGridId" : null,
    "assetFileName" : "test.txt",
    "fileContentType" : null,
    "basePath" : null,
    "url" : "nullnull"
  } ],
  "url" : "/assetGroup/524c8bf4e4b0ba0bfd38895f"
}
```

Example URI: /assetGroup

Request Data

Method:POST

Query String:

Request Data:

```
{
  "assets" : [ {
```

```
    "name" : "prop1",
    "assetFileName" : "test.txt",
    "type" : "FILE"
  } ],
  "tenant" : {
    "id" : "524c8bf4e4b0ba0bfd388960"
  },
  "component" : {
    "id" : "MnA004455970246226274",
    "name" : "overseer"
  }
}
```

Response

Content Type: application/json

Response Code: 201

Reponse Content:

```
{
  "id" : "524c8bf4e4b0ba0bfd388961",
  "tenant" : {
    "id" : "524c8bf4e4b0ba0bfd388960",
    "name" : null,
    "description" : null,
    "type" : null,
    "tenantSubscriptions" : null,
    "url" : "/tenant/524c8bf4e4b0ba0bfd388960"
  },
  "component" : {
    "id" : "MnA004455970246226274",
    "name" : "overseer",
    "url" : "/component/MnA004455970246226274"
  },
  "assets" : [ {
    "name" : "prop1",
    "type" : "FILE",
    "property" : null,
    "assetFileGridId" : null,
    "assetFileName" : "test.txt",
    "fileContentType" : null,
    "basePath" : null,
    "url" : "nullnull"
  } ],
  "url" : "/assetGroup/524c8bf4e4b0ba0bfd388961"
}
```

Example URI: /assetGroup

Request Data

Method:POST

Query String:

Request Data:

```
{
  "assets" : [ {
    "name" : "prop1",
    "assetFileName" : "test.txt",
    "type" : "FILE"
  } ],
  "tenant" : {
    "id" : "524c8bf4e4b0ba0bfd388963"
  },
  "component" : {
    "id" : "MnA003841197504451668",
    "name" : "overseer"
  }
}
```

Response

Content Type: application/json

Response Code: 201

Reponse Content:

```
{
  "id" : "524c8bf4e4b0ba0bfd388964",
  "tenant" : {
    "id" : "524c8bf4e4b0ba0bfd388963",
    "name" : null,
    "description" : null,
    "type" : null,
    "tenantSubscriptions" : null,
    "url" : "/tenant/524c8bf4e4b0ba0bfd388963"
  },
  "component" : {
    "id" : "MnA003841197504451668",
    "name" : "overseer",
    "url" : "/component/MnA003841197504451668"
  },
  "assets" : [ {
    "name" : "prop1",
    "type" : "FILE",
    "property" : null,
    "assetFileGridId" : null,
    "assetFileName" : "test.txt",
    "fileContentType" : null,
    "basePath" : null,
    "url" : "nullnull"
  } ],
  "url" : "/assetGroup/524c8bf4e4b0ba0bfd388964"
}
```

Example URI: /assetGroup

Request Data

Method:POST

Query String:

Request Data:

```
{
  "tenant" : {
    "id" : "524c8bf5e4b0ba0bfd388965"
  },
  "component" : {
    "id" : "MnA00001936632998995158",
    "name" : "overseer"
  }
}
```

Response

Content Type: application/json

Response Code: 201

Reponse Content:

```
{
  "id" : "524c8bf5e4b0ba0bfd388966",
  "tenant" : {
    "id" : "524c8bf5e4b0ba0bfd388965",
    "name" : null,
    "description" : null,
    "type" : null,
    "tenantSubscriptions" : null,
    "url" : "/tenant/524c8bf5e4b0ba0bfd388965"
  },
  "component" : {
    "id" : "MnA00001936632998995158",
    "name" : "overseer",
    "url" : "/component/MnA00001936632998995158"
  },
  "assets" : null,
  "url" : "/assetGroup/524c8bf5e4b0ba0bfd388966"
}
```

Example URI: /assetGroup

Request Data

Method:POST

Query String:

Request Data:

null

Response

Content Type: application/json

Response Code: 400

Reponse Content:

```
{
  "messages" : {
    "applicationErrors" : [ "Error Code: 41441 - unexpected.error" ]
  }
}
```

Example URI: /assetGroup

Request Data

Method:POST

Query String:

Request Data:

```
{
  "id" : "524c8bf5e4b0ba0bfd388966",
  "tenant" : {
    "id" : "524c8bf5e4b0ba0bfd388965"
  },
  "component" : {
    "id" : "MnA00001936632998995158",
    "name" : "overseer"
  }
}
```

Response

Content Type: application/json

Response Code: 400

Reponse Content:

```
{
  "messages" : {
    "applicationErrors" : [ "Error Code: 14709 - assetGroup.exists" ]
  }
}
```

Example URI: /assetGroup/524c8bf4e4b0ba0bfd388961

Request Data

Method:PUT

Query String:

Request Data:

```
{
  "id" : "524c8bf4e4b0ba0bfd388961",
  "assets" : [ {
    "name" : "updatedName",
    "assetFileName" : "test.txt",
    "type" : "FILE"
  } ],
  "componentName" : "updatedComponentName",
  "tenant" : {
    "id" : "524c8bf4e4b0ba0bfd388960"
  },
  "component" : {
    "id" : "MnA004455970246226274",
    "name" : "overseer"
  }
}
```

Response

Content Type: application/json

Response Code: 200

Reponse Content:

```
{
  "id" : "524c8bf4e4b0ba0bfd388961",
  "tenant" : {
    "id" : "524c8bf4e4b0ba0bfd388960",
    "name" : null,
    "description" : null,
    "type" : null,
  }
}
```

```
    "tenantSubscriptions" : null,  
    "url" : "/tenant/524c8bf4e4b0ba0bfd388960"  
  },  
  "component" : {  
    "id" : "MnA004455970246226274",  
    "name" : "overseer",  
    "url" : "/component/MnA004455970246226274"  
  },  
  "assets" : [ {  
    "name" : "updatedName",  
    "type" : "FILE",  
    "property" : null,  
    "assetFileGridId" : null,  
    "assetFileName" : "test.txt",  
    "fileContentType" : null,  
    "basePath" : null,  
    "url" : "nullnull"  
  } ],  
  "url" : "/assetGroup/524c8bf4e4b0ba0bfd388961"  
}
```

Example URI: /assetGroup/524c8bf4e4b0ba0bfd38895f

Request Data

Method:PUT

Query String:

Request Data:

null

Response

Content Type: application/json

Response Code: 400

Reponse Content:

```
{  
  "messages" : {  
    "applicationErrors" : [ "Error Code: 33969 - assetGroup.invalid.id" ]  
  }  
}
```

Example URI: /assetGroup/524c8bf4e4b0ba0bfd38895f

Request Data

Method:PUT

Query String:

Request Data:

```
{
  "tenant" : {
    "id" : "524c8bf4e4b0ba0bfd38895e"
  },
  "component" : {
    "id" : "MnA008358140037305172",
    "name" : "overseer"
  }
}
```

Response

Content Type: application/json

Response Code: 400

Reponse Content:

```
{
  "messages" : {
    "applicationErrors" : [ "Error Code: 57661 - assetGroup.invalid.id" ]
  }
}
```

Example URI: /assetGroup/524c8bf4e4b0ba0bfd38895f

Request Data

Method:PUT

Query String:

Request Data:

```
{
  "id" : "invalid-id",
  "tenant" : {
    "id" : "524c8bf4e4b0ba0bfd38895e"
  },
  "component" : {
    "id" : "MnA008358140037305172",
    "name" : "overseer"
  }
}
```

```
}  
}
```

Response

Content Type: application/json

Response Code: 400

Reponse Content:

```
{  
  "messages" : {  
    "applicationErrors" : [ "Error Code: 35356 - assetGroup.invalid.id" ]  
  }  
}
```

Example URI: /assetGroup/524c8bf3e4b0ba0bfd388954

Request Data

Method:GET

Query String:

Request Data:

Response

Content Type:

Response Code: 200

Reponse Content:

```
{  
  "id" : "524c8bf3e4b0ba0bfd388954",  
  "tenant" : {  
    "id" : "524c8bf2e4b0ba0bfd388952",  
    "name" : null,  
    "description" : null,  
    "type" : null,  
    "tenantSubscriptions" : null,  
    "url" : "/tenant/524c8bf2e4b0ba0bfd388952"  
  },  
  "component" : {  
    "id" : "MnA009859063353202534",  
    "name" : "overseer",  
    "url" : "/component/MnA009859063353202534"  
  },  
  "assets" : null,  
}
```

```
"url" : "/assetGroup/524c8bf3e4b0ba0bfd388954"
}
```

Example URI: /assetGroup

Request Data

Method:GET

Query String: componentName=overseer

Request Data:

Response

Content Type:

Response Code: 200

Reponse Content:

```
{
  "searchResults" : [ {
    "id" : "524c8bf3e4b0ba0bfd388959",
    "tenant" : {
      "id" : "524c8bf3e4b0ba0bfd388958",
      "name" : null,
      "description" : null,
      "type" : null,
      "tenantSubscriptions" : null,
      "url" : "/tenant/524c8bf3e4b0ba0bfd388958"
    },
    "component" : {
      "id" : "MnA0018309978563890805",
      "name" : "overseer",
      "url" : "/component/MnA0018309978563890805"
    },
    "assets" : null,
    "url" : "/assetGroup/524c8bf3e4b0ba0bfd388959"
  }, {
    "id" : "524c8bf3e4b0ba0bfd38895a",
    "tenant" : {
      "id" : "524c8bf3e4b0ba0bfd388958",
      "name" : null,
      "description" : null,
      "type" : null,
      "tenantSubscriptions" : null,
      "url" : "/tenant/524c8bf3e4b0ba0bfd388958"
    },
    "component" : {
      "id" : "MnA0012758669714416226",
      "name" : "overseer",

```



```
    "url" : "/component/MnA0012758669714416226"
  },
  "assets" : null,
  "url" : "/assetGroup/524c8bf3e4b0ba0bfd38895a"
} ],
"currentPage" : 0,
"returnCount" : 2,
"pageSize" : 10,
"totalCount" : 2,
"sortKey" : "_id",
"sortDirection" : "ASC",
"nextPageUrl" : null,
"prevPageUrl" : null
}
```

Example URI: /assetGroup

Request Data

Method:GET

Query String: tenantId=524c8bf3e4b0ba0bfd388958

Request Data:

Response

Content Type:

Response Code: 200

Reponse Content:

```
{
  "searchResults" : [ {
    "id" : "524c8bf3e4b0ba0bfd388959",
    "tenant" : {
      "id" : "524c8bf3e4b0ba0bfd388958",
      "name" : null,
      "description" : null,
      "type" : null,
      "tenantSubscriptions" : null,
      "url" : "/tenant/524c8bf3e4b0ba0bfd388958"
    },
    "component" : {
      "id" : "MnA0018309978563890805",
      "name" : "overseer",
      "url" : "/component/MnA0018309978563890805"
    },
    "assets" : null,
    "url" : "/assetGroup/524c8bf3e4b0ba0bfd388959"
  }, {
```

```
"id" : "524c8bf3e4b0ba0bfd38895a",
"tenant" : {
  "id" : "524c8bf3e4b0ba0bfd388958",
  "name" : null,
  "description" : null,
  "type" : null,
  "tenantSubscriptions" : null,
  "url" : "/tenant/524c8bf3e4b0ba0bfd388958"
},
"component" : {
  "id" : "MnA0012758669714416226",
  "name" : "overseer",
  "url" : "/component/MnA0012758669714416226"
},
"assets" : null,
"url" : "/assetGroup/524c8bf3e4b0ba0bfd38895a"
} ],
"currentPage" : 0,
"returnCount" : 2,
"pageSize" : 10,
"totalCount" : 2,
"sortKey" : "_id",
"sortDirection" : "ASC",
"nextPageUrl" : null,
"prevPageUrl" : null
}
```

Example URI: /assetGroup

Request Data

Method:GET

Query String: tenantId=wrong

Request Data:

Response

Content Type:

Response Code: 200

Reponse Content:

```
{
  "searchResults" : [ ],
  "currentPage" : 0,
  "returnCount" : 0,
  "pageSize" : 10,
  "totalCount" : 0,
  "sortKey" : "_id",
```

```
"sortDirection" : "ASC",  
"nextPageUrl" : null,  
"prevPageUrl" : null  
}
```

Example URI: /assetGroup

Request Data

Method:GET

Query String: componentName=wrong

Request Data:

Response

Content Type:

Response Code: 200

Reponse Content:

```
{  
  "searchResults" : [ ],  
  "currentPage" : 0,  
  "returnCount" : 0,  
  "pageSize" : 10,  
  "totalCount" : 0,  
  "sortKey" : "_id",  
  "sortDirection" : "ASC",  
  "nextPageUrl" : null,  
  "prevPageUrl" : null  
}
```

Example URI: /assetGroup

Request Data

Method:GET

Query String: componentNameContains=over

Request Data:

Response

Content Type:

Response Code: 200

Response Content:

```
{
  "searchResults" : [ {
    "id" : "524c8bf3e4b0ba0bfd388959",
    "tenant" : {
      "id" : "524c8bf3e4b0ba0bfd388958",
      "name" : null,
      "description" : null,
      "type" : null,
      "tenantSubscriptions" : null,
      "url" : "/tenant/524c8bf3e4b0ba0bfd388958"
    },
    "component" : {
      "id" : "MnA0018309978563890805",
      "name" : "overseer",
      "url" : "/component/MnA0018309978563890805"
    },
    "assets" : null,
    "url" : "/assetGroup/524c8bf3e4b0ba0bfd388959"
  }, {
    "id" : "524c8bf3e4b0ba0bfd38895a",
    "tenant" : {
      "id" : "524c8bf3e4b0ba0bfd388958",
      "name" : null,
      "description" : null,
      "type" : null,
      "tenantSubscriptions" : null,
      "url" : "/tenant/524c8bf3e4b0ba0bfd388958"
    },
    "component" : {
      "id" : "MnA0012758669714416226",
      "name" : "overseer",
      "url" : "/component/MnA0012758669714416226"
    },
    "assets" : null,
    "url" : "/assetGroup/524c8bf3e4b0ba0bfd38895a"
  } ],
  "currentPage" : 0,
  "returnCount" : 2,
  "pageSize" : 10,
  "totalCount" : 2,
  "sortKey" : "_id",
  "sortDirection" : "ASC",
  "nextPageUrl" : null,
  "prevPageUrl" : null
}
```

Example URI: /assetGroup

Request Data

Method:GET

Query String: componentNameContains=def

Request Data:

Response

Content Type:

Response Code: 200

Reponse Content:

```
{
  "searchResults" : [ ],
  "currentPage" : 0,
  "returnCount" : 0,
  "pageSize" : 10,
  "totalCount" : 0,
  "sortKey" : "_id",
  "sortDirection" : "ASC",
  "nextPageUrl" : null,
  "prevPageUrl" : null
}
```

Example URI: /assetGroup/524c8bf4e4b0ba0bfd38895d

Request Data

Method:GET

Query String:

Request Data:

Response

Content Type:

Response Code: 200

Reponse Content:

Example URI: /assetGroup/remove/524c8bf4e4b0ba0bfd38895d

Request Data

Method:DELETE

Query String:

Request Data:

Response

Content Type:

Response Code: 204

Reponse Content:
