## Script #: 9.0 Tenant Search

## Scenario: Program Management Manage Tenant

## Purpose: Search Tenant

## Version Control

| Version # | Date | Author | Description |
|---|---|---|---|
| 1.0 | 07/18/2013 | Vishesh Bagga | Initial Draft |
| 2.0 | 07/19/2013 | Ryan Marinello | Review draft and comments |

## Test Scripts

### Script Description

As a System Administrator, I want to be able to search a Tenant

User Interface Requirement associated within test script (see below)

### Testing Requirements

This test scenario covers the following high-level test:

- RADPM2.4
- PRPM3.9
- PRPM3.5

## User Groups

- System Administrators

# Script # 9.0 Tenant Search

### *Setup*

- Program Management is operational and MongoDB is connected
- QA staff has either a Local or Cloud environment deployed for testing to interact with UI.
- QA Staff must also have a REST Client available to perform tests with verb GET, POST, PUT or DELETE
- QA staff must test the script on Internet Explorer 8+ (Windows), Firefox 8+ (Macintosh, Linux & Windows), Safari 5+ (Macintosh), Chrome 16+ (Macintosh, Linux & Windows)"

-

### *Teardown*

- None

### *Script Steps*

| Step # | Test Action | Expected Results |
|---|---|---|
| 1 | Access PMI localhost:8080/rest and click the "Manage Tenant" button for creating a new configuration | Interface should open and should have an option to create a new configuration |
| 2 | Repeat Step 1 on Chrome, Firefox, IE, Safari browser | Interface should open up and it should be similar across all browsers |
| 3 | Search by UI: enter a Tenant name in the Tenant textbox and click the Search button | Any similar or matching records should return on page in paginated format. |
| 4 | Search by UI: enter a Tenant name in the Tenant textbox and select a Tenant Type, click Search button | Matching records should return on page in paginated format. |
| 5 | REST call GET all Tenant records /rest/Tenant http://localhost:8080/rest/Tenant | All Tenant records should return in paginated format. |

| 6 | REST call GET specific Tenant by ID /rest/Tenant/{id} http://localhost:8080/rest/Tenant/id | Results should return specific Tenant information per ID |
|---|---|---|
| 7 | Search by URL with a browser to get the http://localhost:8080/rest/Tenant | All Tenant records should return on page in an HTMLformat |
| 8 | Search by URL with a browser by ID http://localhost:8080/rest/Tenant/{id} | Results should return specific Tenant information per ID |
| 9 | UI: column sorting, click Tenant Name, Description or Type | Sorted records should display per clicked column from A-Z or Z-A |
| 16 | Use wildcard character "*" as last one of the elements of search patter(say "AB*") and repeat steps 3-9 | All matching records starting with the pattern "AB" and having any character after that should get displayed(ie matching results could be ABCD, ABcD, ABCd etc) |
| 17 | Use wildcard character "*" as the first character of a pattern in any search field and click the Search button | An error message should show up and Search should not be performed |
| E1 | Validation message tenant.multiple.found | More than one result found for name {0} |
| E2 | Validation message tenant.invalid.id | Invalid ID |
| | Requirements | RADPM2.4 PRPM3.9 PRPM3.5 |