PascaL0-like EBNF Gramatika

Program

program = “program” “(” ident “)” “;” [declare_mode] block “.” ;

declare_mode= “use” “legacy” “;” |
“use” “default” “;” |
“use” “strict” “;” ;

block = declaration_part statement_part ;

Deklarační Část

declaration_part = {(label_declaration_part | constant_declaration_part |
variable_declaration_part | procedure_declaration_part)};

Deklarace Návěští

label_declaration_part = “label” label_list “;” ;

Deklarace Konstanty

constant_declaration_part = “const” type = identifier_list “:=” atom “;” ;

Deklarace Proměnné

variable_declaration_part = type identifier_list “:=” expression “;” |

type identifier_list “;” |

type identifier_list “:=” “[“ expression_list “]” “;” ;

Deklarace Procedury

procedure_declaration_part =“procedure” ident “;” block “;”

Příkazová Část

statement_part = “begin” { statement } “end”

statement = int “:” (compound_statement | while_do_statement | do_while_statement
| repeat_statement | for_statement | if_statement | case_statement |
assignment_statement | procedure_statement | goto_statement |
ternary_statement | io_statement) |
(compound_statement | while_do_statement | do_while_statement |
repeat_statement | for_statement | if_statement | case_statement |
assignment_statement | procedure_statement | goto_statement |
ternary_statement | io_statement)

Příkaz I/O

io_statement = (“write” | “read”) ident “;” ;

Příkaz Ternární

ternary_statement = ident “:=” expression “?” expression “!” expression “;” ;

Příkaz Přiřazení

assignment_statement = ident “:=” expression “;” ;

Příkaz Goto

goto_statement = “goto” int “;” ;

Příkaz procedurální

procedure_statement = “call” ident “;” ;

Příkaz Složený

compound_statement = “begin” statement_list “end” “;” ;

Příkaz While Do

while_do_statement = “while” expression “do” statement ;

Příkaz Do While

do_while_statement = “do” statement “while” expression ;

Příkaz Repeat Until

repeat_statement = “repeat” statement “until” expression ;

Příkaz For

for_statement = “for” ident “:=” expression (“to” | “downto”) expression “do” statement ;

Příkaz If

if_statement = “if” expression “then” statement [“else” “then” statement];

Příkaz Case

case_statement = “case” expression “of” case_limb_list “end” ;

case_limb_list = [case_limb] ;

case_limb = case_label_list “:” statement ;

case_label_list = atom { “,” atom } ;

Nízkoúrovňové Definice

ident = ('a' .. 'z' | 'A' .. 'Z') { 'a' .. 'z' | 'A' .. 'Z' | '0' .. '9' | '_' }

type = (“string” | “real” | “integer” | “boolean”) ;

label_list = int { “,” int } ;

identifier_list = ident { “,” ident } ;

expression_list = expression { “,” expression } ;

expression =

“-“ expression |

“not” expression |

expression (“*” | “/”) expression |

```
        expression  ( “+” | “-“ ) expression |
        expression ( “=” | “<>” | “<” | “<=” | “>” | “>=” ) expression
        expression (“and” | “or” ) expression |
        atom |
        “(” expression  “)”;
atom = ( int | float | ident | (“true”  | “false” ) | string  ) ;
string = '\'' ('\'\'' | ~ ('\''))* '\'' ;
float = [0-9] '.' {0-9} | '.' [0-9] ;
int = [0-9] ;
```